For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	
monar uay yeal	Spot Description:
, ,	Sec Twp S. R E W
PERATOR: License#	feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
.iddress 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
ontact Person:	County:
hone:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate:
_	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Depth:	Formation at Total Depth:
Original Completion Date Original Total Deptil	Water Source for Drilling Operations:
rirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR )
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFI	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	
t is agreed that the following minimum requirements will be met:	
	drilling rig;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i>	by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. rict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in;
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>s agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
<ol> <li>is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li></ol></li></ol>	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after the form below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluggenerated. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the complete of the compl	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the other of the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemente or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be all be appropriated before well is also be appropriated.  Ibmitted Electronically  For KCC Use ONLY  API # 15	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:			
Lease:	feet from N / S Line of Section			
Well Number:	feet from E / W Line of Section			
Field:	Sec Twp S. R			
Number of Acres attributable to well:	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 2470 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed Existing  If Existing, date constructed:		SecTwpR East West			
Settling Pit Drilling Pit			Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of SectionCounty			
Is the pit located in a Sensitive Ground Water A	ırea? Yes I	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No Artificial Liner?  Yes No		lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
material, thickness and installation procedure.						
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:				
feet Depth of water wellfeet		measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
	-					
Submitted Electronically						
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS						
Date Received: Permit Number:Per			t Date: Lease Inspection:			

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed:	Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface own	eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

Dornah Oil Company Kultgen Unit SE. 1/4. SECTION 34. TITS. R14W BARTON COUNTY, KANSAS

1378' FEL



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

11/19/2021

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

shown on this it be legally indowner. for access. 100 y ion too pedo

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillistic location in the section is not quaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hald Central Kansas Biffield Services, Inc. its officers and from incidental or corresponding to demaps.

For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Darrah O: 1 Company, LLC Lease: Kultgen Unit Well Number: #1-34 Field: Boyd	Location of Well: County: Barton  2740 feet from N / S Line of Section  1378 feet from E   W Line of Section  Sec. 34 Twp. 17 S. R. 14 E W
Number of Acres attributable to well:	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
PLA Show location of the well. Show footage to the nearest lead lease roads, tank batteries, pipelines and electrical lines, as required as separated by the state of the stat	se or unit boundary line. Show the predicted locations of red by the Kansas Surface Owner Notice Act (House Bill 2032). arate plat if desired.
	C Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
<i>5</i> -2-	EXAMPLE 1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

the same are true and correct, so help me God.

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### 1170147

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

#### WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:			A	PI No.	. 15		
Name:				Spot Description:			
Address 1:			_	Sec Twp S. R East We			
Address 2:			_	Feet from North / South Line of Sec			
City:			-	Feet from East / West Line of Section			
Contact Person:			F	Footages Calculated from Nearest Outside Section Corner:  NE NW SE SW  County:  Lease Name: Well #:  Date Well Completed:			
Phone: ( )							
Type of Well: (Check one) Oil Well Gas Well OG D&A Cathod Water Supply Well Other: SWD Permit #:  ENHR Permit #: Gas Storage Permit #:  Is ACO-1 filed? Yes No If not, is well log attached? Yes			ic C				
			Le				
			Producing Formation(s): List	All (If needed attach another	sheet)	b	y:
Depth to	o Top: Botto	m: T.D	_	luaain	a Commenced:		
Depth to	o Top: Botto	m: T.D					
Depth to	o Top: Botto	m: T.D	'	laggin	g completed.		
Show depth and thickness of	all water, oil and gas forma	ations.					
Oil, Gas or Wate	r Records		Casing Rec	ord (Sı	urface, Conductor & Produc	tion)	
Formation	Content	Casing	Size		Setting Depth	Pulled Out	
cement or other plugs were u	sed, state the character of	same depth placed from (bot	ttom), to (top)	for ea	ach plug set.		
Plugging Contractor License	#:		Name:				
Address 1:			Address 2:				
City:		S	tate:_		Zip:+		
Phone: ( )							
Name of Party Responsible for	or Plugging Fees:						
State of	County, _		,	SS.			
(Print Name)				E	Employee of Operator or	Operator on above-described well,	

Submitted Electronically

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and

## QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025 Cell 785-324-1041 Home Office P.O. Box 32 Russell, KS 67665

No. 6879

Finish On Location County State Range Sec. Two. 1:15 PM K 5 Barton 14 34 Date 8-25-13 WnZ Location Well No. /- 34 Lease K-F Unit Owner To Quality Oilwell Cementing, Inc. Contractor Sterling 5 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. Type Job Surface Charge 826 Hole Size 12/ T.D. 821.64 Depth Csa. Street State Depth City Tbg. Size The above was done to satisfaction and supervision of owner agent or contractor. Depth Tool 6°/40 3%CG 42.32 Cement Amount Ordered Shoe Joint Cement Left in Csg. 49 1/2 661 Displace Meas Line **EQUIPMENT** Common Cementer No. Poz. Mix Helper Pumptrk Driver No. Gel. Bulktrk 12 Heath Driver Driver PY Calcium Bulktrk Driver Travis JOB SERVICES & REMARKS Hulls circulate Salt Remarks: Cement did Flowseal Rat Hole Kol-Seal Mouse Hole Mud CLR 48 Centralizers CFL-117 or CD110 CAF 38 Baskets Sand D/V or Port Collar Handling Mileage FLOAT EQUIPMENT Guide Shoe Centralizer **Baskets** AFU Inserts Float Shoe Latch Down 1 baffal Blate 1 Rubber Plua ong Surface Pumptrk Charge Mileage Tax Discount X Signature Olin Latte **Total Charge** 

## QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107 Home Office P.O. Box 32 Russell, KS 67665

Phone 785-483-2025

No. 7763

Cell 785-324-1041 Sec. Range County State On Location Finish Two. 34 Barton 15 Date 281 Location Well No. Owner Lease To Quality Oilwell Cementing, Inc. #5 Contractor You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. Type Job Charge Kasources Hole Size Depth Csg. Street Depth Tbg. Size City State The above was done to satisfaction and supervision of owner agent or contractor. Tool Depth Cement Amount Ordered 225 SX Cement Left in Csq. Shoe Joint Displace Meas Line EQUIPMENT Common Cementer Poz. Mix Helper Pumptrk Driver Gel. Bulktrk Driver No. Driver Bulktrle Calcium Driver **JOB SERVICES & REMARKS** Hulls Salt Remarks: Flowseal Rat Hole Kol-Seal Mouse Hole Centralizers Mud CLR 48 CFL-117 or CD110 CAF 38 Baskets D/V or Port Collar Sand Handling Mileage FLOAT EQUIPMENT Guide Shoe Centralizer Baskets AFU Inserts Float Shoe Latch Down Pumptrk Charge Mileage Tax Discount alen fofter X Signature **Total Charge** 

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

## **NOTICE**

## **Nearest Lease or Unit Boundary Line**

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

November 23, 2021

Harlan Clonts Darrah Oil Company, LLC 125 N MARKET SUITE 1425 WICHITA, KS 67202-1720

Re: Drilling Pit Application Kultgen Unit 1-34 SE/4 Sec.34-17S-14W Barton County, Kansas

#### Dear Harlan Clonts:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and no deeper than 3 feet. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.