KOLAR Document ID: 1600185

Confident	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR ☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	
SWD Permit #: EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East _ West
Recompletion Date Reached TD Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II III Approved by: Date:							

KOLAR Document ID: 1600185

Operator Nan	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.


Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample			
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum		
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No								
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.				
Purpose of String	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.	t Setting		Type of Cement	# Sacks Used	Type and Percent Additives			
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD					
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives			
Protect Casing Plug Back TD Plug Off Zone											
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three			
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>				
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	Gas-Oil Ratio	Gravity			
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTION INTERVAL:			
Vented Sold (If vented, Subn	Used on Lease		Open Hole Perf.			·	mingled	Тор	Bottom		
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)			
TUBING RECORD:	Size:	Set At:		Packer At:							

Form	ACO1 - Well Completion
Operator	La Grange Acquisition, LP dba Energy Transfer Company
Well Name	SAT 3.8 1
Doc ID	1600185

Casing

	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	16	10	21	20	Bentonite	50	NA



2.	NOT DRAWN TO SCALE - SOME CABLE LENGTHS HAVE
	BEEN ADJUSTED TO FIT THIS PAGE.

AS BUILT DESCRIPTION

A NO.

sharepoint.com...\Engineering Drawings\Project Drawings\Energy Transfer\2021\10082\P-10082-PL-CP02.dwg



				LEGEND):	
				Groundbed		
				Rectifier		
				TEG Unit	TEG	
			Rd	Wellhead	—	_
				J-BOX	J	
				Positive (+) Cable	+	
				Negative (-) Cable		
				Fence	———————————————————————————————————————	
				Riser	>	\prec
				Control Box	C.	•
				Solar Skid		
				GROUNDB INFORMATI		
				Groundbed Type: D No. of Anodes: 20	WGB	
				Type: Cast Iron And	ode	
				Lead Wire: Kynar Coke Type: SC-3		
				Pounds Installed:-		
				Positive: HMWPE Negative: -		
				Hole Diameter: 10"		
				Hole Depth: 350' Date Installed: 11/02	2/2021	
				RECTIFIE INFORMATI		
				Manuf'r: -		
				Model No: - Serial: -		
				DC Rating: -		
				AC Input: - Phase: -		
				PSP "off": -		
				PSP "on": -		
				Tap setting: - Date Installed: -		
				LOCATION	J :	
				SAT 3.8		
				Fargo,		
				Seward Cou	•	
				Kansas		
				Time for the last state		
	· \			Time finish coke i 6:00 p.m.	nstall :	
				(12 hrs set time fo		
		```		Tag Hole Time : 7 Tag Hole Depth :		n.
	CAT		C PROTECTION SYSTEM FOR T 3.8, FARGO, SEWARD COL		R,	
	DRAWN BY: APPROVED BY:	MRP CH	1700 E. Seward Road Guthrie, Oklahoma 73044	PHONE: (405)293	-9777	
ER	CREATION DATE	.44/00/04				
	SCALE:	NTS	P-10082-		SIZE : (	11x17)
					(	

DIA. HOLE: 0011 DEPTH: 350 COKE TYPE: 503 HOLE PLUG: 01:40	ELECTRIC LOC	NATIVE W/O COKE W/COKE													N							
20 K21	ANODE	o'r	8	.0	10	-	13	13	Ы	15	3	ŝ	30	6	50							
d CASING TYPE: 777 * CASING TYPE: 779 CASING DEPTH: NO. OF ANODES: ANODE TYPE:	H	210 Grave / Sand	220 Clar / Sand		Sand/	250 Scad	260 Sand	270 Sand	280 Sand / Grave	290 Sand/Grave	300 Sand/Gravel	310 S 902 ) Clag	320 Sand/ Clag	330 San & / Clag	340 Rock	350 Rock	360	370	380	390	400	410
MATCOR 1700 E. Seward Road Guthrie, OK. 73044 PHONE: (405) 293-9779 AX NO.: (405) 293-9779 AX NO.: (405) 293-9779 TATE: Cant																						
MAT 1700 E. ( Guthrie, PHONE: FAX NO.: STATE: COUNTY: ( DTR		W/COKE																				
a Ster	ELECTRIC L										TT		TT				Π	П				
		X																				
A TAN SLE -2 A TAN SLE		NALIVE W/O COKE																				
Energ TransSer	ANODE	NU. NALIVE W/C						-										n	m	4	S	6
Job No. 00 3 GPS: N 39, 31]9361 W -00.793494 COMPANY REP.: DATE: COMPANY REP.: DATE: RECTIFIER LOCATION: LEGAL DESCRIPTION SEC 21 IT 5N	ANODE		70 Sol	Clev	Sand	CUGA LICE		Clear Sand	Clay Sand	Clas / Sans	Clay	Dear Gravel/Sand	Sand/Grave	Peal rave 1/Sand	Pea ( Scard / Scard	Crovel/Sand	Pea Gavel / Sand 1	Pea Gravel / Sand 2	Per Grave 1 Sand 3	Pealonnel Sond 4	Rock S	Sand/Rock 6