

Form	ACO1 - Well Completion
Operator	Mid-Continent Fractionation and Storage LLC
Well Name	MITCHELL 2D
Doc ID	1600461

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	17	10	133	20	Neat	45	N/A

JOB NO: 02025
GPS: 88.374763
-98.678648

COMPANY:
COMPANY REP.:
INSTALLATION DATE:
RECTIFIER LOCATION:
LEGAL DESCRIPTION

Williams
DAVID Sparr
10-8-21
Mitchell 2D

MATCOR
1700 E Seward Rd.
Guthrie, Ok. 73044
PH:(405)293-9777 F:(405)293-9779

STATE: KS
COUNTY: Rice

T R SEC QTR:

DEPTH FT.	DRILLERS LOG	ANODE NO.	ELECTRIC LOG		
			NATIVE	W/O COKE	W/COKE
0	Top Soil				
10	CLAY				
20					
30					
40					
50	Hard clay				
60	CLAY				
70					
80	Hard clay				
90					
100	—				
110					
120					
130					
140					
150					
160					
170					
180					
190					
200					

INSTALLED BY:
CASING TYPE:
DIAMETER:
CASING DEPTH:
NO. OF ANODES:
ANODE TYPE:
ANODE LEAD TYPE:

LIN
SDA-21
10"
20'
6
Lida Tubular
#8

DIA. HOLE: 10"
DEPTH: 100'
BIT TYPE: BRANCH
COKE TYPE: 8-3
LBS INSTD: 3000
HOLE PLUG: Bentonite
LBS INSTD: 750

DEPTH FT.	DRILLERS LOG	ANODE NO.	ELECTRIC LOG		
			NATIVE	W/O COKE	W/COKE
210					
220					
230					
240					
250					
260					
270					
280					
290					
300					
310					
320					
330					
340					
350					

DRILLER'S COMMENTS:

LOGGING INFORMATION

LOG VOLT: _____
SOURCE: _____
SHUNT TYPE: _____
LOGGING ANODE TYPE: _____