

Form	ACO1 - Well Completion
Operator	Chriestenson, Robert dba C & S Oil
Well Name	STORRER SWD
Doc ID	1598039

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	10.875	7	17	41	PORTLAND	8	0
Production	5.875	2.875	6.5	498	THIXO	50	0

WoCo Drilling LLC

1135 30th Rd

Yates Center, Kansas 66783

Steve 620-330-6328

Nick 620-228-2320

Operator License # 30102	API # 15-207-29801		
Operator: Bob Christenson	Lease: Storrer		
Address: 1607 MainSt Neosho Falls, Ks. 66758	Well # SWD		
Phone: 620-365-0919	Spud Date: 10-1-21		Completed:
Contractor License: 33900	Location: Sec: 23 TWP: 23		R: 16E
T.D. 537	Bite Size: 5 7/8	5115ft from South line	
Surface Pipe Size :7"	Surface Depth: 41.1ft	2475ft from East line	
Kind of Well: Salt water disposal	County: Woodson		

Drilling Log

Strata	From	To	Strata	From	To
Soil	0	10	TD 537		
Sand	10	20			
Sand&gravel	20	36			
Shale	36	78			
Lime	78	102			
Shale	102	110			
Lime	110	114			
Shale	114	129			
Lime	129	150			
Shale	150	156			
Lime	156	176			
Shale	176	266			
Lime	266	283			
Shale	283	290			
Lime	290	293			
Shale	293	305			
Lime	305	315			
Shale	315	322			
Lime	322	329			
Shale	329	336			
Lime	336	341			
Soft lime	341	375			
Lime	375	393			
Shale	393	398			
Lime	398	401			
Shale	401	435			
Lime	435	505			
Blk Shale	505	510			
Lime	510	537			



Calculated Slurry - Tail	
Blend:	
Weight:	ppg
Water / Sx:	gal / sx
Yield:	ft ³ / sx
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0 bbls
Excess:	
Total Slurry:	0.0 bbls
Total Sacks:	0 sx

CREW		UNIT		SUMMARY		
Cementer:	Casey Kennedy	89		Average Rate	Average Pressure	Total Fluid
Pump Operator:	Nick Beets	239		3.1 bpm	- psi	- bbls
Bulk:	Pat Sanborn	247				
H2O:	Scott McCrea	111				

ftv: 15-2021/01/25
mplv: 201-2021/09/15