



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Val Energy Inc LLC
125 N Market St Ste 1110
Wichita, Ks. 67202
ATTN: David Barker

29-30s-11w Barber Co. Ks.
McKay 1-29
Job Ticket: 64949 **DST#: 2**
Test Start: 2019.10.14 @ 08:00:41

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	16000 ppm
Viscosity: 63.00 sec/qt	Cushion Volume: bbl		
Water Loss: 9.59 in ³	Gas Cushion Type:		
Resistivity: 7000.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: ppm			
Filter Cake: 0.20 inches			

Recovery Information

Recovery Table


Length ft	Description	Volume bbl
60.00	WCM 55%w 45%m	0.457
60.00	WCM 1%w 99%m	0.457

Total Length: 120.00 ft Total Volume: 0.914 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #: None

Laboratory Name: Laboratory Location:

Recovery Comments: RW .04 @74 Degrees = 16,000 Chlorides.



Serial #: 8788

Outside Val Energy Inc LLC

McKay 1-29

DST Test Number: 2

