KOLAR Document ID: 1484897

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R East West				
Address 2:	Feet from North / South Line of Section				
City:	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No				
Cathodic Other (Core, Expl., etc.):					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: w/ sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content:ppm Fluid volume:bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR Permit #:	Location of haid disposal in hadica offsite.				
GSW Permit #:	Operator Name:				
_	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
☐ Wireline Log Received ☐ Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II III Approved by: Date:				

KOLAR Document ID: 1484897

#### Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [	East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery,  Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name	)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€  Y€	es No						
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[	Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	Used Type and Percent Additives				
Plug Off Z										
2. Does the volume	1. Did you perform a hydraulic fracturing treatment on this well?  2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No (If No, skip questions 2 and 3)  No (If No, skip question 3)  No (If No, fill out Page Three of the ACO-1)									
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping  Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:						N INTERVAL:			
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At				Record	
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Ritchie Exploration, Inc.
Well Name	YORK 30C 1
Doc ID	1484897

# Tops

Name	Тор	Datum
Anhydrite	2177	+561
B/Anhydrite	2199	+539
Stotler	3393	-655
Heebner	3768	-1030
Lansing	3808	-1070
Muncie Shale	3970	-1232
Stark Shale	4062	-1324
Hush	4097	-1359
BKC	4141	-1403
Altamont	4199	-1461
Pawnee	4264	-1526
Myrick	4297	-1559
Fort Scott	4315	-1577
Cherokee Shale	4340	-1602
Johnson	4382	-1644
B/Johnson	4400	-1662
Mississippian	4451	-1713

Form	ACO1 - Well Completion
Operator	Ritchie Exploration, Inc.
Well Name	YORK 30C 1
Doc ID	1484897

# Perforations

Shots Per Foot	Perforation Top	Perforation Bottom	BridgePlugTyp e	BridgePlugSet At	Material Record
4	3805	3809			500 Gals 15% MCA
4	3988	3992			500 Gals 15% MCA
4	4021	4028			375 Gals 15% MCA
4	4039	4043			188 Gals 15% MCA
4	4046	4051			187 Gals 15% MCA
	3884	3889			300 Gals 15% NE/FE w/surfactant & 15 soluble perf-ball- sealers
	3895	3898			300 Gals 15% NE/FE w/surfactant & 15 soluble perf-ball- sealers
	4392	4396			750 Gals 15% NE/FE w/clay- sta & surfactant

Form	ACO1 - Well Completion
Operator	Ritchie Exploration, Inc.
Well Name	YORK 30C 1
Doc ID	1484897

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	12.25	8.625	24	220	common	185	2% gel,3%cc
Production	7.875	5.50	15.50	4548	OWC	200	10% salt,2% gel,5#/sx Kol-Seal & 1/4% OWC