KOLAR Document ID: 1603770

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	·
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil     ☐ WSW     ☐ SWD       ☐ Gas     ☐ DH     ☐ EOR       ☐ OG     ☐ GSW	Producing Formation: Kelly Bushing:   Elevation: Ground: Kelly Bushing:   Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? ☐ Yes ☐ No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec.         TwpS. R East West           County:         Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1603770

#### Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casii								
Plug Off Zon								
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513   1200  10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	WEST VAN WINKLE 10A
Doc ID	1603770

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	6.5	706	portland	80	n/a

## West Van Winkle 10A

5	soil	5	start 10/25/21
10	clay	15	finish 10/26/21
80	shale	95	
31	lime	126	
30	shale	156	
4	lime	160	set 20' 7"
45	shale	205	ran 706' 2 7/8
56	lime	261	hurricane cmented to surface
3	shale	264	
22	lime	286	
179	shale	465	
24	lime	489	
59	shale	548	
27	lime	575	
26	shale	601	
9	lime	610	
19	shale	629	
6	lime	635	
7	shale	642	
7	lime	649	
8	shale	657	
4	oil sand	661	good show
51	shale	712	td



				The state of the s			
e e A	TMENT R	FPORT					
		LIONI	Well:	101	est Van Wint a 10-4		The state of the s
_stomer:	RJ Energy			AA	est van verwe 1,-4		
City, State: (	Garnett, KS		County:		AN, KS	Thesian .	and the second s
Field Rep:	Jason Kent		S-T-R:		14-21-20	<b>Service</b>	
			<u> </u>				
Downhole In	formation		Calculated :	Slurry - Lead		Cara	interes Stranger Codi
Hole Size:	5 5/8 in		Blend:	Econobone	1 1# PS	Element.	
Hole Depth:	706 ft		Weight:	13.61 p	pg	Weight:	2005
Casing Size:	2 7/8 in		Water / Sx:	7.12 g	al/sx	Water / Sx:	\$25 T 53
asing Depth:	700 ft		Yield:	1.56 f	13/sx	Yield:	8 × 2 ×
ıbing / Liner:	in		Annular Bbis / Ft.:	b	bs / ft.	Annular Bbis / Ft.:	bbs / ft_
Depth:	ft		Depth:	f		Depth:	ft
ool / Packer:			Annular Volume:			Annular Volume:	0 bbls
Tool Depth:	ft		Excess:			Excess:	
	4,05 bb	10	Total Slurry:		inic .	Total Slurry:	0.0 bbls
isplacement:						Total Sacks:	0 sx
IME RATE		AGE TOT.		1 02 3	<u>^</u>		
	FOI D		- on location, held safe	atu maating			
1:30 PM			- Off focation, nero said	ety meeting			
			-		and the second s		
4.0			- established circulati		Selfellered by 6 bble from	untor	
4.0					Sel followed by 4 bbls fresh		
4.0				2 sks Econobol	nd cement with 1# Phenose	eat per sk, cement to surfa	CE
4.0			- flushed pump clean				
1.0					with 4.05 bbls fresh water		
1.0			- pressured to 800 PS				
			released pressure to	set float valve			
4.0			- washed up equipme	nt			
			-				
2:30 PM			left location		0		
				····			
		A CONTRACTOR OF THE PERSON OF					
	T						
	+						
	+						
	+	_					
			דואט			SUMMAR	Y
	CREW				Au 5-4-	Average Pressure	Total Fluid
Cemente		Kennedy	89		Average Rate		- bbls
Pump Operato		tt Scott	239		3.1 bpm	- psi	I + DDIS
Bull		Detwiler	193	_			
H20	Nick E	3eets	111				