KOLAR Document ID: 1488563

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from North / South Line of Section					
City: State: Zip: +	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:					
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:					
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet					
CM (Coal Bed Methane)	·					
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to:w/sx cmt.					
Original Comp. Date: Original Total Depth:						
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan					
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)					
Described	Chloride content: ppm Fluid volume: bbls					
☐ Commingled Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
EOR Permit #:	Location of fluid disposal if flauled offsite.					
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R					
Recompletion Date Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1488563

Page Two

Operator Name:			Lease Name:			Well #:			
Sec Twp.	S. R.	Ea	ast West	County:					
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log	
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample	
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		R			New Used	on, etc.			
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I			
Purpose:		epth Ty	Type of Cement # Sacks Used Type and Percei			Percent Additives			
Protect Casi									
Plug Off Zon									
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,	
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity	
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom	
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom	
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record	
TUBING RECORD:	Size:	Set /	At:	Packer At:					
. 5513 (1200) 10.	JIEG.			. 30.0.71					

Form	ACO1 - Well Completion					
Operator	N & W Enterprises, Inc.					
Well Name	FORRESTER INJ 7					
Doc ID	1488563					

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	8	14.0	20	Portland	5	0
Production	5.875	2.875	6.5	426	Portland	65	0

Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720 Date Invoice #

1/21/2020

54992

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701 (x) Landed Plug on Bottom at 750 PSI
() Shut in Pressure
(x)Good Cement Returns
() Topped off well with _____ sacks
(x) Set float shoe

TYPE OF TREATMENT: Production Casing

HOLE SIZE: 5 5/8" TOTAL DEPTH: 427

48-1103536	Terms	Due Date	API
Crawford	Net 30 days	2/20/2020	15-037-22412-00-00

Service or Product	Qty	Per Foot Pricing/Unit Pricing	Amount
Plug Job 1-15-2020	426	3.00	1,278.00
Cement 2 7/8" in new well Sales Tax		7.50%	0.00

O1-15-2020
Forrester Inj 7
Crawford County
Section: 34
Township: 28
Range:

Hooked onto 2 7/8" casing. Established circulation with .5 barrels of water, blended 69 sacks of 2% cement, dropped rubber plug, and pumped 2.4 barrels of water

Total	\$1,278.00
Payments/Credits	\$0.00
Balance Due	\$1,278.00

Phone #	E-mail
620-433-7196	rustypickle@hotmail.com



Mound City, KS 620.224.7406

Well #					Casing					
Forrester #Inj 7								Surface	L	ongstring
N & W Enterprises, II			, Inc.			Size:	8.0 "	Size:	2 7/8 "	
							Tally:	20 '	Tally:	426.25 425.7
API #:		7-22412	S-T-R:	34-28-22E			Cement:	5 sx	Bit:	5.875 "
County:	Crawf	ford	Date:	1/10/2020			Bit:	9.875 "	Date:	1/13/2020
Тор	Base	Form	ation			Тор	Base	Formation		
0	2	Soil								
2	15	Sand stor	ne							
15	81	Shale								
81	113	Lime								
113	115	Shale								
115	124	Lime								
124	189	Shale								
189	208	Lime								
208	215	Shale								
215	220	Lime								
220	320	Shale								
320	322	Lime								
322	386	Shale								
386	387	Coal								
387	398	Sand								
398	400	Blk Sand								
400 427	427	Shale								
427		TD								
								Sand / Core D	etail	
						Core #1: Core #2				
						387	398	Good odor, good b	leed, soft	sand
						398	400	Blk Sand		
				Total Depth:	4	127				