KOLAR Document ID: 1605864

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil         ☐ WSW         ☐ SWD           ☐ Gas         ☐ DH         ☐ EOR	Producing Formation: Kelly Bushing:
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Committed and Downit #	Chloride content: ppm Fluid volume: bbls
☐ Commingled     Permit #:       ☐ Dual Completion     Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II Approved by: Date:					

KOLAR Document ID: 1605864

#### Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Taken Yes No Log Formation (Top), Depth an (Attach Additional Sheets)								Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	ement # Sacks Used Type and Percent Additi				
Protect Casi								
Plug Off Zon								
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Oil Bbls. Per 24 Hours							Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Perforation Perforation Bridge Plug Bridge Plug Acid, Fracture, Shot, Cementing S Set At (Amount and Kind of Materi				Record				
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513   1200  10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	WEST VAN WINKLE 12A
Doc ID	1605864

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	6.5	670	portland	100	n/a

## West Van Winkle 12A

4 soil	4	start 11/11/21
10 clay	14	finish 11/12/21
72 shale	86	
32 lime	118	
52 shale	170	
6 lime	176	set 20' 7"
26 shale	202	ran 670' of 2 7/8
48 lime	250	hurricfane cemented
8 shale	258	
47 lime	305	
shale	470	
16 lime	486	
59 shale	545	
28 lime	573	
20 shale	593	
7 lime	600	
16 shale	616	
6 lime	622	
2 shale	634	
4 lime	638	
9 shale	647	
5 oil sand	652	good show
24 shale	676	td



ÉMEN	TTRI	EATME	NT REP	ORT							
Gus	stomer: RJ Energy Well:		West Van Winke 12-A Ticket: EP3275								
City	, State	Garnet	Garnett VS			West Van Winke 12-A					
		love Josep Kout				AN, KS	Date	11/12/2021			
		Todoo			S.7-R:	14-21-20	Servic	longstring			
Dov	vnhole	Informat	ion		Calculated S						
Hol	e Size	Carculated Sa						alculated Slurry - Tail			
Hote	Depth	67	B #£		Weight:	Econobond 1# PS	Blend				
Casin	g Size:	27/	8 in	distribution of the state of th	Water / Sxc	13.61 ppg	Weigh	1775			
Casing	Depth:	67	O ft	egiroppi i quium	Yield:	7.12 gal/sx 1.56 ft <sup>3</sup> /sx		er/Sx: gal/sx			
Tubing	Liner:		in	-	Annular Ebis / Ft.:	bbs / ft.	Yiek				
	Depth:		ft		Depth:	R	Annular Bbls / Ft				
Tool / P	acker:				Annular Volume:	0.0 bbls	Depti				
Tool	Depth:		ft		Excess:	0.00	Annular Volume				
Displace	ement:	3.88	bbls .		Total Slurry:	20.56 bbis	Excess				
			STAGE	TOTAL	Total Sacks:	74 sx	Total Slurry Total Sacks				
TIME	RATE	PSI	BBLs	BBLs	REMARKS		Total Sacks	0 sx			
12:00 PM			-	-	on location, held safety	meeting					
	-			*	Transmission of the Control of the C						
	4.0			*	established circulation						
	4.0			*	mixed and pumped 200	Bentonite Gel followed by 4 bbls	fresh water				
	4.0		-	*	mixed and pumped 74 s	ks Econobond cement with 1# Phe	noseal per sk, cement to su	rface			
-	4.0				flushed pump clean						
	1.0			*	pumped 2 2 7/8" rubber	plugs to casing TD with 3.88 bbls	fresh water				
	1.0	***************************************	$\vdash$		pressured to 800 PSI, we						
***				-	released pressure to se	t float valve	valve				
	4.0	- washed up equipment									
				-							
1:00 PM					left location						
						8.					
		CREW			LINE						
Cem	0			89		SUMMAR	Y				
Pump Ope			tt Scott		239	Average Rate	Average Pressure	Total Fluid			
Bulk: Scott McCrea		193	3.1 bpm	- psi	- bbls						
100					111						