KOLAR Document ID: 1605969

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil         ☐ WSW         ☐ SWD           ☐ Gas         ☐ DH         ☐ EOR	Producing Formation: Kelly Bushing:
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Committed and Downit #	Chloride content: ppm Fluid volume: bbls
☐ Commingled     Permit #:       ☐ Dual Completion     Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
☐ Wireline Log Received ☐ Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II Approved by: Date:				

KOLAR Document ID: 1605969

#### Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513   1200  10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	FEURBORN 1
Doc ID	1605969

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	6.5	805	portland	100	n/a

## Feurborn 1

soil	4	start 11/15/21
clay	18	finish 11/18/21
shale	80	
lime	111	
shale	128	
lime	135	set 20' 7"
shale	181	ran 805' of 2 7/8
lime	230	hurricfane cemented
shale	236	
lime	281	
shale	449	
lime	470	
shale	527	
lime	555	
shale	572	
lime	582	
shale	599	
lime	605	
shale	612	
lime	619	
shale	625	
brkn sand	631	good show
shale	664	
bkn sand	671	odor
shale	714	
brkn sand	742	
sand	790	
shale	811	td
	clay shale lime shale brale lime shale lime shale lime shale lime shale shale shale lime shale	clay       18         shale       80         lime       111         shale       128         lime       135         shale       181         lime       230         shale       236         lime       281         shale       449         lime       470         shale       527         lime       555         shale       572         lime       582         shale       599         lime       605         shale       612         lime       612         lime       625         brkn sand       631         shale       664         bkn sand       671         shale       714         brkn sand       742         sand       790



JENT	TREA	TMENT	REPO	RT						
	TREATMENT REPORT		Weil:	Feurborn 1		Ticket:	EP3340			
	-	Sarnett, KS		County:		AN, KS	Date:	11/19/2021		
		lason Ke			S-T-R:		28-20-20	Service:	longstring	
					212000000000000000000000000000000000000					
Down	hole In	formatio	1		Calculated SI	urry - Lead		Calcu	lated Slurry - Tail	
Hole	Hote Size: 5 5/8 in		Blend: Econobond 1# PS			Blend:				
Hole D	epth:	811	ft		Weight:			Weight:	PPS PPS	
Casing	Size:	2 7/8	in		Water / Sx: 7.12 gal / sx			Water / Sx:	gal/sx	
Casing D	epth:	805	ft		Yield:	1.56 ft		Yield:	₩²/sx	
Tubing / I			in		Annular Bbis / Ft.: bbs / ft.			Annular Bbls / Ft.:	bbs / ft.	
	epth:		ft		Depth:	Ť		Depth:	ft .	
Tool / Pa					Annular Volume: 0.0 bbls		bls	Annular Volume:	0 bbls	
Tool D			ft		Excess:		Excess:	2.2 444		
Displace	ment:	4.66			Total Slurry:	26.95 b		Total Slurry: Total Sacks:	0.0 bbls	
	DATE	PSI	STAGE BBLs	TOTAL BBLs	Total Sacks:	97 s	A	rotar Sacks:		
TIME	HAIE	151	DDLS	e-14a	on location, held safety	meeting				
1:00 PM			-	-	Off 1002 Lott, freit adiety					
	40				established circulation					
	4.0						sel followed by 4 bbls free	sh water		
-	4.0							Seal per sk, cement to surfa	ce	
	4.0				flushed pump clean					
	1.0					r plugs to ca	sing TD with 4.66 bbls fre	sh water		
	1.0			_	pumped 2 2 7/8" rubber plugs to casing TD with 4.66 bbls fresh water pressured to 800 PSI, well held pressure					
	1.0			-	released pressure to s					
	4.0				washed up equipment					
all the control of th	7.0									
2:00 PM					left location	Į.	1 3			
							2			
Andrew Transportation of the Control										
									and Address three seasons of the sea	
								manufacture of the control of the co		
			-							
			-							
			-			And Andrews Property of Anti-Science				
		CRE	N		UNIT			SUMMAR		
Ce	menter		sey Kenn	edy	89		Average Rate	Average Pressure	Total Fluid	
Pump O	perator		k Beets		239		3.1 bpm	- psi	- bbis	
	Bulk: Devin Katzer		248		Name of the Control o					
H20: Keith Detwiler					111	1	1			