KOLAR Document ID: 1608820

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW ☐ CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	<u>'</u>
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
☐ Dual Completion Permit #: ☐ SWD Permit #:	
SWD Permit #: EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Caud Data on Data Dasahad TD Overslation Data	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
☐ Wireline Log Received ☐ Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1608820

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	rpS	S. R	Eas	st West	County:					
	l, flowing an	d shut-in pres	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests (Attach Addit)		Yes No		Lo		n (Top), Depth a		Sample
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Log	s		Yes No Yes No Yes No						
			Rep	CASING	RECORD [Nev		on, etc.		
Purpose of St	tring	Size Hole Drilled		Size Casing let (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		<u>'</u>	
Purpose: Perforate		Depth Top Bottom	Тур	Type of Cement # Sacks User			Sed Type and Percent Additives			
Protect Ca										
Plug Off Z										
Did you perform Does the volume Was the hydraul	e of the total	base fluid of the	hydraulic	fracturing treatment		-	Yes S? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Produ Injection:	ction/Injectio	n or Resumed P	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>		
Estimated Product Per 24 Hours		Oil	Bbls.		Mcf	Water			Gas-Oil Ratio	Gravity
DISPO	OSITION OF	GAS:		N	METHOD OF CO	MPLET	ΓΙΟΝ:			DN INTERVAL: Bottom
Vented		Used on Lease		Open Hole		Dually (Submit A		nmingled nit ACO-4)	Тор	BOLLOTTI
,	ed, Submit AC							·		
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)	
TUBING RECORI	D: S	Size:	Set A	: -	Packer At:					

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	CARL 5-21
Doc ID	1608820

Tops

Name	Тор	Datum
Clay	0	12
Shale	12	115
Lime	115	240
Black Shale	240	242
Shale	242	272
Lime	272	390
Shale	390	415
Lime	415	616
Black Shale	616	618
Lime	618	680
Big Shale	680	700
Black Shale	700	702
Shale	702	850
Shale / Lime	850	995
Black Shale	995	1001
5' :Lime	1001	1006
Black shale	1006	1010
Shale	1010	1018
Upper Squirrel Sand	1018	1070
Shale	1070	1120

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	CARL 5-21
Doc ID	1608820

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	10.625	8.625	24	40	portland	10	0
Production	6.125	2.875	6.7	1110	common	160	0

Superior Building Supply, Inc.

215 W. Rutledge St. Yates Center, KS 66783-1239

620-625-2447

Date	Invoice #
11/5/2021	228601

Laymon Oil II		
1998 Squirrel Rd.		
Neosho Falls, KS 66758		

Terms	P.O. #
Net 10th	

Quantity	Item #	Description	Price	Extended Amount
300	SALES_TAXABLE	Portland Cement 92# Sales Tax Carl 4-21 ID Dacks Carl 5-21 ID Dacks	17.39 9.50%	5,217.00T 495.62
			Total	\$5,712.62

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength ext when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are

buyers responsibility.

which is the subject of this contract.

NOTICE TO OWNER

LAMMON OIL II, L.L.C. 1998 SQUIRREL RD.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property

LEASE: CARL KESKE WELL#5-21

54 W TO WILLOW RD N TO 180TH RD W TO QUAIL RD CONT 1/2MI NSD

NEGGH	n FOLIS	KS 66	758				
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	4 Air	PLANT/TRANSACTION #
2 • 0 2 DM	WELL	16.00	16.00		JS 37		ноосо
DATE	D NUMBER	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
11/10/21		1	16.00	6	D.00 4	00 in	51462
		Committee of the Commit			Evennium Water	in Detrimental to Coner	oto Porformanco

WARNING
IRRITATING TO THE SKIN AND EYES

Contains Porlland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

CODE

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE

TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE; Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

_GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE

LOAD RECEIVED BY

X

DESCRIPTION

The Tun

EXTENDED PRICE

6.00

2.00

QUANTITY

WELL MIX&HAUL/

WELL (10 SACKS PER UNIT)
MIXING AND HAULING

16.00 16.00 2.00

				A PARTY TO SERVICE
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		4:12	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	% TA
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE
3:21	3:51	4:00		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
"独心"				

7.5

ADDITIONAL CHARGE 1 ___

ADDITIONAL CHARGE 2

