# KOLAR Document ID: 1612786

Confident	tiality Re	equested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□ NE □ NW □ SE □ SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR □ OG □ GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:      Dual Completion Permit #:	Dewatering method used:
SWD         Permit #:	Location of fluid disposal if hauled offsite:
□ EOR Permit #:	Location of huid disposal if hadred offsite.
GSW     Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

# Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

# KOLAR Document ID: 1612786

Operator Name:	Lease Name: V	Nell #:
Sec TwpS. R East _ West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		] Ne	w Used rmediate, productio	on. etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole		-	·	nit ACO-4)	юр	Bollom
Shots Per Perforation Perforation Foot Top Bottom			Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	CARL 12-21
Doc ID	1612786

Tops

Name	Тор	Datum
Soil	0	17
Shale	17	94
Lime	94	190
Shale	190	192
Lime	192	220
Shale	220	230
Lime	230	320
Shale	320	340
Lime	340	400
Shale	400	420
Lime	420	490
Shale	490	510
Lime	510	670
Shale	670	820
Lime	820	1000
Shale	1000	1004
5' Lime	1004	1008
Shale	1008	1015
Upper Squirrel Sand	1015	1090
Shale	1090	1140

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	CARL 12-21
Doc ID	1612786

# Casing

	Size Hole Drilled	Size Casing Set	U U	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	10.125	8.625	24	40	portland	10	na
Production	6.125	2.875	6.7	1135	common	160	na

Superior Building Supply, Inc.

215 W. Rutledge St. Yates Center, KS 66783-1239

620-625-2447

Laymon Oil II 1998 Squirrel Rd. Neosho Falls, KS 66758

Date	Invoice #
11/5/2021	228601

	Terms			P.O. #		
	Ne	et 10th				
	Quantity	Item #			Desc	ript
	300	SALES TAVAE	DIE	Doutlond Compart 02#		

Quantity	Item #	Description	Price	Extended Amount
300	SALES_TAXABLE	Portland Cement 92# Sales Tax Carl 4-21 ID Dacks Carl 5-21 ID Dacks Carl 6-21 ID Dacks Carl 7-21 ID Dacks Carl 8-21 ID Dacks Carl 9-21 ID Dacks Carl 10-21 ID Dacks Carl 11-21 ID Dacks Carl 12-21 ID Dacks	17.39 9.50%	5,217.00T 495.62
			Total	\$5,712.62

### 802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

# NOTICE TO OWNER

Payless Concrete Products, Inc. Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAYMON DIL II, L.L.C. 1998 SOLIERREL RD.

### CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength rom kin indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buvers responsibility.

buyers responsibility.

# 54 W TO WILLOW RD N TO 180 W TO 1/2MI PAST QUALL RD (C. 5MI) NSD

			The second second	pr.			
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	1	DRIVER/TRUCK		PLANT/TRANSACTION #
zacia Pili F	O NUMBER	de busine halfast					
DATE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
16/1/61			A LOUGH TRATES				
WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of			PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the option that the size and weight of his truck may possibly cause damage to the premises and/or adjacent procevir if a places the material in this load where you desire it. It is		Excessive Water is Detrimental to Concrete Performance H <sub>2</sub> 0 Added By Request/Authorized By GAL X		
Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.			our wish to help you in every way	that we can, but in order to do this	WEIGHMASTER		
CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.			this supplier from any responsibility to the premises and/or adjacer driveways, curbs, etc., by the delir also agree to help him remove mu	from any damage that may occur at property, buildings, sidewalks, very of this material, and that you d from the wheels of his vehicle so	1		
The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.			that he will not litter the public stre tion, the undersigned agrees to indu of this truck and this supplier for a	et. Further, as additional considera- emnify and hold harmless the driver ny and all damage to the premises	NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED		
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time			and/or adjacent property which mi arisin out of delivery of this order.	ay be claimed by anyone to have	WHEN DELIVERING INSIDE CU LOAD RECEIVED BY:	JRB LINE.	
Material is Delivered.			SIGNED		-115 M	Ya	
A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60(HR. X							
QUANTITY	LIFI CODE	DESCRIPTION	ACKS PER U		6.00 ,	UNIT PRICE	EXTENDED PRICE
2.00	TRUCKING		HARGE		. 00		
16.00	MIX&HAUL	MIXING AND	HAULING	1	6.00		
er er er							
				*		and the second	
				1			
	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C		TIME ALLOWED	k 7.5	
RETURNED TO PLANT	LEFIJOB	FINISH UNLOADING		10	TIME ALLOWED T FT	· · · · ·	
	anner a startant	400	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER			
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 5. ADDED WATER		TIME DUE		
317	341	346		and the second second		ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
			1	1 . Ma		GRAND TOTAL	