KOLAR Document ID: 1596417

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No.: | | | | |
|---|--|--|--|--|--|
| Name: | Spot Description: | | | | |
| Address 1: | | | | | |
| Address 2: | Feet from North / South Line of Section | | | | |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section | | | | |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: | | | | |
| Phone: () | □NE □NW □SE □SW | | | | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: | | | | |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) | | | | |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 | | | | |
| Purchaser: | County: | | | | |
| Designate Type of Completion: | Lease Name: Well #: | | | | |
| New Well Re-Entry Workover | Field Name: | | | | |
| | Producing Formation: | | | | |
| ☐ Oil ☐ WSW ☐ SWD | Elevation: Ground: Kelly Bushing: | | | | |
| ☐ Gas ☐ DH ☐ EOR | Total Vertical Depth: Plug Back Total Depth: | | | | |
| ☐ OG ☐ GSW | Amount of Surface Pipe Set and Cemented at: Feet | | | | |
| CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? | | | | |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet | | | | |
| • | If Alternate II completion, cement circulated from: | | | | |
| Operator: | • | | | | |
| Well Name: | feet depth to: sx cmt. | | | | |
| Original Comp. Date: Original Total Depth: | | | | | |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD | Drilling Fluid Management Plan | | | | |
| Plug Back Liner Conv. to GSW Conv. to Producer | (Data must be collected from the Reserve Pit) | | | | |
| Commingled Permit #: | Chloride content: ppm Fluid volume: bbls | | | | |
| Dual Completion Permit #: | Dewatering method used: | | | | |
| SWD Permit #: | Location of fluid disposal if hauled offsite: | | | | |
| EOR Permit #: | · | | | | |
| GSW Permit #: | Operator Name: | | | | |
| | Lease Name: License #: | | | | |
| Spud Date or Date Reached TD Completion Date or | Quarter Sec. Twp. S. R. East West | | | | |
| Recompletion Date Recompletion Date | County: Permit #: | | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | | | |
|---|--|--|--|--|--|--|--|
| Confidentiality Requested | | | | | | | |
| Date: | | | | | | | |
| Confidential Release Date: | | | | | | | |
| Wireline Log Received Drill Stem Tests Received | | | | | | | |
| Geologist Report / Mud Logs Received | | | | | | | |
| UIC Distribution | | | | | | | |
| ALT I II Approved by: Date: | | | | | | | |

KOLAR Document ID: 1596417

Page Two

| Operator Name: _ | | | | Lease Name: | | | Well #: | |
|---|---|-----------------------|------------------------------|----------------------|---------------------------------------|---------------------|---|--|
| Sec Twp. | S. R. | Ea | ast West | County: | | | | |
| | flowing and shu | ıt-in pressures, w | hether shut-in pre | ssure reached st | atic level, hydrosta | tic pressures, bot | | val tested, time tool erature, fluid recovery, |
| Final Radioactivity files must be subm | | | | | | iled to kcc-well-lo | gs@kcc.ks.gov | . Digital electronic log |
| Drill Stem Tests Ta | | | Yes No | | _ | on (Top), Depth ar | | Sample |
| Samples Sent to G | Geological Surv | ey | Yes No | Na | me | | Тор | Datum |
| Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru | _ | | Yes No Yes No Yes No | | | | | |
| | | R | | | New Used | on, etc. | | |
| Purpose of Strir | | Hole | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | |
| | | | | | | | | |
| | | | ADDITIONAL | CEMENTING / S | QUEEZE RECORD | I | | |
| Purpose: | | epth Ty | pe of Cement | # Sacks Used | ed Type and Percent Additives | | | |
| Protect Casi | | | | | | | | |
| Plug Off Zon | | | | | | | | |
| Did you perform a Does the volume o Was the hydraulic | of the total base f | luid of the hydraulic | fracturing treatment | _ | = | No (If No, sk | ip questions 2 an ip question 3) out Page Three (| , |
| Date of first Producti Injection: | ion/Injection or Re | esumed Production | / Producing Meth | nod: | Gas Lift 0 | Other (Explain) | | |
| Estimated Production Per 24 Hours | on | Oil Bbls. | | | | | Gas-Oil Ratio | Gravity |
| DISPOS | SITION OF GAS: | | N | METHOD OF COMP | LETION: | | | N INTERVAL: Bottom |
| | _ | on Lease | Open Hole | | | mmingled mit ACO-4) | Тор | Bottom |
| , | , Submit ACO-18.) | | | | · · · · · · · · · · · · · · · · · · · | | | |
| Shots Per Foot | Shots Per Perforation Perforation Foot Top Bottom Type Set At Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used) | | | | | | Record | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| TUBING RECORD: | Size: | Set / | At: | Packer At: | | | | |
| . 5213 (1200) 10. | JIEG. | | | . 30.0.71 | | | | |

| Form | ACO1 - Well Completion |
|-----------|--|
| Operator | Taylor, Michael dba M. J. T. Enterprises |
| Well Name | HUNT 20-I |
| Doc ID | 1596417 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|-----|-------------------|----|----------------------------------|
| Surface | 9 | 7 | 8 | 21 | Portland | 5 | 50/50 POZ |
| Production | 5.875 | 2.875 | 13 | 568 | Portland | 61 | 50/50 POZ |
| | | | | | | | |
| | | | | | | | |

| JO DATE | 10-8- | -21 | | |
|-------------------|--------------------------------------|--------------|--|--|
| FINISH DAT | E: 10-12 | | | |
| LEASE: | Hunt | | | |
| The second second | THE RESIDENCE OF THE PERSON NAMED IN | J.T. | Enterprises | |
| WELL: 2 | | | Manager and Assessment and Assessmen | Andrew Marie |
| AP1: 15- | 121-3163 | 9 | | |
| SEC: 7 | TWP: | 18 | RNG: 22 | |
| COUNTY: | Miami | | * | |
| DRILLERS N | AME: Mit | ho UR | 2000 | |
| RIG#: Z | | mercani i an | | *********** |



2394 UTAH ROAD RANTOUL, KS 66079

SURFACE: SIZE BIT 9 % LENGTH 21.6' SIZE 7' CEMENT 5 SACKS

DRILL BIT SIZE 5 % LENGTH 568' SIZE Z % 8 round BAFFLE N/A

TD 578' CORED 535-554'

| FORMATIONS | THICKNESS | FROM | то | FORMATION | THICKNESS | FROM | 1 70 |
|------------------|-----------------------------|------|------|--|---|----------------|---|
| Soil3 clay | 12 | 0 | 12 | Oilsand-good blead | / | 534 | 535 |
| Yellow Shale | 6 | 12 | 18 | Oilsand - good bleed | 4 | 535 | 539 |
| Shale | 8 | 18 | 26 | Dilsand-good bleed Brokersand-60% shale good | .5 | 539 | 539.5 |
| lime | 19 | 26 | 45 | Ollsand - good bleed | 2,5 | 539,5 | 542 |
| Shale | 22 | 45 | 67 | Shale | 36 | 542 | 5787 |
| (Ime | 5 | 67 | 72 | | | 372 | 31813 |
| Shale "redbed" | 31 | 72 | 103 | | | | |
| lime | 26 | 103 | 129 | | | | |
| Shale | 7 | (29 | 136 | | | | |
| lime | 29 | 136 | 165 | | | | |
| shale | 8 | 165 | 173 | | | - | - |
| (Eme | 22 | 173 | 195 | | | | 1 |
| Shale | 4 | 195 | 199 | | | | |
| lime-BKC. | 16 | 199 | 215 | | | | - |
| shale | 20 | 215 | 235 | | *************************************** | | - |
| Sand "hard grey" | 5 | 235 | 240 | | | · | 1 |
| Shale. | 10 | 240 | 350 | | | - | - |
| liny sgad | 4 | 350 | 354 | The state of the s | | | - |
| Shale | 20 | 354 | 374 | | | | |
| lime | 16 | 374 | 390 | | | | 700 |
| Shale | 47 | 390 | 437 | | | | ************************************** |
| line | 7 | 437 | 444 | | | ************** | - |
| thale | 13 | 444 | 457 | | | | |
| lime | 3 | 457 | 1460 | | | | |
| Shale | 15 | 460 | 475 | | | | |
| 1: me | 5 | 475 | 480 | | | | |
| Shale | 25 | 480 | 505 | | | | - |
| lime | 3 | 505 | 508 | | | - | |
| Shale | 10 | 508 | 518 | | | | *************************************** |
| lime | THE OWNER WHEN THE PARTY OF | 518 | 522 | | | | |
| 5 hale | 12: | 572 | 534 | | | | |



| CEMENT | TRE | ATMEN | T REPO | ORT | AND THE PARTY OF | FERM | SA VENTER | | | | | |
|------------------------|---------------------------|-----------------|-------------|-------|---|--|-------------------------|---|-------------|--|--|--|
| Cust | Customer: MJT Enterprises | | | Well: | Well: | | Ticket: | EP2950 | | | | |
| City, | State: | Osaswatomie, KS | | | County: | | MI, KS | Date: | 10/12/2021 | | | |
| Field Rep: Mike Taylor | | | | | S-T-R: | | 7-18-22 | Service: | longstring | | | |
| | | | | III | Merchinen. | | | - AND SHOW | | | | |
| Downhole Information | | | | | Calculated S | Calculated Slurry - Lead Calculated Slurry - Tail Blend: Thixo 1# P8 Blend: | | | | | | |
| | Size: | | | | Blend: | | | | | | | |
| | e Depth: 578 ft | | | | Weight: | 13.70 | | Weight | | | | |
| Casing Size: 2 7/8 in | | | Water / Sx: | | gal / sx | Water / Sx: | | | | | | |
| Casing I | | | | | Yield: | 1.85 | ₹ ³ /sx | Yield: | | | | |
| Tubing / | | | ín | | Annular Bbls / Ft.: | | bbs / ft. | Annular Bbls / Ft.: | | | | |
| Tool / Pa | Depth: | | ft | | Depth: | | ft | Depth: | | | | |
| | Depth: | | ft | | Annular Volume: | 0.0 | bbls | Annular Volume | | | | |
| Displace | | 3 29 | bbls | | Excess: | 20.10 | | Excess | | | | |
| | | 0.23 | STAGE | TOTAL | Total Slurry: Total Sacks: | | SX | Total Slurry: Total Sacks: | | | | |
| TIME | RATE | PSI | BBLs | BBLs | REMARKS | 01 | SX | Total Sacks | O SX | | | |
| 2:30 PM | | | | | on location, held safety | meeting | | | | | | |
| | | | | | | | | | | | | |
| | 4.0 | | | | established circulation | | | | | | | |
| | 4.0 | | | | mixed and pumped 100 | # Bentonite | Gel followed by 4 bbls | s fresh water | 11 | | | |
| | 4.0 | | | | mixed and pumped 61 : | sks Thixo ce | ment with 1# Phenose | eal per sk, cement to surface | | | | |
| | 4.0 | | | * | flushed pump clean | | | | | | | |
| | 1.0 | | | | pumped 2 7/8" rubber p | lug to casin | g TD with 3.29 bbls fro | esh water | | | | |
| | 1.0 | | | | pressured to 800 PSI, well held pressure for 30 min MIT | | | | | | | |
| | | | | | released pressure to s | et float valve | | | | | | |
| | 4.0 | | | | washed up equipment | | | | | | | |
| | | | | * | | | | | | | | |
| 3:30 PM | | | | | left location | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | _ | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | 700000000000000000000000000000000000000 | | | | |
| | C ME | CREW | | 1-0-7 | UNIT | | | SUMMAI | | | | |
| Cen | nenter: | | y Kenned | ly | 89 | | Average Rate | Average Pressure | Total Fluid | | | |
| Pump Op | erator | | Beets | | 238 | | 3.1 bpm | - раі | - bbls | | | |
| Bulk- Keith Detwiler | | | | | 247 | | | | 314. | | | |
| | H2O: | Scott | McCrea | - | 110 | | | | | | | |