KOLAR Document ID: 1615515

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from North / South Line of Section
City:	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
☐ CM (Coal Bed Methane)☐ Cathodic☐ Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
☐ Wireline Log Received ☐ Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1615515

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	E	ast West	County:				
	flowing and shu	ut-in pressures, v	vhether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to 0	Geological Surv	/ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		B	CASING eport all strings set-c		New Used	ion, etc.		
Purpose of Strir		Hole illed	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	UEEZE RECORD			
Purpose:		epth T Bottom	ype of Cement	# Sacks Used		Type and F	Percent Additives	
Perforate Protect Casi Plug Back T								
Plug Off Zor								
Did you perform a Does the volume Was the hydraulic	of the total base f	fluid of the hydrauli		_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Product Injection:	tion/Injection or R	esumed Production	Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			DN INTERVAL: Bottom
	Sold Used	I on Lease	Open Hole			mmingled mit ACO-4)	Тор	BOROTT
,	,			B.11 B1				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	: Size:	Set	Δ+-	Packer At:				
TODING RECORD:	. 3126.	Set	n.	i donei Al.				

Form	ACO1 - Well Completion	
Operator	Daylight Petroleum, LLC	
Well Name	RENN 9	
Doc ID	1615515	

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9.875	7	20	30	PORTLAN D	10	0
Production	5.625	2.875	6.5	910	THICK SET	110	0

Elite Cementing & Acidizing of KS, LLC PO Box 92 Eureka, KS 67045



Date	Invoice #
10/26/2021	5950

Bill To		
Daylight Petroleum	2000	
1221 McKinney St., Suite	2880	
Houston, TX 77010		
Customer ID#	1430	

Job Date	10/19/2021	
Lease Information		
Renn #9		
County	Wilson	
Foreman	DG	

			Terms	Net 15
Item	Description	Qty	Rate	Amount
C102	Cement Pump-Longstring	1	1,100.00	1,100.00
C107	Pump Truck Mileage (one way)	40	4.20	168.00
C201	Thick Set Cement	110	22.55	2,480.50T
C206	Gel Bentonite	200	0.28	56.00T
C214	Cottonseed Hulls	40	0.55	22.00T
C108A	Ton Mileage (min. charge)		365.00	365.00
C401	2 1/2" Top Rubber Plug	2	33.00	66.00T
C113	80 Bbl Vac Truck	2	90.00	180.00
D101	Discount on Services		-90.64	-90.64
D102	Discount on Materials		-131.23	-131.23T

We appreciate your business!

Phone #	Fax#	E-mail
620-583-5561	620-583-5524	rene@elitecementing.com


Send payment to: Elite Cementing & Acidizing of KS, LLC PO Box 92 Eureka, KS 67045

Subtotal	\$4,215.63
Sales Tax (6.5%)	\$162.06
Total	\$4,377.69
Payments/Credits	\$0.00
Balance Due	\$4,377.69

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561

Cust. ID#

Date



Cement or Acid Field Report				
Ticket No.	5950			
Foreman	David Gardner			
Camp 6	ureka			

County

State

	The Spring of the Control of the								
10-19-21	1430	Ren	11#9		21	30	16	Wilson	KS
Customer				Safety Meeting D 6 J H Bw	Unit#		ver	Unit#	Driver
DayLight Petroleym					105	Jas		gi Stakiya ti ik	
Mailing Address					112	Brok		Lead of the second	
1221 McKinney St. Ste. 2880					141	Left on	location -	Not drove	
City	,	State	Zip Code	1					
Houston	Hart	Tx	77010		4				(135.1 T)
Job Type Longstring Hole Depth 9/5' Slurry Vol. 34 Bb1 Tubing Dislang Depth 9/0' 27/6" Hole Size 57/8" Slurry Wt. 13.7# Drill Pipe Dislacement Left in Casing Water Gal/SK Other Displacement 51/2 Bb1 Displacement PSI 500 Bump Plug to 900 PSI BPM Remarks: Safety Meeting: Rig up to 27/8" Tubing. Break circulation u/ 5 Bb1 fresh water, mix 200# Gel Flush w/ Hulls, 5 Bb1 water spacer. Mixed 1/0 SKS Thick Set Cement @ 13.7#/gal, vield 1.74 = 34 Bb1 slurry. Good cement returns to surface. Shut down. Wash out pump 4 lines. Stuff 2 Plugs. Displace plugs to seat w/ 51/2 Bb1 fresh water. Final pumping pressure of 500 PSI. Bump plugs to 900 PSI. Release pressure. Floatoplugs held. Close tubing in w/ 0 PSI & Company valve & swedge. Job complete. Rig down.									
	CHARLE STATE						DISCOUNT OF STREET	State of the state	

Township

Range

Thank Vou

Code	Qty or Units	Description of Product or Services	Unit Price	Total
C102	/	Pump Charge	1100.00	1100.00
107	40	Mileage	4.20	168.00
201	110 SKS	Thick Set Cement	22.55	2480.50
108A	5.78 Tons	Ton Milegge - Bulk Truck	m/c	365.00
206	200#	Gel Flush	.28	56.00
214	40#	Hulls	.55	22.00
401	2	27/8" Top Rubber Plugs	33.00	66.00
2//3	2 HRS	80 Bbl Vac Truck	90.00 /HR	180.00
À M		Field: SEKS-WILSON Well: RENN # 9		
\$2		AFE: 2LDCO4		Pletite valuaged (d.mer li
35 113	to: 10-19-	21 Amount: 4377-69	72 1 1 2 2 2 2 2 2	2112712
	te: 9803		Sub Total Less 5%	4,437,50
ri	nted Name:	Kyle MALLS 6.5%	Sales Tax	170.59
Authoriz	ation	Title	Total	4.377.69

TERMS

In consideration of the prices to be charged by Elite Cementing & Acidizing of Kansas, LLC (ELITE) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay ELITE interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event ELITE retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by ELITE.

Any applicable federal, state or local sales, use, consumer or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All ELITE prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by ELITE. The Customer shall at all times have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises around the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service to be performed.

- (a) ELITE shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a "claim") for damage to property, injury to or death of employees and representatives of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of ELITE, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.
- (b) Unless a claim is the result of the sole willful misconduct or gross negligence of ELITE, Customer shall be responsible for and indemnify and hold ELITE harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from subsurface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by ELITE; (3) injury to or death of persons, other than employees of ELITE, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; (4) well damage or reservoir damaged caused by (i) loss of circulation, cement invasion, cement misplacement, pumping

cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. ELITE may furnish downhole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage or loss resulting from the use of such tools. Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

- (c) ELITE makes no guarantee of the effectiveness of any ELITE products, supplies or materials, or the results of any ELITE treatment or services.
- (d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, ELITE is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by ELITE. ELITE personnel will use their best efforts in gathering such information and their best judgment in interpreting it. Customer agrees that ELITE shall not be responsible for any damage arising from the use of such information except where due to ELITE's gross negligence or willfull misconduct in the preparation or furnishing of it.
- (e) ELITE may buy and resell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that ELITE is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify ELITE against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

ELITE warrants its title to the products, supplies, and materials used or sold to the customer. ELITE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANT OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ELITE's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any ELITE products or services is expressly limited to the replacement of such or their return to ELITE or, at ELITE's option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against ELITE for any special, incidental, indirect, consequential or punitive damages.

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Renn #9

SPUD DATE 10-6-21

0 topsoil 1 TD 915' 1 clay 5 Ran 909.95' of 2 7/8 on 10-19-21 6 river gravel 5 11 clay 3 14 sand 7 21 shale 61 82 lime 98 180 shale 20 200 sand 8 208 shale 30 238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 sh	Footage	Formation	Thickness	Set 30' of 7" with 10 sacks of portland
1 clay 5 Ran 909.95' of 2 7/8 on 10-19-21 6 river gravel 5 11 clay 3 14 sand 7 21 shale 61 82 lime 98 180 shale 20 200 sand 8 208 shale 30 238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37	0	topsoil	1	
11 clay 3 14 sand 7 21 shale 61 82 lime 98 180 shale 20 200 sand 8 208 shale 30 238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	1	_	5	Ran 909.95' of 2 7/8 on 10-19-21
14 sand 7 21 shale 61 82 lime 98 180 shale 20 200 sand 8 208 shale 30 238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	6	river gravel	5	
21 shale 61 82 lime 98 180 shale 20 200 sand 8 208 shale 30 238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	11	clay	3	
82 lime 98 180 shale 20 200 sand 8 208 shale 30 238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	14	sand	7	
180 shale 20 200 sand 8 208 shale 30 238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	21	shale	61	
200 sand 8 208 shale 30 238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	82	lime	98	
208 shale 30 238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	180	shale	20	
238 lime 18 256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	200	sand	8	
256 shale 14 270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	208	shale	30	
270 lime 20 290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	238	lime	18	
290 shale 73 363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	256	shale	14	
363 lime 16 379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	270	lime	20	
379 shale 17 396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	290	shale	73	
396 lime 24 420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50		lime	16	
420 shale 118 538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	379	shale	17	
538 lime 34 572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	396	lime	24	
572 shale 17 589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	420	shale	118	
589 sand 9 no odor, no bleed 598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	538	lime	34	
598 shale 12 610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	572	shale	17	
610 lime 26 636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	589	sand	9	no odor, no bleed
636 shale 159 795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	598	shale	12	
795 sand 23 good odor, good bleed 818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	610	lime	26	
818 shale 37 855 sand 10 good odor, good bleed 865 shale 50	636	shale	159	
855 sand 10 good odor, good bleed 865 shale 50	795	sand	23	good odor, good bleed
865 shale 50	818	shale	37	
		sand		good odor, good bleed
915 TD	865	shale	50	
	915			TD