KOLAR Document ID: 1618911

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R East West				
Address 2:	Feet from North / South Line of Section				
City:	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No				
Cathodic Other (Core, Expl., etc.):					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: w/ sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content:ppm Fluid volume:bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR Permit #:	Location of haid disposal in hadica offsite.				
GSW Permit #:	Operator Name:				
_	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY									
Confidentiality Requested									
Date:									
Confidential Release Date:									
Wireline Log Received Drill Stem Tests Received									
Geologist Report / Mud Logs Received									
UIC Distribution									
ALT I II Approved by: Date:									

KOLAR Document ID: 1618911

#### Page Two

Operator Name:	:						_ Lease	Name: _				W	/ell #:	
SecTw	vp	S. R.		East	t W	est	Count	y:						
open and closed and flow rates if	d, flowing a gas to sur rity Log, Fir	and shu face tes nal Logs	t-in pressu st, along w s run to ob	ures, who vith final otain Geo	ether sh chart(s) ophysica	ut-in pre . Attach al Data a	ssure read extra she nd Final E	ched stati et if more Electric Lo	c level space	, hydrosta is needed	tic pressures d.	, botton	n hole tempe	val tested, time tool erature, fluid recovery, v. Digital electronic log
Drill Stem Tests (Attach Addi		rs)		Y	/es	No			.og	Formatio	n (Top), Dep	oth and I	Datum	Sample
Samples Sent to		•	ey	Y	es [	No		Name			-	Тор	Datum	
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:				Y	/es _ /es _ /es _	No No No								
				Rep			RECORD	Ne		Used te, producti	on. etc.			
Purpose of S	tring		Hole lled	Si	ze Casin et (In O.D	ıg	We	ight / Ft.	S	Setting Depth	Type of Cement		# Sacks Used	Type and Percent Additives
					455	UTIONIAL	OFMENT			DECORD				
Purpose:		De	epth	Type			CEMENT		JEEZE	RECORD	Typo	and Para	eant Additives	
		Top B	Bottom		Type of Cement		# Sacks Used		Type and Percent Additives					
Plug Off Z	Zone													
<ol> <li>Did you perforn</li> <li>Does the volum</li> <li>Was the hydrau</li> </ol>	ne of the tota	al base fl	luid of the h	ydraulic fr	acturing					Yes Yes Yes	No (If N	lo, skip q	nuestions 2 an nuestion 3) t Page Three o	•
Date of first Produ	uction/Injecti	ion or Re	esumed Pro	duction/		icing Meth	od:	na 🗆	Gas Lif	+ Do	ther (Explain)			
Estimated Produ	ction		Oil E	Bbls.			Mcf	Wate			ols.	Gas	-Oil Ratio	Gravity
Per 24 Hours	8													
Vented	OSITION O	Used	on Lease		Open Ho	_				MPLETION:  Dually Comp. Commingled  Submit ACO-5) (Submit ACO-4)			PRODUCTION INTERVAL: Top Bottom	
(If vent	ted, Submit A	.CO-18.)						(		(000)				
			Fracture, Shot (Amount and		nting Squeeze Material Used)	Record								
TUBING RECOR	RD:	Size:		Set At:			Packer At:							

Form	ACO1 - Well Completion
Operator	RH Capital-Beets, LLC
Well Name	ECCO RANCH 11-21
Doc ID	1618911

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	12	8.625	20	40	portland	10	n/a
Production	7.785	4.5	11.6	1343	Thixo	152	n/a



Service District				ell # Ecco Ranch 11-21			Date	10	0/7/2021	
Service District	Garnett		County & St	tate WO, KS	Legals S/T/R	33-26	-15	Job#		
Job Type	longstring	✓ PROD	מאו 🔲	SWD	New Well?	₹ YES	☐ No	Ticket#	E	P2920
Equipment#	Driver			Job Safety	y Analysis - A Discus	sion of Hazards	& Safety Pr	ocedures		
89	Casey Kennedy	✓ Hard hat		✓ Gloves		☐ Lockout/Tag	gout	☐ Warning Sig	ns & Flagging	
239	Garrett Scott	✓ H2S Monite	or	✓ Eye Protec	tion	Required Pe	rmits	Fall Protection	on	
193	Nick Beets	☑ Safety Foot	☑ Safety Footwear ☐ Respiratory Protection ☑ Slip/Trip/Fall Hazards ☑ Specific Job Sequence/Ex						Sequence/Exp	ectations
		✓ FRC/Protec	tive Clothing	☐ Additional	Chemical/Acid PPE	✓ Overhead H	azards	✓ Muster Point	t/Medical Loca	ations
		✓ Hearing Pro	otection	✓ Fire Exting	uisher	Additional o	oncerns or i	ssues noted below		-
					Coi	mments				
		-								
		-								
Product/ Service										
Code			scription		Unit of Measure	e Quantity				Net Amount
C015	Cement Pump Sen	vice			ea	1.00				\$1,350.00
						+		-	-	2222
M010	Heavy Equipment	Mileage			mi	70.00	<u> </u>		-	\$252.00
M015	Light Equipment M	ileane			mi	70.00		<del> </del>	-	\$126.00
10010	Light Equipment w	liougo			<b></b>	70.00			<b></b>	\$120.00
M020	Ton Mileage				tm	601.16				\$811.57
T010	Vacuum Truck - 80	bbl			hr	5.00				\$450.00
CP060	H854 Thixo				sack	152.00				\$3,830.40
CP125	Pheno Seal				lb	152.00		<u> </u>	ļ	\$239.40
0.0470					<del></del>	<b>_</b>		-		
CP170	Mud Flush				gal	500.00				\$250.00
FE065	4 1/2" Float Shoe -	Flanner tyne			ea	1.00	<b></b>		<b>-</b>	\$247 E0
FE115	4 1/2" Rubber Plug				ea	1.00				\$247.50 \$67.50
FE040	4 1/2" Centralizers				ea	5.00				\$270.00
Control of the second										
Custo	omer Section: On the	he following scal	e how would you	rate Hurricane Serv	ices Inc.?				Net:	\$7,894.37
Ba	sed on this job, ho	w likely is it yo	ı would recomn	nend HSI to a colle	anue?	Total Taxable	\$ -	Tax Rate:		
				2012	-g-4 i	used on new wells	to be sales ta	fucts and services ix exempt. Hurricane	Sale Tax:	\$ -
				0.40 0.00 0.000			to make a det	provided well ermination if services		
	Unlikely 1 2	3 4 5	6 7	8 9 10	Extremely Likely	and/or products ar	e tax exempt.		Total:	\$ 7,894.37
				***************************************	rms of sale for approved a	HSI Represe			ey Ken	

recombined to the balance of the services into the balance past due at the rate of 1 /5% per month or the maximum allowable by applicable state or federal taws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue, Pricing does not include federal, state, or local taxes, or royalities and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no flability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is no location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

X.	<b>CUSTOMER AUTHORIZATION SIGNATURE</b>



CEMENT TREATMENT REPORT														
Customer: RH Capital-Beets, LLC					Well:		Ecco Ranch 11-21		EP2920					
City,	State:	Jefferso	n City, I	MO	County:		WO, KS	Date:	10/7/2021					
Field Rep:					S-T-R:		33-26-15	Service:	longstring					
Dow	nhole I	nformatio	on		Calculated :	culated Slurry - Tail								
Hole Size: 6 3/4 in			Blend:	Blend: Thixo 1# PS Blend:										
Hole I	Depth:	1358	ft		Weight:	13.70	ppg	Weight:	ppg					
Casing	g Size:	4 1/2	in		Water / Sx:	9,19	gal / sx	Water / Sx:	gal / sx					
Casing I		1351	ft		Yield:	1.85	ft³/sx	Yield:	ft³ / sx					
Tubing /			in		Annular Bbls / Ft.:		bbs / ft. Annular Bbls / Ft.:		bbs / ft.					
	Depth:		ft		Depth:		ft Depth:		ft					
Tool / P					Annular Volume:	0.0	bbls Annular Volume:		0 bbls					
	Depth:		ft		Excess:			Excess:						
Displace	ement:	21.00			Total Slurry:			Total Slurry:	0.0 bbls					
			STAGE		Total Sacks:	152	sx	Total Sacks:	0 sx					
TIME	RATE	PSI	BBLs	BBLs	REMARKS				Marie State of the					
6:00 PM			-	-	on location, safety me	eting								
	4.0		-											
	4.0				established circulation									
	4.0				mixed and pumped 500 gal mud flush									
					mixed and pumped 152 sks Thixo cement with 1# Phenoseal per sk									
4.0					flushed pump clean									
4.0					pumped 4 1/2" rubber plug to casing TD with 21 bbls fresh water, cement to surface pressured to 900 PSI, well held pressure									
1.0					released pressure to set float valve, shut in casing									
4.0			washed up equipment											
	4.0													
9:00 PM					left location									
									-					
					×									
		CREW		1000	UNIT			SUMMAR	Y					
Cer	nenter:	Case	y Kenned	dy	89		Average Rate	Average Pressure	Total Fluid					
Pump Op	7000	Garr	ett Scott		239		3.6 bpm	- psi	- bbls					
	Bulk:	Nick	Beets		193									
	H2O:		DOWN NOT THE											

ftv: 15-2021/01/25 mplv: 201-2021/09/15