

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

New Well Re-Entry Workover

Oil WSW SWD

Gas DH EOR

OG GSW

CM (Coal Bed Methane)

Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to EOR Conv. to SWD

Plug Back Liner Conv. to GSW Conv. to Producer

Commingled Permit #: _____

Dual Completion Permit #: _____

SWD Permit #: _____

EOR Permit #: _____

GSW Permit #: _____

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No.: _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: _____

Confidential Release Date: _____

Wireline Log Received Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT I II III Approved by: _____ Date: _____

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

1. Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection:	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i>	PRODUCTION INTERVAL: Top Bottom
---	--	------------------------------------

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i>

TUBING RECORD:	Size:	Set At:	Packer At:	
----------------	-------	---------	------------	--

Elite Cementing & Acidizing of KS, LLC
 PO Box 92
 Eureka, KS 67045



Date	Invoice #
9/22/2021	5887

Bill To	
Daylight Petroleum 1221 McKinney St., Suite 2880 Houston, TX 77010	
Customer ID#	1430

Job Date	9/16/2021
Lease Information	
Olnhausen Farms #6	
County	Wilson
Foreman	DG

Item	Description	Qty	Terms	Net 15
			Rate	Amount
C102	Cement Pump-Longstring	1	1,100.00	1,100.00
C107	Pump Truck Mileage (one way)	40	4.20	168.00
C201	Thick Set Cement	110	22.55	2,480.50T
C206	Gel Bentonite	200	0.28	56.00T
C214	Cottonseed Hulls	40	0.55	22.00T
C108A	Ton Mileage (min. charge)	1	365.00	365.00
C113	80 Bbl Vac Truck-H2O Express	3.5	90.00	315.00
C401	2 1/2" Top Rubber Plug	2	33.00	66.00T
D101	Discount on Services		-97.40	-97.40
D102	Discount on Materials		-131.22	-131.22T

We appreciate your business!

Phone #	Fax #	E-mail
620-583-5561	620-583-5524	rene@elitecementing.com

Send payment to:
 Elite Cementing & Acidizing of KS, LLC
 PO Box 92
 Eureka, KS 67045

Subtotal	\$4,343.88
Sales Tax (6.5%)	\$162.06
Total	\$4,505.94
Payments/Credits	\$0.00
Balance Due	\$4,505.94

810 E 7TH
 PO Box 92
 EUREKA, KS 67045
 (620) 583-5561



HAT
 DR19
 Co.

Cement or Acid Field Report

Ticket No. **5887**

Foreman KEVIN McCoy

Camp EUREKA

Date	Cust. ID #	Lease & Well Number	Section	Township	Range	County	State
9-16-21	1430	OLNHAUSEN FARMS # 6	16	30	16	WILSON	Ks
Customer <u>Daylight Petroleum</u>		Safety Meeting KM AM SF JH	Unit #	Driver	Unit #	Driver	
Mailing Address <u>1221 McKinney St. Ste 2880</u>			104	ALAN M			
City <u>Houston</u>			110	SHANNON F.			
State <u>Tx</u>			H2O Express	Josh H.			
Zip Code <u>77010</u>							

Job Type <u>Longstring</u>	Hole Depth <u>944'</u>	Slurry Vol. <u>34 BBL</u>	Tubing _____
Casing Depth <u>939' 2 7/8"</u>	Hole Size <u>5 7/8"</u>	Slurry Wt. <u>13.7*</u>	Drill Pipe _____
Casing Size & Wt. _____	Cement Left in Casing _____	Water Gal/SK _____	Other _____
Displacement <u>5.5 BBL</u>	Displacement PSI <u>450</u>	Bump Plug to <u>900 PSI</u>	BPM _____

Remarks: SAFETY Meeting: Rig up to 2 7/8" Tubing. BREAK Circulation w/ 5 BBL FRESH WATER. Pump 200' Gel Flush w/ HULLS, 5 BBL WATER SPACER, MIXED 110 SKS THICK SET CEMENT @ 13.7*/GAL, yield 1.74 = 34 BBL SLURRY. Good Cement Returns to SURFACE. Shut down. WASH out Pump & Lines. STUFF 2 Plugs. Displace Plugs to SEAT w/ 5.5 BBL FRESH WATER. FINAL Pumping Pressure 450 PSI. Bump Plugs to 900 PSI. Release Pressure. Float Held. Shut Tubing in @ 0 PSI. Job Complete. Rig down.

THANK YOU
MA

Code	Qty or Units	Description of Product or Services	Unit Price	Total
C 102	1	Pump Charge	1100.00	1100.00
C 107	40	Mileage 1 ST WELL of 2	4.20	168.00
C 201	110 SKS	THICK SET CEMENT	22.55	2480.50
C 206	200*	Gel Flush	.28*	56.00
C 214	40*	Hulls	.55*	22.00
C 108A	5.78 Tons	TON Mileage	M/C	365.00
C 401	2	2 7/8 Top Rubber Plugs	33.00	66.00
C 113	3.0 HRS	80 BBL VAC TRUCK (H2O Express)	105.00	315.00
		Field: <u>SERS-WILSON</u>		
		Well: <u>OLNHAUSEN FARMS #6</u>		
		A/E: <u>21DC03</u>		
		<u>9/16/21</u> Amount: <u>4505.94</u>		
		<u>9803</u>		
		Name: <u>KYLE MALIA</u>	6.5%	
		Authorization: <u>[Signature]</u>	Title _____	Total
			Sub Total	4,572.50
			Less 5%	237.15
			Sales Tax	170.59
			Total	4,505.94

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

TERMS

In consideration of the prices to be charged by Elite Cementing & Acidizing of Kansas, LLC (ELITE) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay ELITE interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event ELITE retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by ELITE.

Any applicable federal, state or local sales, use, consumer or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All ELITE prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by ELITE. The Customer shall at all times have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises around the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service to be performed.

(a) ELITE shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a "claim") for damage to property, injury to or death of employees and representatives of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of ELITE, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.

(b) Unless a claim is the result of the sole willful misconduct or gross negligence of ELITE, Customer shall be responsible for and indemnify and hold ELITE harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by ELITE; (3) injury to or death of persons, other than employees of ELITE, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; (4) well damage or reservoir damaged caused by (i) loss of circulation, cement invasion, cement misplacement, pumping

cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. ELITE may furnish down-hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage or loss resulting from the use of such tools. Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

- (c) ELITE makes no guarantee of the effectiveness of any ELITE products, supplies or materials, or the results of any ELITE treatment or services.
- (d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, ELITE is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by ELITE. ELITE personnel will use their best efforts in gathering such information and their best judgment in interpreting it. Customer agrees that ELITE shall not be responsible for any damage arising from the use of such information except where due to ELITE's gross negligence or willful misconduct in the preparation or furnishing of it.
- (e) ELITE may buy and resell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that ELITE is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify ELITE against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES – LIMITATION OF LIABILITY

ELITE warrants its title to the products, supplies, and materials used or sold to the customer. **ELITE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** ELITE's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any ELITE products or services is expressly limited to the replacement of such or their return to ELITE or, at ELITE's option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against ELITE for any special, incidental, indirect, consequential or punitive damages.

Elite Cementing & Acidizing of KS, LLC
 PO Box 92
 Eureka, KS 67045



Date	Invoice #
9/23/2021	5902

Bill To	
Daylight Petroleum 1221 McKinney St., Suite 2880 Houston, TX 77010	
Customer ID#	1430

Job Date	9/16/2021
Lease Information	
Olnhausen Farms #6	
County	Wilson
Foreman	DG

Item	Description	Qty	Terms	Net 15
			Rate	Amount
C102	Cement Pump-Longstring	1	1,100.00	1,100.00
C107	Pump Truck Mileage (one way) - 2nd well	0	4.20	0.00
C201	Thick Set Cement	110	22.55	2,480.50T
C206	Gel Bentonite	200	0.28	56.00T
C214	Cottonseed Hulls	40	0.55	22.00T
C108A	Ton Mileage (min. charge)	1	365.00	365.00
C113	80 Bbl Vac Truck-H2O Express	3.5	90.00	315.00
C401	2 1/2" Top Rubber Plug	2	33.00	66.00T
D101	Discount on Services		-89.00	-89.00
D102	Discount on Materials		-131.22	-131.22T

We appreciate your business!

Phone #	Fax #	E-mail
620-583-5561	620-583-5524	rene@elitecementing.com

Send payment to:
 Elite Cementing & Acidizing of KS, LLC
 PO Box 92
 Eureka, KS 67045

Subtotal	\$4,184.28
Sales Tax (6.5%)	\$162.06
Total	\$4,346.34
Payments/Credits	\$0.00
Balance Due	\$4,346.34

810 E 7TH
 PO Box 92
 EUREKA, KS 67045
 (620) 583-5561



HAT
 DRIG
 Co.

Cement or Acid Field Report
 Ticket No. 5902
 Foreman KEVIN MCCOY
 Camp EUREKA

Date	Cust. ID #	Lease & Well Number	Section	Township	Range	County	State
9-16-21	1430	OLNHAUSEN FARMS # 7	16	30	16	Wilson	Ks
Customer			Unit #	Driver	Unit #	Driver	
Daylight Petroleum			104	ALAN M.			
Mailing Address			110	SHANNON F.			
1221 MCKINNEY ST. STE 2880			H2O Express	JOSH H.			
City	State	Zip Code					
Houston	Tx	77010					

Job Type Longstring Hole Depth 942' Slurry Vol. 34 BBL Tubing _____
 Casing Depth 937' 2 7/8 Hole Size 5 7/8" Slurry Wt. 13.7 # Drill Pipe _____
 Casing Size & Wt. _____ Cement Left in Casing _____ Water Gal/SK _____ Other _____
 Displacement 5.5 BBL Displacement PSI 450 Bump Plug to 900 PSI BPM _____

Remarks: SAFETY MEETING: Rig up to 2 7/8" Tubing. BREAK CIRCULATION w/ 5 BBL FRESH WATER. Pump 200# Gel Flush w/ HULLS, 5 BBL WATER SPACER. MIXED 110 SKS THICK SET CEMENT @ 13.7#/GAL, yield 1.74 = 34 BBL SLURRY. Good Cement Returns to SURFACE. Shut down. WASH OUT Pump & Lines. STUFF 2 Plugs. Displace Plugs to SEAT w/ 5.5 BBL FRESH WATER. FINAL Pumping Pressure 450 PSI. Bump Plugs to 900 PSI. Release Pressure. FLOAT Held. Shut tubing in @ 0 PSI. Job Complete. Rig down.

THANK YOU
MA

Code	Qty or Units	Description of Product or Services	Unit Price	Total
C 102	1	Pump Charge	1100.00	1100.00
C 107	0	Mileage 2 ND well of 2	0	N/C
C 201	110 SKS	THICK SET CEMENT	22.55	2480.50
C 206	200 #	Gel Flush	.28 #	56.00
C 214	40 #	HULLS	.55 #	22.00
C 108A	5.78 TONS	TON Mileage	M/C	365.00
C 401	2	2 7/8 Top Rubber Plugs	33.00	66.00
C 113	3.0 Hrs	80 BBL VAC TRUCK (H2O Express)	105.00	315.00



Field: SEKS-WILSON
 Well: OLNHAUSEN FARMS 7
 AFE: 21DC03

Date: 9/16/21 Amount: 4,346.34
 Date: 9/20/21
 Sub Total 4,404.50
 Less 5% 228.75
 Sales Tax 6.5% 170.59
Total 4,346.34

Authorized Name: KYLE MALIA Title _____

Signature: [Signature]
 I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

TERMS

In consideration of the prices to be charged by Elite Cementing & Acidizing of Kansas, LLC (ELITE) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay ELITE interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event ELITE retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by ELITE.

Any applicable federal, state or local sales, use, consumer or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All ELITE prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by ELITE. The Customer shall at all times have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises around the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service to be performed.

- (a) ELITE shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a "claim") for damage to property, injury to or death of employees and representatives of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of ELITE, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.
- (b) Unless a claim is the result of the sole willful misconduct or gross negligence of ELITE, Customer shall be responsible for and indemnify and hold ELITE harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by ELITE; (3) injury to or death of persons, other than employees of ELITE, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; (4) well damage or reservoir damaged caused by (i) loss of circulation, cement invasion, cement misplacement, pumping

cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. ELITE may furnish down-hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage or loss resulting from the use of such tools. Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

- (c) ELITE makes no guarantee of the effectiveness of any ELITE products, supplies or materials, or the results of any ELITE treatment or services.
- (d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, ELITE is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by ELITE. ELITE personnel will use their best efforts in gathering such information and their best judgment in interpreting it. Customer agrees that ELITE shall not be responsible for any damage arising from the use of such information except where due to ELITE's gross negligence or willful misconduct in the preparation or furnishing of it.
- (e) ELITE may buy and resell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that ELITE is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify ELITE against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES – LIMITATION OF LIABILITY

ELITE warrants its title to the products, supplies, and materials used or sold to the customer. **ELITE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** ELITE's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any ELITE products or services is expressly limited to the replacement of such or their return to ELITE or, at ELITE's option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against ELITE for any special, incidental, indirect, consequential or punitive damages.

HAT DRILLING
12371 KS HWY 7
MOUND CITY, KS 66056
LICENSE # 33734

Olnhausen Farms #6

SPUD DATE 9-14-21

Footage	Formation	Thickness	Set 30' of 7" with 10 sacks of portland TD 944'
0	topsoil	2	
2	clay	11	Ran 939' of 2 7/8 on 9-15-21
13	river gravel	4	
17	sand	7	
24	lime	2	
26	sandstone	36	
62	shale	12	
74	lime	6	
80	shale	30	
110	lime	15	
125	shale	24	
149	lime	54	
203	shale	73	
276	lime	11	
287	shale	14	
301	lime	19	
320	shale	38	
358	lime	2	
360	shale	70	
430	lime	10	
440	shale	112	
552	lime	38	
590	shale	8	
598	shaley sand	15	very little bleed, slight odor
613	shale	24	
637	lime	24	odor, bleed
661	shale	163	
824	sand	18	very good bleed, odor
842	shale	40	
882	sand	9	little bleed, little odor
891	sandy shale	10	
901	shale	43	
944			T.D.