For KCC Use:
Effective Date:
District #
CA2 Vos No

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
OPERATOR: License#	Sec Twp S. R E feet from N / S. Line of Section / Sec Twp S. R Sec feet from N / S. Line of Section / Sec
lame:	feet from E / W Line of Section   E /
ddress 1:	Is SECTION: Regular Irregular?
ddress 2: + State: Zip: +	,
contact Person:	County:
hone:	Lease Name: Well #:
ONTRACTOR: License#	Field Name:
ame:	
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable  Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
Other.	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	1 (O 1 ( D) ('')
Well Name:	Desire de d'Estal Desette
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
lottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR )
CC DKT #:	- Will Cores be taken? Yes
	If Yes, proposed zone:
AF	
	If Yes, proposed zone:
he undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
he undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  f by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approximation of the approximati	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging;
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be notified before well is either plug to the underside that the district office will be notified before well is either plug	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved in the appropriate district of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface intention of the	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the s	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the s	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; leged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  If IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically	If Yes, proposed zone:  If IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  **For KCC Use ONLY**	If Yes, proposed zone:  If IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall be district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  If IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  It do drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district office prior to any cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall be district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	If Yes, proposed zone:  If IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  It do drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the sequence of the well is either plug of the sequence of the well is either plug of the sequence of the well is either plug of the sequence of the well shall be completed within 30 days of the spud date or the well shall be sequence of the well shall be sequenced.	If Yes, proposed zone:  If IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for gursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	If Yes, proposed zone:  If IDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  It do drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spuddate or the well shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	If Yes, proposed zone:  IFIDAVIT  Itugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; igged from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing it is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the superior of the shall be computed to Appendix "B" - Eastern Kansas surface casing order where the completed within 30 days of the spud date or the well shall be submitted Electronically  **Ibmitted Electronically**  **Por KCC Use ONLY**  API # 15	If Yes, proposed zone:  IFIDAVIT  Itugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; iged from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the search and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for gursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	If Yes, proposed zone:  IFIDAVIT  Itugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; igged from below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing it is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15

Operator:

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:

орстатот.			unty:
Lease:			feet from N / S Line of Section
Well Number:			feet from E / W Line of Section
Field:		Sec Twp.	S. R 🗌 E 🗌 W
	to well:	is section.   Reg	gular or Irregular
		_	ar, locate well from nearest corner boundary.  NE NW SE SW
	tion of the well. Show footage to the batteries, pipelines and electrical lin You may a	-	e. Show the predicted locations of acce Owner Notice Act (House Bill 2032).
:	: : :		
		<b>⊙</b> — 265	oft. LEGEND
	· · · · · · · · · · · · · · · · · · ·		O Well Location
			Tank Battery Location Pipeline Location Electric Line Location
			Lease Road Location
			EXAMPLE : :
<u> </u>	17	<u> </u>	
			1980' FSL
	· · · · · · · · · · · · · · · · · · ·	i	
			:

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	m ground level to dee	pest point:	(feet) No Pit
material, thickness and installation procedure.  liner integrity, including any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease: Number of		Number of worl	king pits to be utilized:
Barrels of fluid produced daily: Abanc		Abandonment p	procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
KCC will be required to send this information to the surface own	eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		

Side Two



For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
ease:	feet from N / S Line of Section
Vell Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
-	PLAT
	t lease or unit boundary line. Show the predicted locations of equired by the Kansas Surface Owner Notice Act (House Bill 2032).
,	separate plat if desired. 217 ft.
	⊙— 265 ft.
	LEGEND
	: O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
	EXAMPLE
17	
	1980' FSL
	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL'

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

API NUMBER 15-	G
OPERATOR Linn Operating, Inc.	LOCATION OF WELL: COUNTY Grant
LEASE Jenning	217 N feet from south/north line of section
WELL NUMBER 4 ATU-457	265 E feet from east / west line of section
FIELD Hugoton-Panoma	SECTION 17 TWP 29S (S) RG 38W E/W
NUMBER OF ACRES ATTRIBUTABLE TO WELL 640 QTR/QTR/QTR OF ACREAGE NE NE NE NE	IS SECTION X REGULAR OF TRREGULAR  IF SECTION IS IRREGULAR, LOCATE WELL FROM  NEAREST CORNER BOUNDARY. (check line below)  Section corner used: NE NW SE SW  ibutable acreage for prorated or spaced wells).
(Show the footage to the nearest lease or unit common source supply well).	t boundary line; and show footage to the nearest
common source supply well).	
	· Au Outron
	· su muchise
	Su attachese
	mar
	.
	EXAMPLE .
	·     ·   ·
	1980
	· · · · · · ·     •
	10 10 10 10 10 10 10 10 10 10 10 10 10 1
	. 3390'
	. ] [
••••	
	•     •   •
• • •	SEWARD CO.
The undersigned hereby certifies as Re	equlatory Compliance Advisor (title) for
Linn Operating, Inc.	(Co.), a duly authorized agent, that all
	to the best of my knowledge and belief, that all
	med herein is held by production from that well to be assigned to the well upon the filing of
this form and the State test, whichever is 1	
Signa	iture Shaw Therein
Subscribed and sworn to before me on this	20th day of January , 19 2015
	(M) de Antre
(\$222222222222222222222222222222222222	www 1 way 100m
My Commission expires MINDY POTO	Notary Public FORM CG-8 (12/94)
Notary Public, State Commission Expires 0	of Texas

Decessors of the control of the cont

