KOLAR Document ID: 1605925

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:	_+ Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	NE NW SE SW
CONTRACTOR: License #	
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	
Purchaser:	
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workove	Field Name:
	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
	nv. to SWD Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Committee Down to the	Chloride content:ppm Fluid volume: bbls
☐ Commingled Permit #: ☐ Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion	Date or Quarter Sec. Twp. S. R. East West
Recompletion Date Bate Reached 1D Completion Recompletion	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
☐ Wireline Log Received ☐ Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1605925

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used	Type and Percent Additives			
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.		·			Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	Owens Oil Company, LLC
Well Name	NICKEL 1
Doc ID	1605925

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.625	7	17	42	Portland	8	na
Production	5.875	2.875	6.5	1092	Econobon d	131	na

Invoice # Page
119362 001
Invoice Date
11-17-2021 11:29:20

True Enterprise 1326 North Main Street LeRoy, KS 66857

(620) 964-2514

620-625-3607

SOLD TO: Scott Owens Scott Owens 1274 202 Road Yates Center, KS 66783

Please Remit To: True Enterprise, 1326 North Main, LeRoy, KS 66857

Terms		P.	O.#	Order #	Type	Sld.By	Cus	st.# Slm.
Last Day of This	Month			119362	House	SLT	O36070	Store
Quantity UM		Item #		Description			Price	Extended Price
8.000 EA	CL203		PORTLAND CE	MENT			18.25	146.00
	. /					T	¯axable: ¯ax: lon-Tax:	146.00 10.95 0.00
Received by:	DC.	X				Т	otal:	156.95



	EATMENT REP			·					
	Customer: Owens Oil Company, LLC		Well:	Nickle #1	Tickets	EP3382			
City, State: Leroy, KS.			County:	Coffey, KS	Date:	11/23/2021			
Field Rep: Bryson Owens			S-T-R:	29-22-16	Service:	Longstring			
Downhole	Information		Calculated Slur	rv - Lead	Calcu	liated Slurry - Tail			
Hole Size				Econobond 1#PS	Blend:				
Hole Depth	1105 ft		Weight:	13.6 ppg	Weight:	PPB			
Casing Size	2 7/8 in		Water / Sx:	Water / Sx: 7.1 gal / sx		gal / sx			
Gasing Depth	1092 ft		Yield:	1.56 ft ³ / sx	Yield:	ft³/sx			
Tubing / Liner	in		Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.			
Bepth	ft		Depth:	ft	Depth:	fŧ			
Tool / Packer	:		Annular Volume:	C.O bbis	Annular Volume:	() bbls			
Tool Depth	ft		Excess		Excess:				
C010	eidd 6.3	<u>. :</u>	Total Slurry:	36,4 bbls	Total Slurry:	0,0 bbis			
	STAGE		Total Sacks:	131_8x	Total Sacks:	0 sx			
TIME RAT	E PSI BBLs	BBLs	REMARKS						
6:00 PM	-		On location, held saftey n	uaanufi					
4.0	1	-	Established circulation						
4.0				of Bentonite Gel followed by	6 BBL of fresh water				
4.0		 	 		h 1# Phenoseal per sack , cement	to surface			
4.0		-	flushed pump clean						
4.0		•	Pumped 2 2 7/8" rubber p	lugs to casing TD with 6.34	BBL of fresh water				
4.0		-	pressured up to 1000 PSI,	well held pressure					
4.0			Released pressure to set	float valve		·			
4.0		•	washed up equipment						
									
8:00 PM	 		left location						
	-								
	 								
	 -								
	1								
	<u> </u>								
	<u> </u>					- w			
	ļ								
		<u> </u>		-					
	CREW		UNIT		SUMMAR				
Cemente			89	Average Rat		Total Fluid - bbis			
Pump Operato		ay	239 248	4.0 bpm	- psi	- 000			
Bulk #1 Bulk #2		r	110						
2011.01	310.2. 22.5.100								

ftv: 15-2021/01/25 mplv: 150-2021/05/24