## **CORRECTION #1**

KOLAR Document ID: 1632284

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day ye	ear Sec Twp S. R E
ODEDATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
OPERATOR: License# Name:	fact from   E /   W Line of Section
Address 1:	
Address 2:	
	(Note: Locate well on the Section Flat on levelse side)
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
Mall Drillad Fare Mall Classes Type Free fare	
Well Drilled For: Well Class: Type Equipm	Ground Surface Elevation: feet MSL
Oil Enh Rec Infield Mud Ro	tary Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rota	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Desire the different Desertion
Original Completion Date: Original Total Depth: _	Formation at Total Depth:
	Water Source for Drilling Operations:
· —	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	Diff of office with
Bottom Hole Location: KCC DKT #:	(Note: Appy to A office that 2000)
NOO DICI #.	will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and	d eventual plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be me	t:
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> </ol>	well; osted on each drilling rig;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below</li> </ol>	well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> </ol>	well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> <li>If the well is dry hole, an agreement between the operato</li> </ol>	well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> <li>If the well is dry hole, an agreement between the operato</li> <li>The appropriate district office will be notified before well in</li> </ol>	well; osted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> <li>If the well is dry hole, an agreement between the operato</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface ca</li> </ol>	well; stated on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; se either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. using order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> <li>If the well is dry hole, an agreement between the operato</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface ca</li> </ol>	well; stated on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; se either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>A copy of the approved notice of intent to drill shall be possible.</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> <li>If the well is dry hole, an agreement between the operato</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface ca</li> </ol>	well; stated on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; se either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. using order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> <li>If the well is dry hole, an agreement between the operato</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the</li> </ol>	well; stated on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; se either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. using order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> <li>If the well is dry hole, an agreement between the operato</li> <li>The appropriate district office will be notified before well in the appropriate of the complete of the spuddate or the must be completed within 30 days of the spuddate or the</li> </ol>	well; stated on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; se either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. using order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Notify the appropriate district office <i>prior</i> to spudding of v     A copy of the approved notice of intent to drill <i>shall be</i> po     The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2     If the well is dry hole, an agreement between the operato    The appropriate district office will be notified before well is    If an ALTERNATE II COMPLETION, production pipe shal    Or pursuant to Appendix "B" - Eastern Kansas surface ca    must be completed within 30 days of the spud date or the    ubmitted Electronically	well; stated on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; se either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. Issing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> <li>If the well is dry hole, an agreement between the operato</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the</li> </ol> ubmitted Electronically For KCC Use ONLY	well; stable be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; se either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. using order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of vocations 2. A copy of the approved notice of intent to drill <i>shall be</i> possible.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 description.  4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shale or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	well; stable be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; se either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. Ising order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of v</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> po</li> <li>The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2</li> <li>If the well is dry hole, an agreement between the operato</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the</li> </ol> ubmitted Electronically For KCC Use ONLY	well; stable be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; se either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. Ising order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of vocations 2. A copy of the approved notice of intent to drill <i>shall be</i> possible.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 lf the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	well; sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; s either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. using order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of v 2. A copy of the approved notice of intent to drill <i>shall be</i> po 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the   ubmitted Electronically  For KCC Use ONLY  API # 15	well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. Using order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of v 2. A copy of the approved notice of intent to drill <i>shall be</i> po 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	State   Stat
1. Notify the appropriate district office <i>prior</i> to spudding of vocations 2. A copy of the approved notice of intent to drill <i>shall be</i> possible.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 described. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	well; stadl be set by circulating cement to the top; in all cases surface pipe shall be set to feet into the underlying formation. or and the district office on plug length and placement is necessary prior to plugging; seither plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 DAYS of spud date. using order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of v 2. A copy of the approved notice of intent to drill <i>shall be</i> po 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15	State   Stat

Signature of Operator or Agent:

KOLAR Document ID: 1632284



For KCC Use ONLY	
API # 15	_


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1121 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# CORRECTION #1

KOLAR Document ID: 1632284

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	m ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and liner integrity, including any special monitoring.			dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inforr	west fresh water feet.		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of work	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spring flow into the pit? Yes No	oilled fluids to	Drill pits must be closed within 365 days of spud date.			
	-				
Submitted Electronically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Numb	per:	Permi	t Date: Lease Inspection:  Yes No		

# CORRECTION #1

KOLAR Document ID: 1632284

Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Su owner information can be found in the records of the register of deeds for	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat at the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ceing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		

# **Summary of Changes**

Lease Name and Number: Knives Out 1

API/Permit #: 15-063-22396-00-00

Doc ID: 1632284

Correction Number: 1

Approved By: CeLena Peterson 03/04/2022

Field Name	Previous Value	New Value
Contractor License Number	30606	35638
Contractor Name	Murfin Drilling Co., Inc.	L D Drilling & Exploration, LLC
ElevationPDF	2897 Estimated	2897 Surveyed
Elevation Source	Estimated	Surveyed
Expected Spud Date	2/4/2022	3/06/2022
KCC Only - Approved By	CeLena Peterson 01/18/2022	CeLena Peterson 03/04/2022
KCC Only - Approved Date	01/18/2022	03/04/2022
KCC Only - Date Received	01/17/2022	03/03/2022