

Confidentiality Requested:

Yes No

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION**

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

**WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

New Well Re-Entry Workover

Oil WSW SWD

Gas DH EOR

OG GSW

CM (Coal Bed Methane)

Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to EOR Conv. to SWD
 Plug Back Liner Conv. to GSW Conv. to Producer

Commingled Permit #: _____

Dual Completion Permit #: _____

SWD Permit #: _____

EOR Permit #: _____

GSW Permit #: _____

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No.: _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: _____

Confidential Release Date: _____

Wireline Log Received Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT I II III Approved by: _____ Date: _____

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

1. Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection:	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: Top Bottom
---	---	------------------------------------

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i>

TUBING RECORD:	Size:	Set At:	Packer At:	
----------------	-------	---------	------------	--



Customer	Rocking Bar Nothing Ranch	Lease & Well #	RBN #20	Date	9/21/2021
Service District	Bartlesville Ok	County & State	MG. Kansas	Legals S/T/R	11 34 14
Job Type	Long String	<input checked="" type="checkbox"/> PROD	<input type="checkbox"/> INJ	<input type="checkbox"/> SWD	Job #
					Ticket #
				<input checked="" type="checkbox"/> YES	EP2782
				<input type="checkbox"/> No	

Equipment #	Driver	Job Safety Analysis - A Discussion of Hazards & Safety Procedures			
86	John	<input checked="" type="checkbox"/> Hard hat	<input checked="" type="checkbox"/> Gloves	<input type="checkbox"/> Lockout/Tagout	<input type="checkbox"/> Warning Signs & Flagging
231	Kevin	<input checked="" type="checkbox"/> H2S Monitor	<input checked="" type="checkbox"/> Eye Protection	<input type="checkbox"/> Required Permits	<input type="checkbox"/> Fall Protection
211	Corbin	<input checked="" type="checkbox"/> Safety Footwear	<input type="checkbox"/> Respiratory Protection	<input type="checkbox"/> Slip/Trip/Fall Hazards	<input type="checkbox"/> Specific Job Sequence/Expectations
138/127	Bobby	<input checked="" type="checkbox"/> FRC/Protective Clothing	<input type="checkbox"/> Additional Chemical/Acid PPE	<input type="checkbox"/> Overhead Hazards	<input type="checkbox"/> Muster Point/Medical Locations
		<input type="checkbox"/> Hearing Protection	<input type="checkbox"/> Fire Extinguisher	<input type="checkbox"/> Additional concerns or issues noted below	

Comments

Product/ Service Code	Description	Unit of Measure	Quantity	Net Amount
M015	Light Equipment Mileage	mi	55.00	\$101.20
M010	Heavy Equipment Mileage	mi	55.00	\$202.40
C010	Cement Pump Service	ea	1.00	\$690.00
C050	Cement Plug Container	job	1.00	\$230.00
CP010	Class A Cement	sack	80.00	\$1,251.20
CP095	Bentonite Gel	lb	500.00	\$138.00
CP140	Granulated Salt	lb	550.00	\$253.00
CP110	Kol Seal	lb	400.00	\$276.00
CP125	Pheno Seal	lb	40.00	\$64.40
AF080	Fresh Water	gal	5,460.00	\$75.35
FE025	2 7/8" Rubber Plug	ea	2.00	\$73.60
T030	Transport - 130 bbl	hr	4.00	\$520.00

Customer Section: On the following scale how would you rate Hurricane Services Inc.?		Net:	\$3,875.15
		Total Taxable	\$ -
		Tax Rate:	
Based on this job, how likely is it you would recommend HSI to a colleague?		Sale Tax:	\$ -
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		State tax laws deem certain products and services used on new wells to be sales tax exempt. Hurricane Services relies on the customer provided well information above to make a determination if services and/or products are tax exempt.	Total:
Unlikely 1 2 3 4 5 6 7 8 9 10 Extremely Likely			
HSI Representative: <i>John Wade</i>			

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 1/2% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. **DISCLAIMER NOTICE:** Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

X _____ **CUSTOMER AUTHORIZATION SIGNATURE**



CEMENT TREATMENT REPORT					
Customer:	Rocking Bar Nothing Ranch	Well:	RBN #20	Ticket:	EP2782
City, State:		County:	MG. Kansas	Date:	9/21/2021
Field Rep:		S-T-R:	11 34 14	Service:	Long String

Downhole Information		Calculated Slurry - Lead		Calculated Slurry - Tail	
Hole Size:	5 5/8 in	Blend:	Class A	Blend:	
Hole Depth:	751 ft	Weight:	14.1 ppg	Weight:	ppg
Casing Size:	2 7/8 in	Water / Sx:	8.1 gal / sx	Water / Sx:	gal / sx
Casing Depth:	749 ft	Yield:	1.68 ft ³ / sx	Yield:	ft ³ / sx
Tubing / Liner:	in	Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.
Depth:	ft	Depth:	ft	Depth:	ft
Tool / Packer:		Annular Volume:	0.0 bbls	Annular Volume:	0 bbls
Tool Depth:	ft	Excess:		Excess:	
Displacement:	4.3 bbls	Total Slurry:	23.9 bbls	Total Slurry:	0.0 bbls
		Total Sacks:	80 sx	Total Sacks:	0 sx

TIME	RATE	PSI	STAGE BBLs	TOTAL BBLs	REMARKS
			-	-	
11:45 AM				-	On Location
10:00 AM				-	JSA and rig up
10:11 AM	2.0	100.0	18.0	18.0	Water and gel
10:20 AM	2.0	200.0	23.9	41.9	Ran Cement
10:35 AM				41.9	Shut down and washed pump and lines, Dropped plug
10:40 AM			4.3		Displaced land plug at 1000psi. Set plug and put 100psi back on well. Topped off well
10:50 AM					Washed up and rig down

CREW		UNIT		SUMMARY		
Cementer:	John		86	Average Rate	Average Pressure	Total Fluid
Pump Operator:	Kevin		231	2.0 bpm	150 psi	46 bbls
Bulk #1:	Corbin		211			
Bulk #2:	Bobby		138/127			



Customer	Rocking Bar Nothing Ranch		Lease & Well #	RBN #20		Date	9/21/2021		
Service District	Bartlesville Ok		County & State	MG. Kansas		Legals S/T/R	11 34 14		
Job Type	Long String	<input checked="" type="checkbox"/> PROD	<input type="checkbox"/> INJ	<input type="checkbox"/> SWD	New Well?	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> No	Ticket #	EP2782

Equipment #	Driver	Job Safety Analysis - A Discussion of Hazards & Safety Procedures					
86	John	<input checked="" type="checkbox"/> Hard hat	<input checked="" type="checkbox"/> Gloves	<input type="checkbox"/> Lockout/Tagout	<input type="checkbox"/> Warning Signs & Flagging		
231	Kevin	<input checked="" type="checkbox"/> H2S Monitor	<input checked="" type="checkbox"/> Eye Protection	<input type="checkbox"/> Required Permits	<input type="checkbox"/> Fall Protection		
211	Corbin	<input checked="" type="checkbox"/> Safety Footwear	<input type="checkbox"/> Respiratory Protection	<input type="checkbox"/> Slip/Trip/Fall Hazards	<input type="checkbox"/> Specific Job Sequence/Expectations		
138/127	Bobby	<input checked="" type="checkbox"/> FRC/Protective Clothing	<input type="checkbox"/> Additional Chemical/Acid PPE	<input type="checkbox"/> Overhead Hazards	<input type="checkbox"/> Muster Point/Medical Locations		
		<input type="checkbox"/> Hearing Protection	<input type="checkbox"/> Fire Extinguisher	<input type="checkbox"/> Additional concerns or issues noted below			

Comments							

Product/ Service Code	Description	Unit of Measure	Quantity	Net Amount
M015	Light Equipment Mileage	mi	55.00	\$101.20
M010	Heavy Equipment Mileage	mi	55.00	\$202.40
C010	Cement Pump Service	ea	1.00	\$690.00
C050	Cement Plug Container	job	1.00	\$230.00
CP010	Class A Cement	sack	80.00	\$1,251.20
CP095	Bentonite Gel	lb	500.00	\$138.00
CP140	Granulated Salt	lb	550.00	\$253.00
CP110	Kol Seal	lb	400.00	\$276.00
CP125	Pheno Seal	lb	40.00	\$64.40
AF080	Fresh Water	gal	5,460.00	\$75.35
FE025	2 7/8" Rubber Plug	ea	2.00	\$73.60
T030	Transport - 130 bbl	hr	4.00	\$520.00

Customer Section: On the following scale how would you rate Hurricane Services Inc.?		Net:	\$3,875.15
		Total Taxable \$	-
		Tax Rate:	
Based on this job, how likely is it you would recommend HSI to a colleague?		Sale Tax:	\$ -
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		Total:	\$ 3,875.15
Unlikely 1 2 3 4 5 6 7 8 9 10 Extremely Likely			
		HSI Representative: <i>John Wade</i>	

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 1/2% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. **DISCLAIMER NOTICE:** Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

X _____ **CUSTOMER AUTHORIZATION SIGNATURE**



CEMENT TREATMENT REPORT

Customer: Rocking Bar Nothing Ranch	Well: RBN #20	Ticket: EP2782
City, State:	County: MG. Kansas	Date: 9/21/2021
Field Rep:	S-T-R: 11 34 14	Service: Long String


Downhole Information	
Hole Size:	5 5/8 in
Hole Depth:	751 ft
Casing Size:	2 7/8 in
Casing Depth:	749 ft
Tubing / Liner:	in
Depth:	ft
Tool / Packer:	
Tool Depth:	ft
Displacement:	4.3 bbls

Calculated Slurry - Lead	
Blend:	Class A
Weight:	14.1 ppg
Water / Sx:	8.1 gal / sx
Yield:	1.68 ft³ / sx
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0.0 bbls
Excess:	
Total Slurry:	23.9 bbls
Total Sacks:	80 sx

Calculated Slurry - Tail	
Blend:	
Weight:	ppg
Water / Sx:	gal / sx
Yield:	ft³ / sx
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0 bbls
Excess:	
Total Slurry:	0.0 bbls
Total Sacks:	0 sx

TIME	RATE	PSI	STAGE BBLs	TOTAL BBLs	REMARKS
			-	-	
11:45 AM				-	On Location
10:00 AM				-	JSA and rig up
10:11 AM	2.0	100.0	18.0	18.0	Water and gel
10:20 AM	2.0	200.0	23.9	41.9	Ran Cement
10:35 AM				41.9	Shut down and washed pump and lines, Dropped plug
10:40 AM			4.3		Displaced land plug at 1000psi. Set plug and put 100psi back on well. Topped off well
10:50 AM					Washed up and rig down

CREW	UNIT	SUMMARY		
Cementer:	John	Average Rate	Average Pressure	Total Fluid
Pump Operator:	Kevin	2.0 bpm	150 psi	46 bbls
Bulk #1:	Corbin			
Bulk #2:	Bobby			
	86			
	231			
	211			
	138/127			



Woods Lumber of Independence KS.
PO Box 528
915 North Penn
Independence, KS 67301
PHONE: (620) 331-4900

Returns subject to restock charge
 Receipt required on ALL returns

CUST NO: 4782	JOB NO: 000	PURCHASE ORDER:	REFERENCE:	TERMS: INDUS/COMMERCIAL	CLERK: TDG	DATE / TIME: 9/16/21 4:20
------------------	----------------	-----------------	------------	----------------------------	---------------	------------------------------

TERMINAL: 568

SOLD TO:
 ROCKIN BAR NOTHIN RANCH INC.
 BRANDON OWENS
 2339 CR 2800
 INDEPENDENCE KS 67301
 620-330-3454

SHIP TO:

SALESPERSON: TG TRAVIS GREGORY
 TAX: 001 INDEPENDENCE

INVOICE: 451372

LINE	SHIPPED	ORDERED	UM	SKU	DESCRIPTION	LOCATION	UNITS	PRICE/ PER	EXTENSION
1	25	25	BG P		*PORTLAND CEMENT TYPE I 94#	A1	25	13.75 /BG	343.75
2	1	1	EA	ASH	ASH GROVE PALLET		1	30.00 /EA	30.00
3					PALLET IS RETURNABLE				

Will cement

TAXABLE 373.75
 NON-TAXABLE 0.00
 SUBTOTAL 373.75

** AMOUNT CHARGED TO STORE ACCOUNT ** 409.26

TAX AMOUNT 35.51

TOTAL 409.26



TOT WT: 2380.00

xManual Signature
 Received By