KOLAR Document ID: 1619134

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:	SecTwpS. R					
Address 2:	Feet from North / South Line of Section					
City: State: Zip:+	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth:					
☐ Oil ☐ WSW ☐ SWD						
☐ Gas ☐ DH ☐ EOR						
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet					
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No					
Cathodic Other (Core, Expl., etc.):						
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to: w/ sx cmt.					
Original Comp. Date: Original Total Depth:						
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan					
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)					
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls					
Dual Completion Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
☐ EOR Permit #:	Location of haid disposal if hadica offsite.					
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R					
Recompletion Date Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I III Approved by: Date:						

KOLAR Document ID: 1619134

Page Two

Operator Name: _				Lease Name:	Name: Well #:				
SecTwp.	S. R.	Ea	ast West	County:					
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log	
Drill Stem Tests Ta			Yes No		_	nd Datum	Sample		
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:			Yes No Yes No Yes No						
		R			New Used	on, etc.			
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I			
Purpose:		epth Ty	pe of Cement	# Sacks Used	ed Type and Percent Additives				
Protect Casi									
Plug Off Zon									
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,	
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	Estimated Production Oil Bbls. Gas				Water Bbls. Gas-Oil Ratio G				
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom	
	_	on Lease	Open Hole				nmingled Top Bottom mit ACO-4)		
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·				
Shots Per Foot	Perforation Perforation Bridge Plug Bridge Plug Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)					Record			
TUBING RECORD:	Size:	Set /	At:	Packer At:					
. 5213 (1200) 10.	JIEG.			. 30.0.71					

Form	ACO1 - Well Completion
Operator	Rockin Bar Nothin Ranch, Inc.
Well Name	MELANDER RBN 21
Doc ID	1619134

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	7	19	21	I	10	na
Production	5.875	2.875	6.5	743	70-30	74	service company



							rice and the second second		
MENT	TREA	TMENT	REPO	RT					ED2703
Customer: Rocking Bar Nothing Ranch			Well: RBN #21		Ticket:	EP2783			
City, St	ty, State:			County:		MG. Kansas	Date:	9/21/2021	
				S-T-R:	-R: 11 34 14			Long String	
								Calcul	ated Slurry - Tail
		formation	AND LESSON OF THE PARTY OF THE		Calculated Slu	Class	^	Blend:	
Hole :		5 5/8 i			Blend:	14.1 pp		Weight:	ppg
Hole De		751 f	-		Weight: Water / Sx:	8.1 ga		Water / Sx:	gal / sx
Casing		2 7/8 i			Water / 3x.	1.68 ft		Yield:	ft³/sx
asing Do		746 f	n		Annular Bbls / Ft.:		os / ft.	Annular Bbls / Ft.:	bbs / ft.
ubing / L			**		Depth:	ft		Depth:	ft
ool / Pa	epth:		-		Annular Volume:	0.0 bl	ols	Annular Volume:	0 bbls
Tool D			it		Excess:			Excess:	
isplacer	4. 900.4	4.3			Total Slurry:	23.9 bl	bls	Total Slurry:	0.0 bbis
			STAGE	TOTAL	Total Sacks:	80 s	K	Total Sacks:	0 sx
IME	RATE	PSI	BBLs	BBLs	REMARKS				
			-	-					
				-					
1:00 AM					On Location				
				-					
1:05 AM				-	JSA and rig up				
11:15 AM	2.0	100.0	16.0	16.0	Water and gel				
				16.0					
11:21 AM	2.0	200.0	23.9	39.9	Ran Cement				
				39.9	Shut down and washed	numn and li	nee Droned nlug		
11:35 AM				39.9	Shut down and washed	punip and in	nes, propeu piug		
					Distance land plug of	1000nei Set	nlug and put 100psi ba	ck on well. Topped off well	
11:40 AM	-		4.3		Displaced land plug at	1000psi. Set	plug uliu put 100pol 2.		
	_				Washed up and rig dow	m			
11:55 AM	1				Washed up and ng dow				
	-								
	-								
	+-	 							
	+	-							
	+		<u> </u>						
	+-								
	+	 							
	+-	†							
	+								
	1								
	T								
		CREV	N		UNIT			SUMMAR	
Ce	ementer	Joh	ın		86		Average Rate	Average Pressure	Total Fluid
Pump C					231		2.0 bpm	150 psi	44 bbls
	Bulk #1		rbin		211				
Bulk #2: Bobby			138/127	1					

ftv: 15-2021/01/25 mplv: 201-2021/09/15 Hurricane Services, Inc. 250 N. Water St., Suite #200 Wichita, KS 67202



							Doto	9/21/2	2021	
Customer	Rocking Bar Nothing Ranch	Lease & Well	# RBN #21				Date	512 112	2021	
ervice District	Bartlesville Ok	County & Stat	e MG. Kansas	Legals S/T/R	11 34 1		Job#	EP2	783	
Job Type	Long String PROD	☐ INJ	SWD	New Well?		No	Ticket#	LFZ	700	
Equipment #	Driver		Job Safety Ana	alysis - A Discuss	ion of Hazards &					
-quipment # 86	John	at	✓ Gloves		Lockout/Tago		Warning Signs	& Flagging		
231	Kevin H2S M		✓ Eye Protection		Required Peri		Fall Protection			
211	Corbin Safety	Footwear	Respiratory Pro			Slip/Trip/Fall Hazards Specific Job Sequence/Expectation Overhead Hazards Muster Point/Medical Locations				
138/127		rotective Clothing	Additional Che	mical/Acid PPE	Overhead Ha			ledical Location	ons	
130/12/		g Protection	Fire Extinguish			ncerns or iss	ues noted below			
				Con	nments				400	
oduct/ Service		D. Jakian		Unit of Measure	Quantity				Net Amount	
Code	Living Sandara (Milesea	Description		mi	55.00				\$101.2	
)15	Light Equipment Mileage			mi	55.00				\$202.4	
010	Heavy Equipment Mileage	A. 100 A.								
	Oceant Dump Contino			ea	1.00				\$690.0	
)10	Cement Pump Service Cement Plug Container			job	1.00				\$230.0	
050	Cement Flug Containor									
P010	Class A Cement			sack	80.00				\$1,251.	
P095	Bentonite Gel	lb	500.00			\$13				
P140	Granulated Salt			lb	550.00			\$25		
P110	Kol Seal	lb	400.00		-	\$276				
P125	Pheno Seal			lb	40.00		-		\$04.	
	-								\$75.	
F080	Fresh Water			gal	5,460.00				V.	
					1 000				\$73.	
E025	2 7/8" Rubber Plug			ea	2.00					
				hr	4.00				\$520	
030	Transport - 130 bbl			+ "	4.00					
				19						
			- distance of the second							
									40.50	
Cu	stomer Section: On the followi	ng scale how would you	rate Hurricane Service	es Inc.?		1.		Net:	\$3,875	
					Total Taxable		Tax Rate:	Sale Tax:	\$	
	Based on this job, how likely	is it you would recom	mend HSI to a colleag	jue?	used on new we	lls to be sales	tax exempt.	Jaie Iax.	-	
					well information	above to make	ne customer provided e a determination if			
	Unlikely 1 2 3 4	5 6 7	8 9 10	Extremely Likely	services and/or	products are t	ax exempt.	Total:	\$ 3,87	
							John Wade			

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or services. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison recommendations made concerning the results form the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and

ALICE ALITHODIZATION CICNATIID
CUSTOMER AUTHORIZATION SIGNATUR