KOLAR Document ID: 1633741

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4 March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

OPERATOR: License #:	API No. 15
Name:	Spot Description:
Address 1:	Sec Twp S. R East West
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	NE NW SE SW
Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic Water Supply Well Other: SWD Permit #: SWD Permit #: SWD Permit #: ENHR Permit #: Gas Storage Permit #: Is ACO-1 filed? Yes No If not, is well log attached? Yes No	County: Well #: Lease Name: Well #: Date Well Completed: The plugging proposal was approved on: (Date)
Producing Formation(s): List All (If needed attach another sheet)	by: (KCC District Agent's Name)
Depth to Top: Bottom: T.D. Depth to Top: Bottom: T.D. Depth to Top: Bottom: T.D.	Plugging Commenced:Plugging Completed:

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #:	Name:	
Address 1:	Address 2:	
City:	State:	Zip: +
Phone: ()		
Name of Party Responsible for Plugging Fees:		
State of County,	, \$\$.	
(Print Name)	Employee of Operator or	Operator on above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Concerning the delivered to the nearest accessible point over parable fond, concrete to the delivered to the nearest accessible point over parable formation and trucks come power. Due to oblivery the maximum algorithm of demages in any manner to adverse, aller maximum algorithm for demages in any manner to adverse, risk. The maximum algorithm for demages in any manner to adverse and evolved the tot undedring trucks is 5 minutes per yard. A submarks of strength or mix indicated, We do not assume personship for contractor must provide at customs to the Second at customs of maximum strength pares to truck to wash truck out. Towcharges are buyers responsibility.			Excessive Water is Detrimental to Concrete Pertomental H ₂ 0 Added By Request/Authorized By GAL X EIGHMASTER EIGHMASTER CAL X Don Recurst with bander curst with noise curst with bander curst with noise curst with bander curst with noise curst limit Don RECIVERIANTIER UNIT PRICE EXTENDED PRICE TIME ALLOWED TIME ALLOWED TIME ALLOWED DELAY TIME
Concrete to be delivery under truck's own powers adler assumes to rea eacher assumes to rea eachers, driveways, be charger will be made if water contractor will be made to the second to the second per truck in contractor of buyers responsibility.	DRIVER/TRUCK	WATER IRIM	
ducts, Inc.		BATCH#	RADPERTY DAWIGE RELEASE RADPERTY DAWIGE RELEASE TO DE SCARED F DELIVERY 10 EK WOE INSTOC CUBB LINE The coargination of event of the space in preventing the factor and appendix the pour by space and an appendix and of the space in the solution when a pour box when the state of expanding the solution of the space in the solution of the the state of expanding the solution of the space in the solution of the the state of expanding the solution of the space in the solution of the the state of expanding the solution of the space in the solution of the the state of expanding the solution of the space in the solution of the the state of expanding the solution of the space in the solution to the state of the space in the solution of the space in the solution of advery of the solution of the space in the solution and of adverse of the state of the state of the state of the solution of advery of the solution of the solution of the solution of adverse of the state of the state of the state of the solution of adverse of the state of the state of the state of the solution of adverse of the state of the state of the state of the solution of adverse of the state of the state of the state of the state of the solution of adverse of the state of the state of the state of the solution of adverse of the state o
Concrete Products, Inc.	YARDS ORDERED	YARDS DEL.	
	LOAD SIZE	LOAD #	AND EYES PROLOKGED CONTACT MAY Contract With Skin. In Case of Instation Persists, Get Medical Break, Get Medical tomery frees, incurred in colecting and 2% per anount. an Alowed Usiess Made at Time about on ait Returned Checks. DESCRIPTION DESCRIPTION START UNLOADING TIME UNLOADING TIME
802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 Nonce To owner Nume of the contract in the filing of a mechanic's lien on the property which is the subject of this contract.	FORMULA		WARNING DOI/14 State Contacts Portad Contract With Start Douxed Contact With Start Douxed Contract With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contract With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contract With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contact With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contact With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contact With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contact With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contact With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contact With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contact With Start. In Intration Perssis, Get Medical Contact With Start Douxed Contact With Start. Interaction Contact and accurate Approaches of Color Quark, No. Claim Aloned Unios Made at Time Wet Represented Reactive Approaches of Color Quark, No. Claim Aloned Unios Made at Time A accurated in Dolescent. Color Get Pacture. A so solved Contact Of Start. Dual TIT CUMANTIT LEFT JJOB FINISH UNLOADII ETT PLANT ARRIVED JOB START UNLOADII ICITAL ROUND TRIP TOTAL AT JJOB UNLOADING TIN
802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 Four of this contract to pay these perso complete this contract to pay these perso complete this contract.	TIME	DATE	Instant Portains Portainad Commun. Were fit Contains Portainad Commun. Were fit Shin or Elegoned provide the Paulti Shin