KOLAR Document ID: 1633720

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from North / South Line of Section
City:	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
<ul><li>☐ CM (Coal Bed Methane)</li><li>☐ Cathodic</li><li>☐ Other (Core, Expl., etc.):</li></ul>	Multiple Stage Cementing Collar Used? Yes No
	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR	·
GSW	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
☐ Wireline Log Received ☐ Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1633720

#### Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casii								
Plug Off Zon								
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213   12.00   10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	OAKWOOD UNIT/WEBER 1I
Doc ID	1633720

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	20	portland	8	n/a
Production	5.875	2.875	6.5	802	portland	100	n/a

## Oakwood Unit weber 1

3	soil	3	start 1/12/2022
3	clay and rock	6	finish 1/13/2022
84	lime	90	
189	shale	279	
18	lime	297	
57	shale	354	set 20' 7"
29	lime	383	ran 802' of 2 7/8
34	shale	417	hurricane cemented to surface
25	lime	442	
6	shale	448	
4	lime	452	
101	shale	553	
2	lime	555	
82	shale	637	
2	oil sand	639	good show
140	shale	779	
3	oil sand	782	good show
2	dk sand	784	show
13	shale	807	
4	lime	811	td



			ENT RE	PORT					
C	ustome	RJ E	nergy		West	0.1			
Cit	ty, State	Garn	ett, KS			#Dakwood U	nitWeber 11	Ticket: EP3692	2
		Jason			County	Section 1	KS	Date: 1/13/202	2
					ST	12-2	2-21	ervice: longstrin	ng
		Inform:	ation		Collegisted	Slurry - Lead			
	ole Size		5/8 in		Blend			Calculated Slurry - Tail	
	Depth	-	11 ft		Weight	The state of the s	4.4	Blend:	
	ing Size g Depth	-	7/8 in	_	Water / Sx			Veight. USS	
CONTRACTOR NOT SERVICE	y Deptii } / Liner.		02 ft	_	Yachd	The second secon	wat	er/Sx: gal/sx	
	Depth		in	-	Annular Bals / Ft.	bbs / ft.	Annular Bb	Yield: ft³/sx	
Tool /	Packer:		ft	-	Depth	ft			
	l Depth:	-	ft	-	Annular Volume:	0.0 bbis	Annular V		
Displac	ement:	4.6	i4 bbls	-	Excess:			Coess: 0 bbis	
			STAG	E TOTAL	Total Slurry:		Total:		
TIME	RATE	PSI	BBLs		Total Sacks: REMARKS	97 sx	Total s		
12:30 PI	M				on location, held safe				
				-	The state of the s	ly meeting			
	4.0				established circulation				
	4.0				The state of the s	O# Bentonite Gel followed by			
	4.0				mixed and pumped 97	sks OWC coment with Army	4 bbls fresh water		
	4.0		-		flushed pump clean	Tro Cement with 1/28 P	henoSeal per six, cement to s	rrface	
	1.0		-			er plugs to casing TD with 4.	Abbi-		
	1.0		-		pressured to 800 PSI, v	vell held pressure	4 obis iresh water		
			-		released pressure to s	et float valve			
	4.0			-	washed up equipment				
1:30 PM				•					
1.00110					left location				
						2			
		-							
	-								
	-								
		CDE							
Ceme		CREW			UNIT		SUMM	5.037	
Ceme Pump Oper	-		Kennedy		89	Average Rate			
	Bulk:	Nick B			238	3.1 bpm	- psi	Total Fluid	
	120:	Keith D	The state of the s		193 124		hai	- bbls	
					129				