KOLAR Document ID: 1635464

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
☐ EOR Permit #:	Location of haid disposal if hadica offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1635464

#### Page Two

Operator Name:					_ Lease Nam	ne:			Well #:		
Sec Tw	pS	S. R	Eas	st West	County:						
	, flowing an	d shut-in pres	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,	
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.go	v. Digital electronic log	
Drill Stem Tests (Attach Addit		1		Yes No		Lo		n (Top), Depth a		Sample	
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum	
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Log	s		Yes No Yes No Yes No							
			Rej	CASING	RECORD [	Nev		on, etc.			
Purpose of St	ring	Size Hole Drilled		Size Casing let (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		'		
Purpose: Perforate		Depth Top Bottom	Тур	pe of Cement	# Sacks Use	# Sacks Used Type			pe and Percent Additives		
Protect Ca											
Plug Off Z											
Did you perform     Does the volume     Was the hydraul	e of the total	base fluid of the	hydraulic	fracturing treatment		-	Yes yes Yes	No (If No, s	kip questions 2 ar kip question 3) Il out Page Three		
Date of first Produ Injection:	ction/Injectio	n or Resumed Pi	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>			
Estimated Product Per 24 Hours		Oil	Bbls.		Mcf	Water			Gas-Oil Ratio	Gravity	
DISPO	OSITION OF	GAS:		N	ETHOD OF CO	MPLET	ΓΙΟΝ:			DN INTERVAL: Bottom	
Vented	Sold	Used on Lease		Open Hole	_	Dually ( Submit A		nmingled nit ACO-4)	Тор	BOLLOTTI	
,	· I										
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)		
TUBING RECORI	D: S	size:	Set A	: -	Packer At:						

Form	ACO1 - Well Completion
Operator	Owens Oil Company, LLC
Well Name	BILL FREEMAN 7
Doc ID	1635464

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	11	7	20	43	Portland	16	na
Production	5.625	2.875	6.5	1023	Econobon d	133	а

Invoice # Page
120098 001
Invoice Date
12-21-2021 09:48:30

True Enterprise 1326 North Main Street LeRoy, KS 66857

(620) 964-2514

620-625-3607

SOLD TO: Scott Owens Scott Owens 1274 202 Road Yates Center, KS 66783

Please Remit To: True Enterprise, 1326 North Main, LeRoy, KS 66857

	Te	rms			P.O.#	Order #	Type	Sld.By	Cu	st.# Slm.	
	Last Day of	f This	Month	freeman #	7	120098	House	SLT	O36070	Store	
Ì	Quantity	UM		Item #		Description			Price	Extended Price	
	16.000	EA	CL203		PORTLAND CE	EMENI			18.25	292.00	
								T	¯axable: ¯ax: lon-Tax:	292.00 21.90 0.00	
	Received b	y:	A	<u> </u>				Т	otal:	313.90	



CEMEN	T TRI	EATME	NT REP	ORT								
Сиз	stomer	Owens	Oil Con	npany	Well: Bill Freeman, #7				EP361			
City,	State	Leroy, I	KS		County: CO, KS			Date	12/28/20	21		
Fie	ld Rep	Bryson	Owens		s-T-R:		23-16	Service	Longstri	ng		
	realised to	Informati										
	vnhole le Size:				Calculated St		ļ		culated Slurry - Tail			
					Blend:	Econobond 1# PS	4	Blend				
	Depth: g Size:				Weight:	13.6 ppg	-		Weight: ppg			
Casing					Water / Sx:	7.1 gal / sx	-	Water / Sx				
Tubing /			in		Yield:	1.56 ft <sup>3</sup> / sx	-	Yield	····			
	Depth:		ft	·	Annular Bbis / Ft.:	bbs / ft.	-	Annular Bbls / Ft.:		· · · · · · · · · · · · · · · · · · ·		
Tool / P					Depth:	ft	-	Depth		<del></del>		
	Depth:		ft		Annular Volume:	o.0 bbls	{	Annular Volume:				
Displace			bbls		Excess:	****	<b>]</b>	Excess:		ш.		
···		5.5	STAGE	TOTAL	Total Slurry: Total Sacks:	36.9 bbls		Total Slurry:				
TIME	RATE	PSI	BBLs	BBLs	38	133 sx		Total Sacks:	0 sx			
			-	-								
3:00 PM	i			-	On location, Held saftey	meeting						
	4.0			_	Established circulation							
	4.0				Mixed and pump 200# of bentonite gel followed by 6 BBL of fresh water							
	4.0	_		-	Mixed and pumped 133 sks of econobond cement with 1# phenoseal per sack,cement to surface							
	4.0				Flushed pump clean							
	1.0				Pumped 2 2 7/8 rubber plugs to casing TD with 5.92 bbl of fresh water							
<u>.</u>	1.0	!		-	Pressured up to 1000 PS	l, weil held pressure						
	4.0			•	Released pressure to set	o set the float valve						
	4.0			-	washed up equipment							
E.CO 800					1 - 56 1					<u> </u>		
5:00 PM	$\vdash \vdash$				Left location							
										<del></del>		
			1									
-										<u></u> .		
			1			<del></del>						
								····				
					· · · · · · · · · · · · · · · · · · ·							
									· · · · · · · · · · · · · · · · · · ·			
										-		
		CREW	<i>a</i>		UNIT			SUMMAR	Y			
Cem	enter;	Garre	tt Scott		90	Average	e Rate	Average Pressure	Total Fluid			
Ритр Оре		Nick I			238	3,3 i	pm	- psi	- bbls			
	ılk #1:		Katzer	····-	248							
BΈ	ılk #2;	rat S	anborn		110			<u> </u>	<del> </del>			