For KCC Use:				
Effective Date:				
District #				
SGA?	Yes No			

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

OPERATOR: License# Sec. Twp S. R Address 1: Sec. Twp S	Expected Spud Date:	month day yea	Spot Description:
Is SECTION: Regular Irregular? Interest Inte	DPERATOR: License#	,	Sec Twp S. R E E S. Line of Section N / S. Line of Section N / S. Line of Section S. Line of Section N / S. Line of Section S. Line of Section N / S. L
County: State Zip: + County: County: Lease Name: Well #: Field Name: Lease Name: Well #: Field Name: Is this a Prorated / Spaced Field? Yes Target Formation(s): Name of the State	lame:		
County:	Address 1:		Is SECTION: Regular Irregular?
County Ontact Person: hone: County County County			(Note. Locate well on the Section Flat on reverse side)
Contractors: License#	•	·	County:
Section Sect			Lease Name: vveil #: vveil #:
### Target Formation(s): ### Mearest Lease or unit boundary line (in footage): ### Ground Surface Elevation: ### Water Surface Plool Ext. Air Rotary Water well within one-quarter mile: Yes Yes Other Other: ### Surface Pipe Planned to be set: Depth to bottom of tresh water: Depth to bottom of tresh water: Depth to bottom of usable water is Depth to bottom of to bottom of usable water is Depth to bottom of to bottom of usable water is Depth to bottom of to bottom of to bottom of to	none.		Field Name:
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): Seismic : Infield Mud Rotary Water well within one-quarter mile: Yet Yet Seismic : # of Holes Other			Is this a Prorated / Spaced Field?
Oil Enh Rec	ame:		Target Formation(s):
Gals Storage Pool Ext. Air Yotary Water well within one-quarter mile: Yet Yet Gals Gals Storage Pool Ext. Air Yotary Public water supply well within one mile: Yet Yet Water well within one-quarter mile: Yet Yet Gals Wildcat Gable Pool Ext. Air Yotary Public water supply well within one mile: Yet	Well Drilled For:	Well Class: Type Equipme	71G
Gas Slorage Pool Ext. Air Rotary Public water supply well within one mile: Yes Depth to bottom of fresh water: Depth to bottom of susable water: Depth to bottom of usable water to bottom of the poper to plugging; Depth to bottom of t	Oil Enh Re	ec Infield Mud Rot	Ground Surface Elevation:feet M
Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of usable water: Depth service of the property of the period	Gas Storage		Water well within one-quarter mile:
Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I I I Length of Surface Pipe by Alternate: I I I Length of Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit #: Will Cores be taken? Notify the paper of the properties district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; A repropriate district office of intent to drill shall be posted on each drilling rig; The appropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be notified before well is either plugged or production casing is cemented in; A repropriate district office will be noti	Dispos	al Wildcat Cable	
Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Promet to the spet: Length of Conductor Pipe (if any): Projected Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Water Source for Drilling Operations: Water Source of Drilling Operations: Water Source of Drilling Operations: Water Source Source Water Source Promote Source Water Sou	Seismic ; # of	Holes Other	Depth to bottom of fresh water:
Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Solution Hole Location: CC DKT #: No Wes, true vertical depth: Solution Hole Location: CC DKT #: No Will Cores be taken? If Yes, proposed zone: AFFIDAVIT In eundersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Formation at Total Depth: - File Completion Format	Other:		Depth to bottom of usable water:
Operator: Well Name: Original Completion Date: Original Total Depth: Identitional, Deviated or Horizontal wellbore? Ves, true vertical depth: OCD EXT #: Water Source for Drilling Operations: Water Source for Drilling Ope	It OMMO, ald wall in	oformation on follows:	
Well Name: Original Completion Date: Original Total Depth: Incettional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestional Depth: Interestional Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestical depth: Interes	If OvvvvO: old well in	normation as follows:	Length of Surface Pipe Planned to be set:
Original Completion Date:Original Total Depth:	Operator:		
Water Source for Drilling Operations: Water Source for Drill operations: Water Source for Drill operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Date Form Accentually Operations: Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cares be taken? If Yes, proposed zone: Water Source for Drill Operation Drill D			
rectional, Deviated or Horizontal wellbore? Yes, true vertical depth: DWR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: - File Completion Form ACO-1 within 120 days of spud date:	Original Completion Date	e: Original Total Depth: _	
DWR Permit #: DWR Permit #: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone:			
ottom Hole Location: CC DKT #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Form ACD-1 within 120 days of spud date: - File Completion Form ACD-1 within 120 days of spud date: - File Completion Form ACD-1 within 120 days of spud date:			
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Act (KSONA-1) with Intent to Drill; File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:			DWK Femili #
If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			(Note: Apply for Fernit With DVIN
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Cill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:			Will Cores be taken?
is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Certification (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. 	he undersigned hereby a	ffirms that the drilling, completion and	eventual plugging of this well will comply with K.S.A. 55 et. seq.
 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. District Office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date: 	is agreed that the following	ng minimum requirements will be met	
Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:	 A copy of the approvations. The minimum amounthrough all unconsol If the well is dry hole The appropriate dist If an ALTERNATE II Or pursuant to Appe 	wed notice of intent to drill shall be po nt of surface pipe as specified below a lidated materials plus a minimum of 20 e, an agreement between the operator crict office will be notified before well is COMPLETION, production pipe shall endix "B" - Eastern Kansas surface case	sted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Inis authorization expires:	ıbmitted Electron	ically	Remember to:
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by:	feetfeet per ALT.	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
	API # 15 Conductor pipe required Minimum surface pipe requ Approved by: This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
Spud date: Agent: please check the box below and return to the address below.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by: This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

1980' FSL

Side Two

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Field:	Sec Twp S. R E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Pit is:					
Emergency Pit Burn Pit Proposed		Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No Artificial Liner Yes		lo	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	m ground level to dee	pest point:	(feet) No Pit		
		• ,	cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. nation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of worl	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:		

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East _ West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface		
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
provided the following to the surface owner(s) of the land up Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing	Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the g in connection with this form; 2) if the form being filed is a Form operator name, address, phone number, fax, and email address.		
the KCC will be required to send this information to the surface	acknowledge that, because I have not provided this information, cowner(s). To mitigate the additional cost of the KCC performing ress of the surface owner by filling out the top section of this form the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

BEOUGHER LEASE FOUND CAPPED IRON PIN AT NW. COR. SEC.36 PER K.D.O.T REFERENCES NW. 1/4. SECTION 36. T13S. R29W GOVE COUNTY. KANSAS $Y = 211569 \quad X = 1288155$ ROAD NO (N ROAD) Notes: 1. Set "I" post at location site. 2. All flagging Red & Yellow. 3. Overhead power available at W. line, Sec. 36. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION: Various pipelines in Sec. 36. 6. Contact landowner for best access. os shown on this not be legally landowner. Drillsite Location PASTURE -Beougher 6D-36-1329 2103'FNL 2205'FWL Ground Elevation = 2745 83 ELECTRIC LINE- $Y = 209360 \quad X = 1290280$ LEAD LINE State Plane-NAD 27-Kansas North Latitude 38.88135328 36 Longitude -100.49334494 HIGHWA NAD 27 BEOUGHER 12A-36-1329 BEOUGHER 2770 11D-36-1329 LEASE ROAD 2753 *Ingress plat is opened t EXISTING LEAD LINE LOCATION F IELD ENTRANCE LEASE RD TANK BATTERY BEOUGHER 13A-36-1329 ROAD FOUND CAPPED IRON PIN-AT SW. COR. SEC.36 PER K.D.O. T REFERENCES (22.5'E. OF CENTERLINE HIGHWAY 23) (M ROAD) NO $Y = 206331 \quad X = 1287965$ 22345 GOVE 2 36 8 Hackberry 1542 **36** 36 (BS)

US OIL RESOURCES, LLC

- * Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.
- *Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc. its officers and employees hormless from all losses, costs and expenses and said entitles released from any liability from incidental or consequential domages.

* Elevations derived from National Geodetic Vertical Datum.

March 24. 2022 Date

SCALE

US OIL Resources LLC 6727 Prentice Avenue Lakewood, CO 80123

March 24, 2022

Mr. Cliff Beougher P. O. Box 94 Gove, Kansas 67736-0094

Dear Cliff:

This letter is to inform you, per the Kansas Corporation Commission, of our intent to drill the Beougher 6D-36-1329 well in the northwest quarter of Section 36, Township 13S, Range 29 West. The anticipated drilling rig move in date is August 15, 2022, depending on weather conditions and rig availability.

Enclosed are copies of the draft intent to drill and the well survey plat. Please note that the plat has "Preliminary and Non-Binding" with reference to the access lease road, lead line, electric line and tank battery locations.

GW Oilfield Services will build the location and access road.

The drilling contractor will be Duke Drilling.

Please feel free to call me if you have any questions.

Rick Parks
Field Operations
US OIL Resources LLC
6727 West Prentice Avenue
Lakewood, CO 80123
(303) 229-7689
excaliburrick@gmail.com

BEOUGHER LEASE FOUND CAPPED IRON PIN AT NW. COR. SEC.36 PER K.D.O.T REFERENCES NW. 1/4. SECTION 36. T13S. R29W GOVE COUNTY. KANSAS $Y = 211569 \quad X = 1288155$ ROAD NO (N ROAD) Notes: "I" post at location site. 2. All flagging Red & Yellow. 3. Overhead power available at W. line, Sec.36. 4. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION: Various pipelines in Sec. 36. 6. Contact landowner for best access. Drillsite Location PASTURE -Beougher 6D-36-1329 2103'FNL 2205'FWL Ground Elevation = 2745 83 ELECTRIC LINE $Y = 209360 \quad X = 1290280$ LEAD LINE State Plane-NAD 27-Kansas North Latitude 38.88135328 36 Longitude -100.49334494 HIGHWA NAD 27 BEOUGHER 12A-36-1329 BEOUGHER Preliminary and 2770 11D-36-1329 LEASE ROAD 2753 Non-Binding *Ingress plat is opened t EXISTING LEAD LINE LOCATION FIELD ENTRANCE TANK BATTERY BEOUGHER 13A-36-1329 ROAD FOUND CAPPED IRON PINAT SW. COR. SEC.36 PER K.D.O.T REFERENCES (22.5'E. OF CENTERLINE HIGHWAY 23) (M ROAD) NO $Y = 206331 \quad X = 1287965$ **36** (BS) * Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

US OIL RESOURCES, LLC

*Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section carners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not quaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Bilfield Services. Inc., its afficers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages
*Elevations derived from National Geodetic Vertical Datum.

Date ______ March 24, 2022