

Form	ACO1 - Well Completion
Operator	Plateau Operating Corporation
Well Name	DURLER 2-21
Doc ID	1617795

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Number of Sacks Used	Type and Percent Additives
Surface	12.25	8.625	24	1160	Class C	400	2% Gyp., 3% CaCl
Production	7.875	5.5	15.5	5000	Class H	300	4% Gel, 10% Salt

QUASAR ENERGY SERVICES, INC.

3288 FM 51
Gainesville, Texas 76240
Office: 940-612-3336

Fax: 940-612-3336 | qesi@qeserve.com

Form 185-2c

8/5/21
CEMENTING JOB LOG

CEMENTING JOB LOG

Company: PLATEAU OPERATING CORPORATION

Well Name: DURLER 2-21

Type Job: Cement- Surface

AFE #:

CASING DATA

CASING DATA				24
Size:	8 5/8	Grade:	J-55	Weight:

Casing Depths	Top:	Bottom:
---------------	------	---------

Drill Pipe:	Size:	Weight:
-------------	-------	---------

Tubing:	Size:	Weight:
---------	-------	---------

Open Hole:	Size:	12 1/4	T.D. (ft):
------------	-------	--------	------------

[illegible]

CEMENT DATA

Spacer Type:

Space Type:		Sks Yield	ft ³ /sk	Density (PPG)
Amt.				

LEAD:	CLASS C 2%GYP, 2%SMS, 3%CaCl, .2%C-51, 1/4#POLY	Excess
-------	---	--------

LEAD.	CROSS SECTION, INCHES						
Amt.	250	Sks Yield	2.99	ft ³ /sk		Density (PPG)	11.4

TAIL:	CLASS C 2%CaCl, 1/4#POLY		Excess
-------	--------------------------	--	--------

Amt.	150	Sks Yield	1.33	ft ³ /sk	Density (PPG)	14.8
------	-----	-----------	------	---------------------	---------------	------

WATER:

Lead:	18.5	gals/sk:	110	Tail:	6.3	gals/sk:	22.5	Total (bbls):	132.5
-------	------	----------	-----	-------	-----	----------	------	---------------	-------

Pump Trucks Used:	210-DP11
-------------------	----------

Bulk Equipment:	227 660-25
-----------------	------------

Disp. Fluid Type:	FRESH	Amt. (Bbls.)	71.5	Weight (PPG):	8.3
-------------------	-------	--------------	------	---------------	-----

Mud Type:		Weight (PPG):
-----------	--	---------------

COMPANY REPRESENTATIVE:

CHAD HINZ

CEMENTER: CHAD HINZ

[illegible]

