KOLAR Document ID: 1630154

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4 March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

| OPERATOR: License #: | API No. 15 |
|---|---|
| Name: | Spot Description: |
| Address 1: | Sec Twp S. R East West |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip: + | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | NE NW SE SW |
| Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic Water Supply Well Other: SWD Permit #: SWD Permit #: SWD Permit #: ENHR Permit #: Gas Storage Permit #: Gas Storage Permit #: SWD Permit #: SWD Permit #: Is ACO-1 filed? Yes No If not, is well log attached? Yes No Producing Formation(s): List All (If needed attach another sheet) Storm: T.D. Storm: T.D. | County: Well #: Uell #: Date Well Completed: (Date) by: (KCC District Agent's Name) Plugging Commenced: Plugging Completed: Plugging Plug |

Show depth and thickness of all water, oil and gas formations.

| Oil, Gas or Water | Records | Casing Record (Surface, Conductor & Production) | | | | |
|-------------------|---------|---|------|---------------|------------|--|
| Formation | Content | Casing | Size | Setting Depth | Pulled Out | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

| Plugging Contractor License #: | Name: |
|--|--|
| Address 1: | Address 2: |
| City: | State: Zip: + |
| Phone: () | |
| Name of Party Responsible for Plugging Fees: | |
| State of County, | , SS. |
| (Print Name) | Employee of Operator or Operator on above-described we |
| | |

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically



| Customer | Stelbar Oil Corp | | Lease & Well # | Willoway Farms # | ŧ1-21 | | | Date | 1/ | /14/2022 |
|--------------------------|----------------------|----------------------|---------------------|----------------------|--------------------|---|-------------------|-------------------|---------------|-------------|
| Service District | Oakley KS | | County & State | Wallace KS | Legals S/T/R | 21-145 | -41W | Job # | | |
| Job Type | PTA | PROD | | SWD | New Well? | VES | No No | Ticket # | V | WP2314 |
| Equipment # | Driver | | | Job Safety An | alysis - A Discuss | ion of Hazards | & Safety Pro | ocedures | | |
| Equipment # | Тотту | Hard hat | | Gloves | | ☑ Lockout/Ta | gout | ✓ Warning Sig | ns & Flagging | 9 |
| 208 | John | H2S Monitor | | Eye Protection | | Required P | ermits | ✓ Fall Protection | on | |
| 242 | Jose | Safety Footwe | ear | Respiratory Pro | otection | Slip/Trip/Fa | ll Hazards | Specific Job | Sequence/Ex | pectations |
| | | FRC/Protectiv | e Clothing | Additional Che | emical/Acid PPE | ✓ Overhead H | lazards | Muster Poin | t/Medical Loc | ations |
| | | Hearing Prote | ection | Fire Extinguish | er | Additional | concerns or i | ssues noted below | v | |
| | | | | | Con | nments | | | | |
| | | | | | | | | | | |
| | |] | | | | | | | | |
| | | | | | | | | | | |
| Product/ Service Code | | Descr | iption | | Unit of Measure | Quantity | | | | Net Amount |
| cp055 | H-Plug | | | | sack | 240.00 | | | | \$2,870.40 |
| m015 | Light Equipment Mil | leage | | | mi | 70.00 | | | | \$128.80 |
| m010 | Heavy Equipment M | /ileage | | | mi | 70.00 | | | | \$257.60 |
| m020 | Ton Mileage | | | | tm | 747.60 | | | | \$1,031.69 |
| fe290 | 8 5/8" Wooden Plug | 1 | | | ea | 1.00 | | | | \$156,40 |
| c025 | Cement Pump - Hou | urly Service | | | hr | 3.00 | | | | \$483.00 |
| d012 | Depth Charge: 1001 | 1'-2000' | | | job | 1.00 | | | | \$1,380.00 |
| c060 | Cement Blending & | Mixing Service | - | | sack | 240.00 | | | | \$309.12 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | - 100 | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | 1 | |
| | | | | | | | | | | |
| | | | | | | | | | 1 | |
| | | | | | | | 0 | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Custo | omer Section: On the | e following scale ho | ow would you rate I | Hurricane Services I | nc.7 | | | | Net: | \$6,617.01 |
| | | | | | | Total Taxable | \$ - | Tax Rate: | | \geq |
| Ba | sed on this job, how | w likely is it you w | ould recommend | HSI to a colleague | ? | State tax laws dee used on new well: | | | Sale Tax: | \$ - |
| | | | | | | s relies on the | customer provided | | | |
| U | Jnlikely 1 2 3 | 3 4 5 | 678 | 9 10 Extr | remely Likely | services and/or pr | | | Total: | \$ 6,617.01 |
| | | | | | | HSI Represe | entative: | Thomas Du | ıdas | |

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Or local taxes, or rovatiles and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results form the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantees proper operational care of all customer owned equipment in and material estimate of the authorization below acknowledges the receipt and acceptance of all terms/conditions to receive services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

CUSTOMER AUTHORIZATION SIGNATURE



. 5

| | | | | | ~ | | | | |
|----------------|-----------|---------------|----------------|-----------------------------|---------------------------|-------------------------------|----------------------|--|--|
| EMENT TRE | ATMEN | T REPO | ORT | | | | | | |
| Customer: | Stelbar | Oil Corp | | Well: | Willoway Farms # | #1-21 Ticket: | WP2314 | | |
| City, State: | | | | County: Wallace KS | | Date: | 1/14/2022 | | |
| Field Rep: | | | | S-T-R: | 21-14S-41W | Service: | РТА | | |
| Field Kep: | Paco | _ | | | | | | | |
| Downhole I | nformatio | on | 1 | Calculated Slurr | y - Lead | Calc | ulated Slurry - Tail | | |
| Hole Size: | 12.25 | in | | Blend: | h-plug | Blend: | | | |
| Hole Depth: | 2790 | ft | | Weight: 13.8 ppg | | | ppg | | |
| Casing Size: | 4 1/2 | in | | Water / Sx: | 6.9 gal / sx | Water / Sx: | gal / sx | | |
| asing Depth: | 2790 | ft | | Yield: | 1.41 ft ³ / sx | Yield: | ft ³ / sx | | |
| ubing / Liner: | | in | | Annular Bbls / Ft.: | bbs / ft. | Annular Bbis / Ft.: | bbs / ft- | | |
| Depth: | | ft | | Depth: | ft | Depth: | ft | | |
| Fool / Packer: | | | | Annular Volume: | 0.0 bbls | Annular Volume: | 0 bbls | | |
| Tool Depth: | | ft | | Excess: | | Excess: | 0.0. +++- | | |
|)isplacement: | | bbls | 1 | Total Slurry: | 0.0 bbls | Total Slurry: Total Sacks: | 0.0 bbls 0 sx | | |
| | DCL | STAGE BBLs | TOTAL BBLs | Total Sacks: | 240 sx | Total Sacks: | | | |
| TIME RATE | PSI | DDLS | BBL5 | Hurricane Services arrives | on location | | | | |
| 1120a | | | · · · · | J.S.A | | | | | |
| 1125a 1130a | | | | Spot in trucks and rig up p | umps and lines | | | | |
| 1130a 1140a | | | | Standby | | | | | |
| 245p 3.0 | 205.0 | 5.0 | 5.0 | H2O ahead | | | | | |
| 250p 3.0 | 200.0 | 12.7 | 17.7 | mix 50 sks. @ 13.8 ppg @2 | 790' | | | | |
| 255p 2.7 | 190.0 | 34.0 | 51.7 | Displace | | | | | |
| 354p 3.0 | 200.0 | 5.0 | 56.7 | H2O ahead | | | | | |
| 356p 5.7 | 350.0 | 25.0 | 81.7 | Mix 100 sks @ 13.8 ppg @ | 1820' | | | | |
| 400p 3.5 | 210.0 | 19.0 | 100.7 | Displace | | | | | |
| 510p 3.0 | 195.0 | 5.0 | 105.7 | H2O ahead | | | | | |
| 512p 3.5 | 250.0 | 12.7 | | Mix 50 sks @ 13.8 ppg @ 6 | 00' | | | | |
| 516p 3.5 | 245.0 | 3.5 | | Displace | | | | | |
| 550p 3.0 | 220.0 | 5.0 | | H2O ahead | | | | | |
| 553p 3.0 | 220.0 | 2.5 | | Mix 10 sks @ 13.8 ppg @ 4 | 0' | | | | |
| 600p | | | | plug down | | | | | |
| 658p 3.0 | 150.0 | 7.6 | | Mix 30 sks @ 13.8 ppg RH | | | | | |
| 800p | | | | Hurricane departs location | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| _ | | | | | | | | | |
| | | | | | | | | | |
| | _ | | | | | | | | |
| | | | | | | | | | |
| IN A REAL | CREW | | and the second | UNIT | | SUMMAR | Y | | |
| Cementer: | Tom | | | 64 | Average Rate | Average Pressure | Total Fluid | | |
| Pump Operator: | John | | | 208 | 3.3 bpm | 220 psi | 137 bbis | | |
| Bulk #1: | Jose | | | 242 | | | | | |
| Bulk #2: | | | | | | | | | |