KOLAR Document ID: 1512606

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	NE NW SE SW
CONTRACTOR: License #	
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Production	Control Management Flan
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
☐ Commingled     Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY												
Confidentiality Requested												
Date:												
Confidential Release Date:												
Wireline Log Received Drill Stem Tests Received												
Geologist Report / Mud Logs Received												
UIC Distribution												
ALT I II III Approved by: Date:												

KOLAR Document ID: 1512606

#### Page Two

Operator Name:					Lease Nam	ame: Well #:												
Sec Tw	pS. F	R [	East	West	County:													
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery,  Digital electronic log								
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample								
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name	)		Тор	Datum								
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€  Y€	es No														
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.										
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives								
ADDITIONAL CEMENTING / SOLIFEZE RECORD																		
ADDITIONAL CEMENTING / SQUEEZE RECORD  Purpose:Depth																		
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u		туре а	ia reicent Additives									
Plug Off Z																		
Did you perform     Does the volum     Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,								
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)										
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping  Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity								
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity								
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:								
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom								
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)										
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record								
TUBING RECOR	D: Size:		Set At:		Packer At:													

Form	ACO1 - Well Completion
Operator	Colt Energy Inc
Well Name	HOLT 14-I
Doc ID	1512606

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.675	24	20	Portland	7	None
Production	6.75	4.5	10.5	792	H226 OWC	88	Pheno Seal



#### **HURRICANE SERVICES INC**

Customer	Colt Energy Inc		Lease & Well #	Holt 14-I				Date	3/	3/2020							
Service District	Garnett		County & State	AL, KS	Legals S/T/R	19-23	-20	Job#									
Job Type	longstring	☐ PROD	☑ INJ	SWD	New Well?	✓ YES	□ No	Ticket #	IC	T3348							
Equipment #	Driver			Job Safety Ana	llysis - A Discuss	sion of Hazards & Safety Procedures											
89	Casey Kennedy	✓ Hard hat		✓ Gloves		☐ Lockout/Tag	out	☐ Warning Signs & Flagging									
239	Harold Bechtle	☑ H2S Monitor		☑ Eye Protection		Required Per	mits	☐ Fall Protection									
246	Alan Mader	☑ Safety Footwe		Respiratory Prof		☑ Slip/Trip/Fall		☑ Specific Job Sequence/Expectations									
124	Keith Detwiler	✓ FRC/Protective	=	Additional Cher		Overhead Ha			oint/Medical Locations								
		✓ Hearing Prote	ction	☑ Fire Extinguishe		Additional concerns or issues noted below											
		API # - 15-001-31	1614		Con	nments											
		AI 1# - 15-001-5	1014														
Product/ Service							List		Item								
Code		Desci	ription		Unit of Measure	Quantity	Price/Unit	Gross Amount	Discount	Net Amount							
C010	Cement Pump Serv	rice			ea	1.00											
M010	Heavy Equipment N	Mileage			mi	15.00				Ļ							
Moor	Tan Milaana Minis					4.00											
M025	Ton Mileage - Minir	num			each	1.00											
T010	Vacuum Truck - 80	hhl			hr	2.00											
1010	Vacaani Frack CC	<b>DD1</b>				2.00											
CP020	H226 OWC				sack	88.00				<b>4</b>							
CP095	Bentonite Gel (hole	flush)			lb	200.00											
CP095	Bentonite Gel (cem	ent blend add)			lb	165.00											
00405	0	1 d - d-l)			p.	105.55											
CP105	Gypsum (cement bl	iend add)			lb	165.00											
CP125	Pheno Seal				lb	44.00											
J. 120	. Hono Coai				טו	44.00											
FE115	4 1/2" Rubber Plug				ea	1.00											
Custo	mer Section: On the	e following scale h	ow would you rate	Hurricane Services	Inc.?		Gross:		Net:								
					•	Total Taxable	\$ -	Tax Rate:		$\geq \leq$							
Ва		w likely is it you v	vouid recommend	d HSI to a colleague	97	State tax laws dee used on new wells Services relies on	to be sales tax	k exempt. Hurricane	Sale Tax:	\$ -							
U	nlikely 1 2	3 4 5	6 7 8	9 10 в	xtremely Likely	information above services and/or pr			Total	•							
								•	Total:	* <del>-,</del>							
TERMS: Cash in adva	ance unless Hurricane S	Services Inc. (HSI) ha	es approved credit pri	or to sale. Credit terms	of sale for approved	HSI Represe			y Ken	•							

TEXMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 1% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. DISCLAIMER NOTICE: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable servi

X	CUSTOMER AUTHORIZATION SIGNATURE



EMENT	TRE	ATMEN	T REP	ORT													
Cust	omer:	Colt Ene	ergy Inc		Well:		Holt 14-I	Ticket:	ICT3348								
City.	State:	lola, KS			A												
		Rex Ash			S-T-R:	Date:	3/3/2020 longstring										
							19-23-20		g								
Dow	nhole li	nformatio	on		Calculated S	lurry - Lead	Calculated Slurry - Tail										
Hole	Size:	6 3/4			Blend: Ble												
Hole [		807			Weight:	13.5 ppg		Weight:	ppg								
Casing		4 1/2			Water / Sk:	gai / s		Water / Sx:	gal / sk								
Casing E Fubing /		792	in		Yield:	ft <sup>3</sup> / sk		Yield:	ft³/sk								
	Depth:		ft		Annular Bbls / Ft.:	bbs / f	t <u>.                                    </u>	Annular Bbls / Ft.:	bbs / ft.								
Tool / Pa		float i			Depth: Annular Volume:	π 0.0 bbls		Depth: Annular Volume:	π O bbis								
Tool [		788			Excess:	O.O DDIS		Excess:	O DDIS								
Displace	ment:				Total Slurry:	0.0 bbls		Total Slurry:	0.0 bbls								
				TOTAL	Total Sacks:	#DIV/0! sks		Total Sacks:	#DIV/0! sks								
TIME	RATE	PSI	BBLs	BBLs	REMARKS												
11:00 AM			-	-	held safety meeting												
	4.0			-	established circulation												
	4.0			-	mixed and pumped 200	# Bentonite follower	ed by 5 bbls frest	water									
	4.0			-	mixed and pumped ? Sole dye market												
	4.0			-	inner and pumped control in 170 Zontonier, 170 Zypouni, at 172 in 160 Control per on												
	4.0				- dye marker to surface, flushed pump clean - pumped 4 1/2" rubber plug to baffle with 12.57 bbls fresh water, cement to surface												
	4.0				pressured to 600 PSI, v			ater, cement to surface									
	7.0			_	released pressure to se		51 00 mm mm										
	4.0			-	washed up equipment												
				-													
				-													
				-													
				-													
				-													
				-													
				-													
				-													
				<u>-</u>													
				-													
				-													
				-													
				-													
				-													
				-													
		GR≣W			UNIT			SUMMARY									
Cen	nenter:	Case	y Kenned	ly	89	A	verage Rate	Average Pressure	Total Fluid								
Pump Op		Haro	ld Bechtle	е	239		4.0 bpm	#DIV/0! psi	- bbls								
	ulk #1:		Mader		246												
В	ulk #2:	Keith	Detwiler		124												

Mud Rotary Drilling Andrew King - Manager/Driller

Bar Drilling, LLC Phone: (719) 210-8806

1317 105th Rd. Yates Center, KS 66783

					669		613		557	533	505	441	416	241	115	42	11	0	From				Charles King	Andy King			Job/F	Iola, KS 66749	P.O. Box 388	Colt Energy Inc.	Cor	
					808	669	639	613	605	557	533	505	441	416	241	115	42	11	То						Driller/Crew		roject	49	w	nc.	npany	
					shale	core #2	core #1	shale	lime	overburden	Forr						/Crew		Job/Project Name/No.				Company/Operator									
																			Formation		Cement Type:	Cement Used:	Casing Length:	Casing Size:	Bit Size:	200	Surface Record	15-001-31614	Well API#	14-i	Well No.	
																			From		Portland	7sx	20'	8 5/8	11 1/4	20014	Cord	1614			Leas	
																			70	Fol				PDC	PDC	Type		Oil	Type/Well	Holt	Lease Name	
																				<b>Formation Record</b>				6 3/4	11 1/4	Size	Bit F		IIe			
																			Formation	Record				20'	0'	From	Bit Record	Allen	County	1619' fnl, 4002' fel	Well Location	10000
																								807	20'	То				2' fel	ion	
		792.3' ran 4 1/2" casing	Well Notes:																From					2	1	Core #		KS	State		1/4	
		4 1/2"	:S:						1																			807	<b>Total Depth</b>		1/4	
		casing																Í	01					ယ္ခ	ယ္ခ	Size	0	7	)epth	WN	1/4	
																								652	623	From	Coring Record	2/20/2020	Date Started	19	Sec.	1
																		- Ollianon	Formation					680	652	То	ord			23	Twp.	ates Cente
																								99	99	% Rec.		2/27/2020	Date Completed	20E	Rge,	rates Center, KS 66783

