KOLAR Document ID: 1636781

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from North / South Line of Section					
City: State: Zip: +	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
☐ Oil ☐ WSW ☐ SWD	Producing Formation:					
Gas DH EOR	Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Amount of Surface Pipe Set and Cemented at: Feet					
CM (Coal Bed Methane)						
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to:w/sx cmt.					
Original Comp. Date: Original Total Depth:						
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan					
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)					
Down't f	Chloride content:ppm Fluid volume: bbls					
☐ Commingled Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid diagonal if hould offsite.					
EOR Permit #:	Location of fluid disposal if hauled offsite:					
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R					
Recompletion Date Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1636781

Page Two

Operator Name:					Lease Nam	ne:			Well #:			
Sec Tw	rpS	S. R	Eas	st West	County:							
	l, flowing an	d shut-in pres	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,		
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.go	v. Digital electronic log		
Drill Stem Tests (Attach Addit		1		Yes No		Lo		n (Top), Depth a		Sample		
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum		
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Log	s		Yes No Yes No Yes No								
			Rej	CASING	RECORD [Nev		on, etc.				
Purpose of St	tring	Size Hole Drilled		Size Casing let (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		'			
Purpose: Perforate		Depth Top Bottom	Тур	pe of Cement	# Sacks Use	ed		Type and Percent Additives				
Protect Ca												
Plug Off Z												
Did you perform Does the volume Was the hydraul	e of the total	base fluid of the	hydraulic	fracturing treatment		-	Yes S? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) Il out Page Three			
Date of first Produ Injection:	ction/Injectio	n or Resumed Pi	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>				
Estimated Product Per 24 Hours		Oil	Bbls.		Mcf	Water			Gas-Oil Ratio	Gravity		
DISPO	OSITION OF	GAS:		N	METHOD OF CO	MPLET	ΓΙΟΝ:			ON INTERVAL:		
Vented		Used on Lease		Open Hole		Dually (Submit A		nmingled	Тор	Bottom		
,	ed, Submit AC							·				
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)			
TUBING RECORI	D: S	size:	Set A	: -	Packer At:							

Form	ACO1 - Well Completion
Operator	Plateau Operating Corporation
Well Name	SIMON #1-18
Doc ID	1636781

All Electric Logs Run

Compensated Density/Neutron
Dual Induction
Sonic
Micro

Form	ACO1 - Well Completion
Operator	Plateau Operating Corporation
Well Name	SIMON #1-18
Doc ID	1636781

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	24	820	Class A	325	3% Salt, 0.2% C- 51, & 1/4# Poly
Production	7.875	5.5	15.5	2659	Class C 50/50-8	265	0.2% C19, & 1/4# Cell Flake

QUASAR ENERGY SERVICES INC

CEMENTING JOB LOG

QUASAR ENERGY SERVICES, INC.

3288 FM 51

Gainesville, Texas 76240 Office: 940-612-3336

Fax: 940-612-3336 | qesi@qeserve.com

Form 185-2c

1/26/22 CEMENTING JOB LOG

Company: PLATEAU OPERATING COMPANY Well Name: SIMON 1-18 Type Job: Cement-Surface AFE #: **CASING DATA** Size: 85/8 Grade: J-55 Weight: 24 **Casing Depths** Top: Bottom: 821 Drill Pipe: Size: Weight: Tubing: Size: Weight: Grade: TD (ft): 820 Open Hole: Size: 12 1/4 T.D. (ft): 820 Perforations From (ft): To: Packer Depth(ft): **CEMENT DATA** Spacer Type: $ft^3/_{sk}$ Amt. Sks Yield Density (PPG) LEAD: CLASS A 65/35/6 3%CaCl, .2%C-51, 1/4#POLY Excess 175 Sks Yield Amt. ft 3/sk 2.4 Density (PPG) 11.62 TAIL: CLASS A 1%SMS, 2%GYP, 1/4#POLY Excess ft 3/sk 150 Sks Yield Amt. 1.8 Density (PPG) 13.23 WATER: Lead: 14 gals/sk: 58 Tail: 9.75 gals/sk: 35 Total (bbls): 93 Pump Trucks Used: 210 DP11 **Bulk Equipment:** 230 660-24 Disp. Fluid Type: FRESH 49.7 Amt. (Bbls.) Weight (PPG): 8.3 Mud Type: Weight (PPG): **COMPANY REPRESENTATIVE: CEMENTER: CHAD HINZ** TIME PRESSURES PSI FLUID PUMPED DATA REMARKS AM/PM Casing Tubing **ANNULUS** TOTAL RATE 1700 ON LOC, SAFTEY MTG, R.U. 0203 26 5 START LEAD 0225 94 75 5.1 START TAIL 0245 48 SHUT DOWN, DROP PLUG 0252 100 5 START DISPLACEMENT 0303 146 39 2.2 SLOW RATE 0307 200-836 50 **PLUG DOWN** 0308 RELEASE PSI, FLOAT HELD JOB COMPLETE THANK YOU FOR YOUR BUSINESS!!!

QUASAR ENERGY SERVICES INC

CEMENTING JOB LOG

QUASAR ENERGY SERVICES, INC.

3288 FM 51

Gainesville, Texas 76240 Office: 940-612-3336

Fax: 940-612-3336 | qesi@qeserve.com

Form 185-2c

1/29/22 CEMENTING JOB LOG

Company	DIATE	ALLOD	FDATIS	10.00			Patrician Patrician (Spirit				CEINIEM HIMP TO	
Type Job:		MU UP	duction	IG CO	RPORATION	NC		Well Nam	e: SIMON #	# 1-18		
		11-11-11	AUCTIOI	3	Telecycle Property		producer included in	AFE	#:			
Size:	5 1	1/2		0	Grade:		SING	DATA				
Casing De		Top:	4			J55		Weigh	nt:	15.5		
Drill Pipe:		Size:	77.		Bottom Weight		9.47					
Tubing:		Size:			Weight			-				
Open Hole		Size:	77	/8	T.D. (ft)		570	Grad	e:	TD (ft):	2670	
Perforation	ns	Trail and a second contract of the second	m (ft):		Ti.D. (IC)	THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER.	2/0	D- I	7			
					3 0	CONTRACTOR DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO	JENIT	DATA	er Depth(ft)	 P Professional Annie A		
Spacer	Туре:		***************************************			~s_21	AITINI	DATA				
Amt.		Sks \	Yield			$ft^3/_{sk}$						
LEAD:		CLAS	SC-5	0/50	-82% (19 1/A	# CEL	IEIAVE		Density (PPG	. 1	
Amt.	115	Sks \	/ield		3.2	ft 3/sk	# CLL	LILAKE		Excess		
TAIL:	(CLASS A	4 6%	GYP.		5# KO	ICEAL	, .5% C15		Density (PPG)		
Amt.	150	Sks Y	rield		1.58	ft 3/ _{sk}	LJEAL	, .3% C15		Excess	-	
WATER	1:	<u> </u>			2.50	IL /sk				Density (PPG)	14.8	
Lead:		gals	/sk:	20	0 Tail	. [golo/al.			3	
ımp Trucks					1 1 4 11	-1		gals/sk: 110		Total (bbls):		
ılk Equipn								660-2				
sp. Fluid T	ype:	FRESH	WATE	R	Amt	(Bbls.)		62.2	1	t (PPG):		
/lud Type:						305,211				t (PPG): 8.33		
COMPANY	REPRESE	NTATI	VE:					-				
TIME	T	DDF	CCLIDE	5 551						KIRBY HARPER		
AM/PM	Casin	PRESSURES PSI Casing Tubing ANNULL						PED DATA		DESASDUC		
930	Casin	8	luulii	g /	ANNULUS TOTAL			RATE	REMARKS			
930				-					ON LOCAT	ION - SPOT AND R	IG UP	
)18	2500	+		-					CASING OF	N BOTTOM - BREA	K CIRC	
19	250			_	CF F				PRESSURE TEST			
29	250			+	65 6 42 6				START MIXING 115 SK LEAD @ 10.8 PPG			
43				-		42	- 16)	START MIX	(ING 150 SK TAIL @	SK TAIL @ 14.8 PPG	
48	200					0	6		SHUT DOW	/N - DROP PLUG -	CLEAN LINES	
56	700			\top		57	2		SLOW RATI	PLACING WITH FRES	SH WATER	
01	750-1300)				62	- 12	-	BUMP PLU			
02	1300-0											
							-		MELLENJE PI	RESSURE FLOAT H	IELD	
							\top		CIRCUILATE	CEMENT TO SURFA	1 200	
									UNCULATE	CLIVICINI TO SURFA	NLE .	
				was a second								
	-	-										
				-						The state of the s		
				- Indiana								
		-		-								
1		en-			- December 1	CEMENTI	NG JOB	LOG - Page: 1				