For KCC Use:

IECI	uve	Da

District # SGA?

Yes No

#### **CORRECTION #1**

#### KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

KOLAR Document ID: 1638436

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	
Numo	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

#### **AFFIDAVIT**

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

### Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	_ feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

#### Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: \_ Signature of Operator or Agent:

CORRECTION	#1
Side Two	

For KCC Use ONLY

API # 15 - \_\_\_\_


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R E 📃 W	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 1815 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

KOLAR Document ID: 1638436

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Operator Name:       License Number:         Operator Address:       Phone Number:         Contact Person:       Phone Number:         Lease Name & Well No:       Pit Location (QQQQ):         Type of Pit:       Burn Pit         Betregency Pit       Burn Pit         Pit Location (QQQQ):       Emit:         Wenty Pit       Burn Pit         Wenty Pit       Burn Pit         Pit Location (QQQQ):       Emit:         Wenty Pit       Burn Pit         With No or Near Online Pit       Pit Location (QQQQ):         Is the pit located in a Sensitive Ground Water Arev?       Yes         Pit demension:       Chiefide concentration:       General Pit enty:         Is the bottom bolow ground love!?       Artificial Liner?       How is the pit line di a plastic liner is not used?         Pit dimension:       Bepth from ground leve! to deepest point:       (feet)       NA* Steel Pits         Depth from ground leve!       Depth to hallowest fresh water       feet.       Source of information:         Intergency. Setting and Burn Pits ONL?       Producing Portuging Pits ONL?       Type of material utilized in deling/work/veer and Hau-Off Pits ONL?         Producing Portuging Wells on lesse:       Depth to shallowest fresh water well within One-mite of pit:       Source of information:       M	Submit in Duplicate				
Contact Person:       Phone Number:         Lesse Name & Well No::       Pit Location (QOQQ):         Type of Pit:       Pit is:         Setting Pit:       Pit cash (but west is the pit located in a Sensitive Ground Water Ara?)         (WKP Supply AP No or Name Differ)       Pit capacity:         (bbis)       Control         (bbis)       Control         (bbis)       Chloride concentration:         (bbis)       Depth from ground lovel to despect print:	Operator Name:			License Number:	
Lease Name & Well No:       Pit Location (QQQQ):         Type of Pit:       Pit is:         Company Pit       Durn Pit         If Existing, date constructed:       Feet from   work / ] South Line of Section         Workover Pit       Hau-Off Pit         Pit Capacity:       Feet from   bar / ] West Line of Section         (If WP Suppy AFI ALL or Near Diffect       Pit Capacity:         (If WP Suppy AFI ALL or Near Diffect       Pit Capacity:         (If WP Suppy AFI ALL or Near Diffect       Pit Capacity:         (If WP Suppy AFI ALL or Near Diffect       Pit Capacity:         (If WP Suppy AFI ALL or Near Diffect       Pit Capacity:         (If WP Suppy AFI ALL or Near Diffect       Pit Capacity:         (If WP Suppy AFI ALL or Near Diffect       Connty         Is the pit located in a Sensitive Ground Water Area?       Ves         (If WP Suppy AFI ALL or Near Diffect       Connty         Is the bitom below ground level?       Artificial Liner?         (If Wes is No       How is the pit lined if a plastic liner is not used?         Pit dimensions (all but working pits):       Langth (keet)       Work the water is not used?         Depth from ground level to deepset point:       (feet)       No Pit         If the pit is lined give a brief description of the liner materisit, thickness and installation procedure. <td>Operator Address:</td> <td></td> <td></td> <td></td>	Operator Address:				
Type of Pit:       Pit is:       Proposed       Existing         Breargency Pit       Drilling Pit       Proposed       Existing         Workover Pit       Hau-Off Pit       Pit capacity:       Feet from       East /       West Line of Section         (If WP Suppy AP No. or New Differio       Hau-Off Pit       Pit capacity:       Feet from       East /       West Line of Section         (If WP Suppy AP No. or New Differio       Mater Area?       Yes       No       Chloride concentration:       mg/l         Is the pit located in a Sensitive Ground Water Area?       Yes       No       Chloride concentration:       mg/l         Is the bottom below ground level?       Artificial Liner?       How is the pit lined if a plastic liner is not used?       mg/l         It the pit is lined give a brief description of the liner       Describe procedures for periodic maintenance and determining       mg/l         If the pit is lined give a brief description of the liner       Describe procedures for periodic maintenance and determining       mintenance         If the pit is lined give a brief description of the liner       Describe procedures for periodic maintenance and determining       measured       well owner         If the pit is lined give a brief description of pit:       Source of information:       Type of material utilized in fulling workover:       Number of working pits to be utilized:	Contact Person:		Phone Number:		
Intermediation       Intermediation         Image: setting Pit       Burn Pit         Image: setting Pit       Drilling Pit         Image: setting Pit       Drilling Pit         Image: setting Pit       Haul-Off Pit         If Kaussian (date constructed:       Feet from [lest] / [west Line of Section [lest] / [west Line of Sect] / [west Line of Section [lest] / [west Line	Lease Name & Well No.:			Pit Location (QQQQ):	
Setting Pit       Drilling Pit       If Existing, date constructed:	Type of Pit:	Pit is:		·	
Workover Pit	Emergency Pit Burn Pit	Proposed	Existing	SecTwp R East West	
(I'WP Sizepty API No. or New Drilled)       Pit capacity:	Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section	
is the pit located in a Sensitive Ground Water Area?       Yes       No       Chloride concentration:       mg/l         Is the pit located in a Sensitive Ground Water Area?       Yes       No       Chloride concentration:       mg/l         Is the bottom below ground level?       Artificial Liner?       How is the pit lined if a plastic liner is not used?       mg/l         Pit dimensions (all but working pits):       Length (feet)       Width (feet)       NA: Steel Pits         Depth from ground level to deepest point:       (feet)       No Pit       No Pit         If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.         Distance to nearest water well within one-mile of pit:       Source of information:       feet.         Gourde of producing Formation:       measured       well owner       electric log       KDWR         Emergency, Settling and Burn Pits ONLY:       Type of material utilized in drilling/workover:       Number of working pits to be utilized:       Abandonment procedure:       Dottling, Workover and Haul-Off Pits ONLY:       Type of material utilized in drilling/workover:       Number of working pits to be utilized:       Abandonment procedure:       Dottling, Workover is the pit is 365 days of spud date.       Tottling the must be closed within 365 days of spud date.       Drill pits mu		Pit capacity:		Feet from East / West Line of Section	
Image: Control Contend Control Control Control Control Control			(bbls)	County	
Yes No   Pit dimensions (all but working pits): Length (feet)   Depth from ground level to deepest point: (feet)   If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.   Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water  feet Depth of water well   feet Depth of water well   read well owner   emergency, Settling and Burn Pits ONLY:   Producing Formation:   Mumber of producing wells on lease:   Number of producing wells on lease:   Number of working pits to be utilized:   Abandonment procedure:   Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Submitted Electronically	Is the pit located in a Sensitive Ground Water A	rea? Yes	No		
Pit dimensions (all but working pits):				How is the pit lined if a plastic liner is not used?	
Depth from ground level to deepest point:			No		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.         Distance to nearest water well within one-mile of pit:       Depth to shallowest fresh water feet. Source of information:        feet       Depth of water wellfeet       measured well owner electric log KDWR         Emergency, Settling and Burn Pits ONLY:       Drilling, Workover and Haul-Off Pits ONLY:         Producing Formation:       Type of material utilized in drilling/workover:         Number of producing wells on lease:       Number of working pits to be utilized:         Barrels of fluid produced daily:					
material, thickness and installation procedure.       liner integrity, including any special monitoring.         Distance to nearest water well within one-mile of pit:       Depth to shallowest fresh water feet.         Source of information:	Depth fro	m ground level to dee	epest point:	(feet) No Pit	
Source of information:  feet     Drilling, Workover and Haul-Off Pits ONLY:					
Image: Control of Water Weil			Source of inform	nation:	
Producing Formation: Type of material utilized in drilling/workover:   Number of producing wells on lease: Number of working pits to be utilized:   Barrels of fluid produced daily: Abandonment procedure:   Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes   No Drill pits must be closed within 365 days of spud date.	· · ·	feet			
Number of producing wells on lease:   Barrels of fluid produced daily:   Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.   Drill pits must be closed within 365 days of spud date.   KCC OFFICE USE ONLY   Liner   RFAS					
Barrels of fluid produced daily:   Does the slope from the tank battery allow all spilled fluids to   flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.   Dirill pits must be closed within 365 days of spud date.   KCC OFFICE USE ONLY   Liner   Steel Pit   RFAS					
Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.   Submitted Electronically   KCC OFFICE USE ONLY   Liner   Steel Pit   RFAS					
flow into the pit? Yes   Drill pits must be closed within 365 days of spud date.   Submitted Electronically   KCC OFFICE USE ONLY   Liner Steel Pit   RFAS			Abandonment	procedure:	
Submitted Electronically           KCC OFFICE USE ONLY           Liner         Steel Pit         RFAC         RFAS			Drill pits must be closed within 365 days of spud date.		
Liner Steel Pit RFAC RFAS					
Date Received: Permit Number: Permit Date: Lease Inspection: Yes No					
	Date Received: Permit Numl	oer:	Permi	t Date: Lease Inspection: Yes No	

#### **CORRECTION #1**

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSON	IA-1
July 2	2021

KOLAR Document ID: 1638436

Form Must Be Typed Form must be Signed All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:	
Name:		
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.	
Address 2:		
City: State: Zip:+		

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

#### Select one of the following:

- □ I certify that, pursuant to the Kansas Surface Owner Notice Act (see Chapter 55 of the Kansas Statutes Annotated), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

#### Submitted Electronically

API # 15 -\_\_


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Laymon Oil II LLC	Location of Well: County: Woodson	
Lease: Carl		
Well Number: 27-22	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
Field: Vernon	Sec. 5 Twp. 24 S. R. 16 K E 🔲 W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _NWSENESW	Is Section: 🔀 Regular or 🔲 Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NENWSESSW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513 Kansas Corporation Commission

Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner Laura Kelly, Governor

April 08, 2022

Michael Laymon Laymon Oil II, LLC 1998 SQUIRREL RD NEOSHO FALLS, KS 66758-7124

Re: Drilling Pit Application API 15-207-29855-00-00 Carl 27-22 SW/4 Sec.05-24S-16E Woodson County, Kansas

Dear Michael Laymon:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

# If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 902-6450 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.

# Summary of Changes

Lease Name and Number: Carl 27-22

API/Permit #: 15-207-29855-00-00

Doc ID: 1638436

Correction Number: 1

Approved By: CeLena Peterson 04/08/2022

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	4125	3225
Number of Feet North or South From Section	990	1815
Line Number of Feet East or West From Section Line	4125	3225
Number of Feet North or South From Section	990	1815
Line Quarter Call 2	SW	NE
Quarter Call 3	NE	SE
Quarter Call 4 - Smallest	E2	NW
Ground Surface Elevation	1070	1053
ElevationPDF	1070 Estimated	1053 Estimated
KCC Only - Approved By	CeLena Peterson 03/09/2022	CeLena Peterson 04/08/2022

# Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KCC Only - Approved Date	03/09/2022	04/08/2022
KCC Only - Lease Inspection	Yes	No
KCC Only - Date Received	03/07/2022	04/08/2022
Nearest Lease Or Unit Boundary	990	585
Pit Capacity BBLS	285	240
KCC Only - Regular Section Quarter Calls	E2 NE SW SW	NW SE NE SW
Quarter Call 2	SW	NE
Quarter Call 3	NE	SE
Quarter Call 4 - Smallest	E2	NW

# Summary of Attachments

Lease Name and Number: Carl 27-22 API: 15-207-29855-00-00 Doc ID: 1638436 Correction Number: 1 Approved By: CeLena Peterson 04/08/2022

Attachment Name

Fluid