## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

<b>WATER WELL REC</b>	ORD (W	WC-5)				KOLAR	DOC ID		WELL ID_		
OCATION OF WATER WELI	_					Original Reco	rd Co	rrection	Chang	e in Wel	ll Use
Latitude	Longitude		9	Section	Township	Range	E	Fraction	1/4	1/4	1/4
Datum	Elevation		(	County	,						
VATER WELL OWNER			WELL V	VATER USE	 E		NEAREST	SOURCE OF I	POTENTIAL C	ONTAMIN	IOITAI
Name							Source:				
Business			COMPL	ETION			Dietance		Directio	n	
Dusiness							from well	l:	_ from we	ll:	
Address					ted well:		Source description				
			1 -	-	water encountered: (2) ft.;						
Well location					(2) it.; (4) dry well						
			-				Distance from well	:	Directio from we	n ll:	
at owner's address			me	asured belo	in well: f	t.	Source description				
ONSTRUCTION	D 1 1 1	,	me		ve land surface			tential sourc	e of contami	nation	
Borehole interval:	Borehole dia			on (mm/dd/yy):			PERMIT &	ID NUMBER	S (AS REQU	IRED)	
	fromto ft in.			Estimated yield: gpm							
fromtoftin.			Water level was:ft. afterhours				DWR Application No.:				
Casing height above land surface:in.			pumpinggpm				KDHE / EPA Project Code: Site Name:				
If casing height is less that		NI-	Pump	installed?	Yes No						No
has a variance been approved?* Yes No  *variance not required for monitoring			Water well disinfected? Yes No				KDHE UIC Class V Form Completed: Yes N County Permit: Yes No Permit ID:				
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:				
Casing type:							1		# of dewate		
Blank casing interval:	ft. to	ft.	Aquife	r, if known	1:		" of bores		# Of dewate	ing wens.	
Blank casing diameter:			LITHOL	OGIC LOG	i						
Casing joints:			FROM	1 то	LITHOLOGY	NTERVALS					
Weight:lbs											
Wall thickness or gauge 1		I									
Blank casing interval:		ft.									
Blank casing diameter:											
Casing joints:											
Weight:lbs											
Wall thickness or gauge 1	10.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval: ft. to	ft.		501414	FNITC							
Grout material:			COMM	ENIS							
Screen / perforation material:											
Screen / perforation opening	gs:		CONTR	ACTOR'S	OR LANDOWNERS	S CERTIFICATION	I				
Screen / perforation intervals	:		This v	vater well	was constructed	d reconstru	ucted	pursuant to	the stated v	vater well	
Fromft. to	_ft.		contra	actor's lice	ense and was com	npleted on		I certify that	at this recor	d is true	to
Slot size unit _			the be	est of my l	knowledge and be	elief. This water	well record	was comple	ted on		
From ft. to				-	_			_			
Slot size unit			under the business name of,  Kansas Water Well Contractor's License No under the authority of the designated								
Gravel pack intervals:									-	_	
Gravel pack not used: Gravel sizein			person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal:								
From ft. to											,
Gravel pack not used	Craval ciza	•	Send on	e copy to V	VATER WELL OW:	NEK and retain or	ne for your red	coras. Fee of §	5.00 for each	constructe	ed we

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1638378	
Well Owner	K.D.H.E.	
Contractor	Dakota Technologies Company, LLC	

## Lithology

From	То	Lithology Intervals
0	1	silt,brown,loose,Top Soil, Organics, Damp, Non Plastic, Fe Mottling, No odor
1	3	clay,silty,brown,Slightyly Moist, Med. Stiff, Slightly Plastic, Fe Mottling, No Odor
3	5	clay,silty,grayish,brown,moist, Slightly Stiff to Med. Stiff, Med. Plastic to Plastic
5	6	clay,silty,grayish,red,Moist to Very Moist, Med. Plastic
6	8	clay,grayish,red,moist,stiff,Pla stic, Fe Mottling, No Odor
8	10	clay,gray,Moist To Med. Moist
10	12	clay,grayish,red,Moist to Very Moist, Stiff to Med. Stiff, Plastic to Med. Plastic, 1cm Angular Pebble
12	14	clay,red,moist,Stiff to Very Stiff, Plastic
14	15	clay,red,moist,Few .50cm Angular Pebbles, Very Stiff
15	16	clay,silty,brown,moist,Med. Stiff, Med. Plastic, Fe Mottling, No Odor
16	18	clay,silty,brownish,red,1cm Angular Pebble, Very Moist to Moist

Form	WWC5.2 - Water Well Record	
Doc ID	1638378	
Well Owner	K.D.H.E.	
Contractor	Dakota Technologies Company, LLC	

## Lithology

From	То	Lithology Intervals
18		gravel,coarse,silty,brown,satur ated,loose,.50-1cm Mixed Gravel, Non Plastic, No Odor, Free Water
20		sand,medium to coarse,silty,light,brown,satura ted,loose,1" Mixed Pebbles, Non Plastic, No Odor

