KOLAR DOC ID \_\_\_\_\_ WELL ID\_

## **WATER WELL RECORD** (WWC-5)

From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

OCATION OF WATER V	VELL				0	riginal Recor	rd Co	rrection	Chang	e in Wel	l Use	
Latitude	Longitude		Se	ection	Township	Range	E W	Fraction	1/4	1/4	1/4	
Datum	Elevation		Co	ounty	-		**					
WATER WELL OWNER			WELL WATER USE				NEAREST S	OURCE OF I	POTENTIAL C	ONTAMIN	ATION	
Name												
			COMPLE	TION			Dictance		Direction	2		
Business			COMPLETION				from well: from well:					
Address			Depth of completed well:ft.			Source description:						
			Depth(s) groundwater encountered:									
Well location			(1) ft.; (2) ft.;				Source:					
vven iocation			(3) ft.; (4) dry well				Distance Direction from well: from well:					
at owner's			Static water level in well: ft.				Source					
address			measured below land surface on (mm/dd/yy):				description:					
CONSTRUCTION							No pot	ential sourc	e of contami	nation		
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				within 100 feet.					
fromto ft.								PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.				Estimated yield: gpm  Water level was: ft. after hours				DWR Application No.:				
	•						KDHE / EPA Project Code:					
Casing height above land	in.	pumping gpm Pump installed? Yes No				Site Name:						
If casing height is less than 12 in. has a variance been approved?* Yes No			Tump instance. It's 140				KDHE UIC Class V Form Completed: Yes No					
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remediation wells			Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type:	G. 4		Aquifer	if known:			1		# of dewater			
Blank casing diameters		п.										
Blank casing diameter:  Casing joints:			FROM	TO	LITHOLOGY INT	TEDWALC						
Weight:			FROM	10	LITHOLOGY INT	EKVALS						
Wall thickness or ga												
Blank casing interval:												
Blank casing diameter:												
Casing joints:												
Weight: lbs/ft.												
Wall thickness or ga	_											
Grout interval:												
Grout interval:												
Grout material:		COMMENTS										
Grout material.												
Screen / perforation mate	erial·											
Screen / perforation ope			CONTRA	CTOR'S O	R LANDOWNERS O	ERTIFICATION						
Screen / perforation inter					was constructed	reconstru		nirgiant to	the stated w	ater well		
Fromft. to					nse and was compl		•					
Slot size u					_			-			.0	
From ft. to				-	nowledge and beli			=			_	
Slot size u					ess name of							
Gravel pack intervals:			Kansas Water Well Contractor's License No under the authority of the designated									
Gravel pack not used	: Gravel size	in	person	as define	d in K.A.R. 28-30-	-2(j) and signe	d and certif	ied by the e	lectronic sig	gnature o	f the	
From ft. to ft.			designated person at its submittal:									
Gravel pack not used		.	Send one	copy to W	ATER WELL OWN	ER and retain one	e for your rec	ords. Fee of \$	5.00 for each	constructe	d well	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record		
Doc ID	1638314		
Well Owner	K.D.H.E.		
Contractor	Dakota Technologies Company, LLC		

## Lithology

From	То	Lithology Intervals
0	1	clay,silty,brown,moist,Med. Stiff, Med. Plastic, Fe Mottling, No Odor
1	3	clay,silty,brownish,red,stiff,Pla stic
3	5	clay,silty,grayish,red
5	6	clay,silty,brownish,black,Stiff becomes Hard, Very Slight Odor
6	8	clay,grayish,red,moist,Very Stiff to Hard, Plastic, Fe Mottling, V. Slight Odor
8	10	clay,grayish,red,stiff,Slight Odor
10	12	clay,silty,blackish,red,moist,Gr ay, V. Stiff to Stiff, Plastic, Fe Mottling, V. Slight Odor
12	14	silt,silty,grayish,red,moist,Silty Silty Clay, Med. Stiff, Med. Plastic, Fe Mottling, Slight Odor, Angular Pebbles 1cm
14	15	gravel,coarse,silty,brown,loos e,Damp, Non Plastic, No Odor
15	17	clay,brown,moist,Med. Stiff, Plastic, Very Slight Odor
17	19.5	gravel,coarse,silty,brown,mois t,loose,Free Water, No Plasticity, Gas Like Odor

