WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address			Depth of completed well:ft.				Source				
] -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; ((4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	water level	in well:	ft.	Source	l÷	110111 we	11;	
at owners address			m	easured belo	ow land surface	description	on:				
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	a of contami	ination	
CONSTRUCTION	D 1 1 1		measured above land surface on (mm/dd/yy):			No potential source of contamination within 100 feet.					
	Borehole dia	meter:	on	(IIIII/aa/y	y):		PERMIT &	ID NUMBER	RS (AS REQU	IRED)	
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.			pumping	KDHE / EPA Project Code:					
If casing height is less that			Pump	installed?	Yes No						
has a variance been appro	T17 .	11 11	. 10	KDHE UIC Class V Form Completed: Yes N							
*variance not required for environmental remed			ected? Yes N				No Perm				
Casing type:	lation wens		Date	disinfected ((mm/dd/yy):		I				
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FRO	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2 - Water Well Record		
Doc ID	1638303		
Well Owner	K.D.H.E.		
Contractor	Dakota Technologies Company, LLC		

Lithology

From	То	Lithology Intervals
0	3	clay,silty,dark,brown,moist,stiff,Plastic, Fe Mottling, No Odor
3	5	clay,silty,grayish,red,Damp
5	6	clay,silty,dark,brownish,red,G as Like Odor
6	8	clay,silty,gray,Very Stiff
8	10	clay,grayish,red,Damp, Very Stiff, Plastic, Fe Mottling, Gas Like Odor
10	12	clay,silty,grayish,red,Red/Gra y with Black spots, Damp, Stiff to V. Stiff, Plastic, Fe Mottling, V. Slight Gas Like Odor
12	14	clay,silty,grayish,red,2cm Angular Pebbles, Med. Plastic, Gas like Odor
14	15	gravel,coarse,silty,brownish,re d,loose,Damp, Loose to Slightly stiff, Non Plastic, Slight Gas Like Odor, 1cm Angular Pebbles
15	16	clay,silty,brown,moist,Med. Stiff, Plastic, Slight Gas Like Odor, Few .5 cm Angular Pebbles
16	18	clay,silty,brown,moist,Slightly Stiff, No Odor
18	21	gravel,coarse,silty,brown,satur ated,loose,Free Water @ 20', Non Plastic, Gas Like Odor, Angular Pebbles

