Change in Well Use

WELL ID

Correction

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Original Record

WATER WELL RECORD (WWC-5)

LOCATION	OF V	VATER WEL	L												
Latitude			Longitude			Section		Township		Range	E W	Fraction	1/4	1/4	1/4
Datum			Elevation			County									
WATER WE	ELL O	WNER			WELL	. WATER U	SE				NEAREST S	OURCE OF I	POTENTIAL	CONTAMII	NATION
Name											Source:				
Business					COM	PLETION					Distance		Directi		
Address			Depth of completed well:ft. Depth(s) groundwater encountered:					ft.	from well: from well: Source description:						
Well location			(1) ft.; (2) ft.; (3) ft.; (4) dry well Static water level in well: ft.						Source: Distance Direction from well:						
at owner's address			measured below land surface on (mm/dd/yy):						Source description:						
CONSTRU	CTION	ı						nd surface				tential sourc	e of contan	nination	
Borehole interval: Borehole diameter:				meter:	on (mm/dd/yy):						within 100 feet.				
fromtoftininin.			Estimated yield: gpm Water level was: ft. after hours					urs	DWR Application No.:						
Casing he	ight a	ove land su	rface:	in.				pumping	gp	m	KDHE / EPA Project Code:				
If casing height is less than 12 in. has a variance been approved?* Yes No				s No	Pump installed? Yes No						Site Name: KDHE UIC Class V Form Completed: Yes No				
			or monitoring					? Yes No			County Permit: Yes No Permit ID:				
or environmental remediation wells					Date disinfected (mm/dd/yy):						Lease Name & Well #:				
Casing type: ft. to ft.				ft.	Aquifer, if known:						# of boreholes: # of dewatering wells:				
					LITHO	DLOGIC LO	OG .								
Blank casing diameter:in. Casing joints:				FRC			ITHOLOGY II	NTERVA	LS						
Weigh	-	lbs													
			no.:												
Blank casing interval:ft. toft. Blank casing diameter:in.															
Casin	g joint	s:													
Weigh		lbs													
Wall t	hickn	ess or gauge	no.:												
		ft. to													
		rial:													
Grout interval: ft. to ft. Grout material:				СОМ	MENTS										
_			:		CONT	DACTOR	CODI	ANDOWNER	CERTIF	ICATION					
Screen / perforation openings:				CONTRACTOR'S OR LANDOWNERS CERTIFICATION											
Screen / perforation intervals:					This water well was constructed reconstructed pursuant to the stated water well										
Classical constr					contractor's license and was completed on I certify that this record is true to										
F 6. 4.							ledge and be				_				
Fromft. toft.				und	under the business name of,								,		
Slot size unit				Kan	Kansas Water Well Contractor's License No under the authority of the designated										
Gravel pack intervals:				pers	person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the							of the			
Gravel pack not used: Gravel sizein				^	designated person at its submittal:										
													55.00 for eac	h construct	ed well
Graver pack not about. Graver size III					ocna	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT									
From ft. to ft.						Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367									

Form	WWC5.2 - Water Well Record
Doc ID	1638294
Well Owner	K.D.H.E.
Contractor	Dakota Technologies Company, LLC

Lithology

From	То	Lithology Intervals
0	3	clay,silty,grayish,brown,Damp, Med. Stiff, Med. Plastic, No Odor
3	5	clay,dark,gray,stiff,Damp, Plastic, Fe Mottling, No Odor
5	6	clay,silty,gray,stiff,Light to Dark Gray, Damp, Plastic to Med. Plastic, Fe Mottling, No Odor
6	8	clay,silty,grayish,red,moist,stiff ,Plastic
8	10	clay,silty,gray,stiff,Plastic
10	12	clay,grayish,black,moist,stiff,P lastic, Fe Mottling, No Odor
12	14	clay,silty,grayish,red,moist,stiff ,Fe Mottling, No Odor
14	15	clay,silty,brownish,red,Very stiff, 1cm Rounded Pebble
15	16	clay,silty,brown,Med. Stiff,
16	18	clay,silty,brown,.5cm Angular Pebble
18	20	gravel,coarse,silty,brownish,re d,saturated,loose,Free Water, Non Plastic, No Odor
20	22	clay,silty,brown,saturated,loos e,Non Plastic, No Odor, 1" Round Pebble

