KOLAR Document ID: 1637793

For KCC Use:

Effective	Date

District	#	

Yes No SGA?

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	
Name:	
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted E	Electronically
-------------	----------------

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:

For KCC Use ONLY

API # 15 -___


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 1800 ft.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

KOLAR Document ID: 1637793

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Operator Name: License Number: Operator Address: Phone Number: Contract Person: Phone Number: Lease Name & Well No: Phone Number: Type of Pit: Pit I: Statisting Pit Data of Person: Statisting Pit Data of Pit I: Pit Constant Adverses Sec: Type of Pit: Pit I: Statisting Pit Data of Person: Pit Constant Adverses Sec: Type of Pit: Pit Constant Adverses Statisting Pit Pit Constant Line of Section Pit Constant Adverses Personsent: (PUW Supply API Ma. or Marc Dated?) Pit Constant (Adverses) Pit dimensions (all but working Pits):	Submit in Duplicate			
Contact Person: Phone Number: Lesse Name & Well No:: Pit Location (QOQO): Type of Pit: Burn Pit Bergenory Pit Burn Pit Bergenory Pit Burn Pit Workover Pit Drilling Pit With Xo or Ward Diffuer) Pit capacity: Pit Capacity: Feet from North / South Line of Soction Workover Pit Houl-Off Pit Pit Capacity: Feet from East / West Line of Soction With Supply API No. or Ward Diffuer) Pit capacity: Pit dimensions (all but working pits): Length (feet) Setting Pit No Pit dimensions (all but working pits): Length (feet) With pits inned give a brief description of the liner Markerial, thickness and installation procedure. Despits to shallowest fresh water If the pits inned give a brief description of the liner No Pit Distance to nearest water well within one-mile of pit: Despits to shallowest fresh water If the pits indudy wells on lease: No Pit Barrelia of fluid produced daily: Despits to shallowest fresh water Iner integrity, including any special monitoring. NoWR Barrelia of fluid produced dai	Operator Name:			License Number:
Lease Name & Well No: Pit Location (QQQQ): Type of Pit: Pit is:	Operator Address:			
Type of Pit: Pit is: Pit is:	Contact Person:			Phone Number:
Emergency Pit Burn Pit Pit Proposed Existing Existing Pit Setting Pit Pit Pit pilling Pit Pit stating Alte constructed: Pit capacity: Pit cap	Lease Name & Well No.:			Pit Location (QQQQ):
Setting Pit Drilling Pit If Existing, date constructed: Feet from North / South Line of Section Workover Pit Haul-Off Pit Pit capacity:	Type of Pit:	Pit is:		··
Workover Pit Haul-Off Pit UW Supply API No. or Year Dottled) Pit capacity:	Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West
(If WP Stoppy API No. or Wer Drilled) Pit capacity:	Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section
interview (bbls)		Pit capacity:		Feet from East / West Line of Section
Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? I' Wes No I' Yes No Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point:	((bbls)	County
Ves No Pit dimensions (all but working pits): Length (feet) Width (feet) NA: Steel Pits Depth from ground level to deepest point: (feet) If the pit is lined give a brief description the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit: feet feet feet Depth of water well Producing Formation:	Is the pit located in a Sensitive Ground Water A	rea? Yes	No	
Pit dimensions (all but working pits):				How is the pit lined if a plastic liner is not used?
Depth from ground level to deepest point:(feet) No Pit If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit:			No	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water wellfeet Depth of water well feet. Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. Submitted Electronically Liner Steel Pit RFAC RFAS				
material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information:	Depth fro	m ground level to dee	epest point:	(feet) No Pit
Source of information: feet Depth of water well feet feet feet feet feet feet feet feet	material, thickness and installation procedure. liner integrity, including any special monitoring.			
Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	feet Depth of water well	feet		
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. KCC OFFICE USE ONLY Liner RFAC RFAS	Emergency, Settling and Burn Pits ONLY:	Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		over and Haul-Off Pits ONLY:
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Dirill pits must be closed within 365 days of spud date. Kcc office USE ONLY Liner Steel Pit RFAS			I utilized in drilling/workover:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Number of producing wells on lease: Number of wor		king pits to be utilized:	
flow into the pit? Yes Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Barrels of fluid produced daily: Abandonment		procedure:	
Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			e closed within 365 days of spud date.	
Liner Steel Pit RFAC RFAS				
	Date Received: Permit Numb	oer:	Permi	

KOLAR Document ID: 1637793

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-
July 202
Form Must Be Typed
Form must be Signed
All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	the lease helow:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	o i		
Address 1:			
Address 2:			
City: State: Zip:+			

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.


Select one of the following:

□ I certify that, pursuant to the Kansas Surface Owner Notice Act (see Chapter 55 of the Kansas Statutes Annotated), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.

□ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

April 15, 2022

Anthony Farrar Indian Oil Co., Inc. 308 S. Main St. PO BOX 209 MEDICINE LODGE, KS 67104-0209

Re: Drilling Pit Application Johnny B Goode 3 NE/4 Sec.06-35S-11W Barber County, Kansas

Dear Anthony Farrar:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

KEEP PITS away from draw/drainage. KEEP PITS on any except, East side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.