_ WELL ID_

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

WATER WELL RECORD (WWC-5)

LOCATION OF WATER	WELL					Original Reco	ord Correction	Change	e in We	ll Use
Latitude	Longitude		Sec	tion	Township	Range	E Fraction	1/4	1/4	1/4
Datum	Elevation			inty	T. W. L. W.		W			
WATER WELL OWNER	<u> </u>	•	NELL WAT				NEAREST SOURCE OF P	OTENTIAL CO	ONTAMI	MATION
			VELL WA	LICOSE						ALION
Name							Source:	Direction		
Business			COMPLET	ION			from well:	from well		
Address			Depth of	complete	d well:	ft.	Source			
			-	-	ater encountered:		description:			
			(1)	_ ft.; (2) ft.;		Source:			
Well location) dry well		Distance from well:	Direction from well		
at owner's address			measu	red belov	well: ft v land surface	i.	Source description:			
CONSTRUCTION				m/dd/yy) red abov	: e land surface		No potential source	of contamir	nation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy):			within 100 feet.				
fromto1	ft	in.	Estimated	l vield:	gpm		PERMIT & ID NUMBERS	(AS REQUI	RED)	
fromto1	ft	in.			ft. after	hours	DWR Application No.:			
Casing height above la					pumping		KDHE / EPA Project C	ode:		
If casing height is le			Pump ins	talled?	Yes No		Site Name:			
has a variance beer		s No					KDHE UIC Class V Fo	rm Complete	ed: Yes	No
	red for monitoring				ted? Yes No		County Permit: Yes	No Permi	t ID:	
or environmental	remediation wells		Date disir	nfected (n	nm/dd/yy):		Lease Name & Well #:			
Casing type:Blank casing interval:	ft to		Aquifer, i	f known:			# of boreholes:	# of dewater	ing wells:	
Blank casing diameter:		'	ITHOLOG							
Casing joints:			FROM	TO	LITHOLOGY II	NTFRVAI S				
Weight:			TROM		Limbeodin	TIERVALS				
Wall thickness or g										
Blank casing interval:	•									
Blank casing diameter:		_								
Casing joints:										
Weight:										
Wall thickness or g	auge no.:	_								
Grout interval:	ft to ft									
Grout material:										
Grout interval:										
Grout material:			COMMEN.	TS						
Screen / perforation ma	iterial:									
Screen / perforation op			CONTRAC	TOR'S O	R LANDOWNERS	CERTIFICATIO	N			
Screen / perforation int			This wat	er well v	vas constructed	d reconsti	ructed pursuant to t	he stated w	ater well	
Fromft. to _	ft.						. I certify tha			
Slot size						•	r well record was complet			
Fromft. to _				•			wen record was complete			
Slot size										
Gravel pack intervals:							under the aut	-	_	
-	ed: Gravel size _	in	_				ned and certified by the el	ectronic sig	nature o	of the
From ft. to			designat	ed perso	n at its submitta	ıl:	··			
Gravel pack not use	ed: Gravel size	in 5	Send one c	opy to W			one for your records. Fee of \$5		constructe	ed well.
From ft. to	ft.			Bureau o			HEALTH AND ENVIRONM V Jackson St., Suite 420, Tope		-1367	

Form	WWC5.2 - Water Well Record
Doc ID	1636785
Well Owner	Randy & Sue Commons
Contractor	Double J Energy

Lithology

From	То	Lithology Intervals		
0	27	fill,medium		
27	55	limestone,unweathered,grayis h,white,hard		
55	60	limestone,unweathered,cherty,grayish,white,very hard		
60	70	limestone,unweathered,grayis h,white		
70	77	limestone,unweathered,cherty ,grayish,white		
77	90	limestone,unweathered,grayis h,brown		
90	110	limestone,unweathered,white		
110	120	limestone,unweathered,whitei sh,gray		
120	170	limestone,unweathered,gray		
170	180	limestone,unweathered,brown		
180	185	limestone,unweathered,cherty ,brown		
185	195	other,unweathered,brown,che rt		
195	220	other,unweathered,brown,che rt		

Sheet1

Log:

0	27	overburden	
27	55	Limestone	white gray
55	60	limestone/chert	white gray
60	70	Limestone	white gray
70	77	limestone/chert	white gray
77	90	Limestone	brown gray
90	110	Limestone	white
110	120	Limestone	gray white
120	170	Limestone	gray
170	180	Limestone	brown
180	185	Limestone/chert	brown
185	195	chert	
195	220	chert	brown gray
220	227	Limestone/chert	gray brown
227	230	chert	black
230	255	Limestone/chert	gray
255	260	Limestone/chert	gray white
260	280	Limestone	gray