KOLAR Document ID: 1642061

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No				
Cathodic Other (Core, Expl., etc.):					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set:Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: w/ sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
☐ EOR Permit #:	Location of haid disposal if hadica offsite.				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1642061

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Тор		epth Ty Bottom	pe of Cement	# Sacks Used	# Sacks Used Type and Percent Additives			
Perforate Protect Casii Plug Back TI								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Oil Bbls. Per 24 Hours							Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion			
Operator	McFadden, Jack W. dba McFadden Oil Co.			
Well Name	WINSLOW 122X			
Doc ID	1642061			

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	12	20	portland	3	0
Production	6.125	2.875	4	865	portland	115	0

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility tor strength test when water is added at customer's request.
Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

MEDDE

JACK MCFADDEN P.O. BOX 394

0.64 TOTAL AT JOB

UNLOADING TIME

TOTAL ROUND TRIP

DELAY TIME

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2 GRAND TOTAL

54 E TO 3600 (2MI B4 MORAN) S

1	1			IMI TO NEB E 1/4MI NSD						
4	ioLA		KS 66	749 % Air						
	TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #		
345	JED AM	WELL O NUMBER	Lia GIG	de de u sud bid						
1	DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM 4	DIDI SLUMP	5 TICKET NUMBER		
3,	/ E. T. Inch.		4	4				52255		
	Contains Portland Cerne CAUSE BURNS. Avoid of Contact With Skin or Ey Attention. KEEP CHILDR CONCRETE is a PERISHAB LEAVING the PLANT. ANY TELEPHONEO to the OFFIc. The undersigned promises any sums owed. All accounts not paid within 3 Not Responsible for Reacti Material is Delivered.	WARNING TING TO THE SKIN A nt. Wear Rubber Boots and Gloves. P Contact With Eyes and Prolonged Co es, Flush Thoroughly With Water, if Ir IEN AWAY. LE COMMODITY and BECOMES the PROP CHANGES OR CANCELLATION of ORIG E BEFORE LOADING STARTS. to pay all costs, including reasonable attor do days of delivery will bear interest at the rate we Aggregate or Color Quality. No Claim Loss of the Cash Discount will be collect @ \$60(HR).	RÖLONGED CONTACT MAY ontact With Skin. In Case of ritation Persists, Get Medical SETY of the PURCHASER UPON INAL INSTRUCTIONS MUST be meys' fees, incurred in collecting of 24% per annum. Allowed Unless Made at Time	(TO BE SIGNED IF DELIVERY 1 Dear Customer-To eiror of this 1 you for your signature is of the op truck may possibly cause damag property if it places the material irour wish to help you in every way the driver is requesting that you s this supplier from any responsibilit to the premises and/or adjace driveways, curbs, etc, by the de also agree to help him remove m that he will not litter the public str ton, the undersigned agrees to inc	MAGE RELEASE O BE MADE INSIDE CURB LINE) uxuk in presenting this RELEASE to inion that the size and weight of his to the premises and/or adjacent to this load where you desire it. It is had we can, but in order to do this grint in the load where you desire it. It is had we can, but in order to do this grint in the load where you desire it. It is had we can, but in order to do this grint in the property. buildings, sidewalks, wery of this material, and that you d'from the wheels of his vehicle so et. Further, as additional consideramity and hold harmless the driver any and all damage to the premises ay be claimed by anyone to have	Excessive Water is Detrimental to Concrete Performance H ₂ D Added By Request/Authorized By GAL X WEIGHMASTER NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. LOAD RECEIVED BY:				
1	QUANTITY	CODE	DESCRIPTION C	OCKS DER IN	arts 1	1.56	UNIT PRICE	EXTENDED PRICE		
	1.50 MIX&HAUL MIXING AND HAULING 11.50 1.00 FS FUEL SURECHARGE 1.00 \$ 977.50 1.05 8 9 20									
F	RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	YLINDER TEST TAKEN	TIME ALLOWED (A)	RATE	500		
	10:30 LEFT PLANT	/O: 20 ARRIVED JOB	10:22-	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN ADDED WATER	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	TIME DUE	8	75.		
-			,					107-		

Drill Log

Winsler 1/2x

807 (State
812 - 817 > Top Sml

Fair Black
811 - 822 Fair Black Study

822 - 827 Fair Black
827 - 832 Shale
832 - 837 Shale
832 - 837 Shale

10 870 Pips 865 15-001 31711 7" Suster 3/18/22 Long Stry 3/20/22