WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

NATER WELL REC	ORD (W	NC-5)				KOLAR D	OC ID	WELL ID_		
OCATION OF WATER WELI	L				Ori	ginal Recor	d Correction	Chang	e in Wel	ll Use
Latitude	Longitude		Se	ection	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation		С	ounty						
ATER WELL OWNER			WELL W	ATER USE			NEAREST SOURCE OF F	OTENTIAL C	ONTAMIN	NATIO
ame							Source:			
Susiness			COMPLE	TION			Distance	Direction	 n	
Justificas						_	from well:	_ from wel	l:	
Address					ed well:	ft.	Source			
			1 .		water encountered:		description:			
Vell location					(2) ft.;		Source:			
ven location					(4) dry well		Distance from well:	Direction from wel	a ll:	
at owner's					in well: ft.		Source			
address			I	sured belo mm/dd/y	ow land surface		description:			
DNSTRUCTION							No potential source	e of contami	nation	
Borehole interval: Borehole diameter:			measured above land surface on (mm/dd/yy):				within 100 feet.			
romto ft.		in.	Estimat	ed vield:	gpm		PERMIT & ID NUMBER	S (AS REQUI	RED)	
						hours	DWR Application No.:	:		
fromtoftin.			Water level was:ft. afterhours				KDHE / EPA Project Code:			
Casing height above land surface:in.			pumping gpm Pump installed? Yes No			_ 87***	Site Name:			
If casing height is less that has a variance been appr		No	Tump I		105 100		KDHE UIC Class V Fo			No
*variance not required for monitoring			Water well disinfected? Yes No				County Permit: Yes No Permit ID:			
or environmental remed	diation wells		Date di	sinfected (mm/dd/yy):		Lease Name & Well #:			
Casing type:			Aquifor	, if known			# of boreholes:			
Blank casing interval:		ft.								
Blank casing diameter:				OGIC LOG		D) (A) C				
Casing joints: lbs			FROM	то	LITHOLOGY INTE	KVALS				
Weight:lbs Wall thickness or gauge										
Blank casing interval:										
slank casing diameter:										
Casing joints:										
	s/ft.									
Wall thickness or gauge										
Grout metavial: ft. to										
Grout material: Grout interval: ft. to										
Grout material:			COMME	NTS						
Grout material.										
creen / perforation material										
creen / perforation opening			CONTRA	ACTOR'S (OR LANDOWNERS CE	RTIFICATION				
creen / perforation intervals					was constructed	reconstru		the stated w	rater well	
Fromft. to							•			
Slot size unit					_		I certify the			
From ft. to				=	-		well record was comple			
Slot size unit _										
Gravel pack intervals:							under the aut	-	_	
Gravel pack not used:	Gravel size	in	person	as defin	ed in K.A.R. 28-30-2	(j) and signe	d and certified by the e	lectronic się	gnature o	f the
From ft. to			design	ated pers	on at its submittal:_		·			_
Gravel pack not used:		in	Send one	copy to V	VATER WELL OWNER	and retain one	e for your records. Fee of \$	5.00 for each	constructe	ed well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record	
Doc ID	1637405	
Well Owner	Raymond Williams	
Contractor	Peterson McNett Drilling, Inc.	

Grout

From	То	Grout Material
0	5	Other
5	25	Cement
25	35	Bentonite

Stockton Field Office 820 S. Walnut Stockton, KS 67669-0192



Phone: 785-425-6787 Fax: 785-425-6842 www.agriculture.ks.gov

Mike Beam, Secretary

Laura Kelly, Governor

April 13, 2022

RAYMOND WILLIAMS raywill@hometelco.net

Re: RV Park

Dear Mr. Williams:

Per your request, this office has reviewed the information provided regarding water use at an RV park located near the Maxwell Game Preserve in McPherson County to determine if the water use is domestic or if it requires a municipal water right.

K.S.A. 82a-701(c) states that "Domestic uses means the use of water by any person or by a family unit or household for household purposes, or for the watering of livestock, poultry, farm and domestic animals used in operating a farm, and for the irrigation of lands not exceeding a total of two acres in area for the growing of gardens, orchards and lawns."

K.A.R. 5-1-1(kk) states that "Household purposes means the use of water by a person for cooking, cleaning, washing, bathing, human consumption, rest room facilities, fire protection, and other uses normally associated with the operation of a household." Further, K.A.R. 5-1-1(kk)(4) states that "household purposes shall also include the use of 1½ acre-feet of water or less per calendar year by an industrial user, restaurant, hotel, motel, church, camp, correctional facility, educational institution, or similar entity for household purposes."


The RV park in question is proposing 31 hook-ups serviced by the well or wells in question. Information provided and verified indicates that a typical RV will use on average 27 gallons per day. If all 31 spots were filled all year, the water use would be 305,505 gallons. This is less than the 488,776 gallons (1½ acre-feet) threshold defined in the referenced statue and regulation. Therefore, this office has made the determination that the well(s) in question does not require a water right at this time. If at any time in the future, additional information is provided indicating water use from the well exceeds the domestic threshold, a water right will be required. This office is available to assist with the application process if needed.


Sincerely,

Kelly C. Stewart Water Commissioner

KCS

pc: Travis Hamel, Wilson & Company







Phone: (785) 227-8386

Email: mcnettdrilling@yahoo.com



330 HARRISON P.O. BOX 207 LINDSBORG, KS 67456

WATER WELL DRILLING

IRRIGATION • MONITORING • GEO-THERMAL • PUBLIC WATER • DOMESTIC • STOCK • LAWN

4/11/2022

Spoke with Rylan Becker w/ Rylan Becker Construction, LLC. and he confirmed that dirt/soil was used around the well. He used 2"x8" forms for the concrete and brought in dirt for the 1.5' of slope around the well.

Matt Koehn w/ Galva Plumbing also recalls sandy soil around the Pitless.

Spoke with Raymond and he recalls removing the bentonite thinking that we had forgot it when we left. Raymond confirmed Pitless is 12" above ground.

Logan McNett

Peterson McNett Drilling, Inc.