KOLAR Document ID: 1642296

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from North / South Line of Section
City:	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
☐ CM (Coal Bed Methane)☐ Cathodic☐ Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR	·
GSW	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1642296

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	BOLEN 8A
Doc ID	1642296

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	40	portland	6	n/a
Production	5.875	2.875	6.5	1005	portland	140	n/a

Bolen 8A

4	soil	4	start 3/15/2022
28	clay and gravel	32	finish 3/16/2022
104	shale	136	
62	lime	198	
47	shale	245	
34	lime	279	set 40' 7"
48	shale	327	ran 1005' 2 7/8
53	lime	380	cemented to surface with 140 sxs
32	shale	412	
125	lime	537	
5	shale	542	
57	lime	599	
159	shale	758	
31	lime	789	
63	shale	852	
35	lime	887	
18	shale	905	
7	lime	912	
9	shale	921	
7	lime	928	
5	shale	933	
4	lime	937	
37	shale	974	
10	brkn sand	984	good show
31	shale	1015	td



-NT TRE	ATMENT RE	PORT			Standard Control		
Customer:	RJ Energy		Well		1. 经营销费金属		
City, State:	Garnett, KS			Bolen 8/	T	icket:	P4124
	Jason Kent		County	CF, KS	(表)		7/2022
THE REAL PROPERTY AND ADDRESS OF THE PARTY AND			S-T-R:	15-23-16			
Downhale I	formation					Lon	gstring
Hole Size:	5 5/8 in			Slurry - Lead		Calculated Slurry - Ta	an .
Hole Depth:	1015 ft		Blend:	THO HEM PS	В	lend:	
Casing Size:	2 7/8 in	1	Weight: Water / Sx:	ppg	Wo	eight: ppg	
asing Depth:	1005 ft		Yield:	341758	Water		х
ubing / Liner:	in		Annular Bbls / Ft.:	1.43 ft ³ / sx	THE REAL PROPERTY AND ADDRESS OF THE PARTY AND	field: ft³/sx	
Deptito	ft		Depth:	bbs / ft.	Annular Bbis	/ Ft.: bbs / f	
fool / Packer			Annular Volume:	ft	AND DESCRIPTION OF THE PARTY OF	epth: ft	
Tool Devil	ft		Excess:	0.0 bbls	Annular Volu	ume: 0 bbis	
isplacement	5.82 bbls		Total Sturry:	28.27 bbls	Exc	ess:	
IME RATE	STAGE	TOTAL	Total Sacks:	111 sx	Total Sit		
MA 00:	PSI BBLs	BBLs	REMARKS		Total Sad	cks: 0 sx	
.00 AM			on location, held safety	meeting			D. Dain
			established circulation				
4.3			mixed and pumped 200#	Bentonite Gel followed by 4 bb	le frach		
4.0			mixed and pumped 111	sks OWC cement with 1/2# Phen	nSaal persk		
1.0			, , , , , , ,			rface	
1.0			pumped 2 2 7/8" rubber	plugs to casing TD with 5.82 bb	Is fresh water		
			pressured to add PSI, we	il held pressure	o wear water		
6.0			released pressure to set	float valve, shut in casing			
			washed up equipment				
00 PM							
		-	left location				
		-				· · · · · · · · · · · · · · · · · · ·	
		-					
		-					
	1						
						,	
	-						
							-
100 July 3777	EW		UNIT				
ementer c	Casey Kennedy		89		SUMMAR	Y	Part Action
Operators N	lick Beets		239	Average Rate	Average Pressure	Total Fluid	
Emika G	arrett Scott		193	3.1 bpm	- psi	- bbls	
HERO: K	eith Detwiler						