KOLAR Document ID: 1643110

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	·
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD ☐ Gas ☐ DH ☐ EOR	Producing Formation: Kelly Bushing: Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to EOR Conv. to SWD Plug Back Liner Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
☐ Wireline Log Received ☐ Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II Approved by: Date:				

KOLAR Document ID: 1643110

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	E	ast West	County:				
	flowing and shu	ut-in pressures, v	vhether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to 0	Geological Surv	/ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		B	CASING eport all strings set-c		New Used	ion, etc.		
Purpose of Strir		Hole illed	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	UEEZE RECORD			
Purpose:		epth T Bottom	ype of Cement	# Sacks Used	Type and Percent Additives			
Perforate Protect Casi Plug Back T								
Plug Off Zor								
Did you perform a Does the volume Was the hydraulic	of the total base f	fluid of the hydrauli		_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Product Injection:	tion/Injection or R	esumed Production	Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			DN INTERVAL: Bottom
	Sold Used	I on Lease	Open Hole			mmingled mit ACO-4)	Тор	BOROTT
,	,			B.11 B1				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	: Size:	Set	Δ+-	Packer At:				
TODING RECORD:	. 3126.	Set	n.	i donei Al.				

Form	ACO1 - Well Completion		
Operator	Laymon Oil II, LLC		
Well Name	CARL 24-22		
Doc ID	1643110		

Tops

Name	Тор	Datum
Soil	0	17
Shale	17	78
Lime	78	270
Black Shale	270	272
Lime	272	315
Shale	315	325
Lime	325	410
Shale	410	420
Sandy Lime	420	480
Lime	480	510
Shale	510	515
Lime	515	700
Big Shale	700	900
Lime	900	915
Shale	915	1008
Black Shale	1008	1012
5' Lime	1012	1019
Black Shale	1019	1024
Sandy Shale	1024	1060
Upper Squirrel Sand	1060	1085
Shale	1085	1120

Form	ACO1 - Well Completion		
Operator	Laymon Oil II, LLC		
Well Name	CARL 24-22		
Doc ID	1643110		

Casing

Purpose Of String		Size Casing Set	Weight	Setting Depth	Cement		Type and Percent Additives
Surface	10.250	8.625	24	40	portland	10	na
Production	6.125	2.875	6.7	1110	common	160	na

Superior Building Supply, Inc.

215 W. Rutledge St. Yates Center, KS 66783-1239

620-625-2447

Laymon Oil II 1998 Squirrel Rd. Neosho Falls, KS 66758

Date	Invoice #
11/5/2021	228601

Terms	P O #	

Terms	P.O. #
Net 10th	

Quantity	Item #	Description	Price	Extended Amount
	SALES_TAXABLE	Portland Cement 92# Sales Tax Carl 4-21 ID Dacks Carl 5-21 ID Dacks Carl 6-21 ID Dacks	Price 17.39 9.50% Carl 21-2 Carl 24-21	5,217.00T 495.62
		Carl 8-21 10 Dacks Carl 9-21 10 Dacks Carl 10-21 10 Dacks Carl 11-21 10 Dacks Carl 12-21 10 Dacks Carl 13-21 10 Dacks Carl 14-21 10 Dacks		
		Carl 17-21 10 Dacks Carl 18-21 10 Dacks Carl 18-21 10 Dacks Carl 19-21 10 Dacks Carl 20-21 10 Dacks		
	•	Carl 23-21 10 Dacks	Total	\$5,712.62

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

NOTICE TO OWNER

which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength est added at outcomer's request when water is added at outcomer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

SOLD TO: LAYMON OIL II, L.L.C

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property

MEDSHO FOLIS

KS 66758

CARL KESKIE #24-22

KS

KS

TO WILLOW RD N TO 200 W TO ROCK S 1MI TO 190TH EAST TO TANK
PATTERY (DEAD END)

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	†	DRIVER/TRUCK	ALTIN STATE	PLANT/TRANSACTION #
1:52 PM L	Pers Lan loss	6.00	16.00		36		wooco
DATE	NUMBER	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
3/9/22		1	16.00	*	ð. ØØ 4.	00 in	52205

WARNING
IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent properly if it places the material in this load where you deser it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, criche-yet, cut-but, etc. by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public steet. Further, as additional consideration, the undersigned agrees to indimentify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL	X	_

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE: AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING DISIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE

.00 WELL WELL (10 SACKS PER UNIT)

.00 TRUCKING TRUCKING CHARGE

.00 FS FUEL SURECHARGE

6.00 MIX&HAUL MIXING AND HAULING

16.00 1.00 1.00 16.00

	TIME ALLOWED	DELAY EXPLANATION/CYLINDER TEST TAKEN	FINISH UNLOADING	LEFT JOB	RETURNED TO PLANT
13	× TA	JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	300		
	TIME DUE	CONTRACTOR BROKE DOWN OTHER ADDED WATER	START UNLOADING	ARRIVED JOB	LEFT PLANT
ADI			246	141	211
ADI	DELAY TIME		UNLOADING TIME	TOTAL AT JOB	TOTAL ROUND TRIP

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2 _

