WELL ID

KOLAR DOC ID

WATER WELL RECORD (WWC-5)

OCATION OF WATER WELL	L					Original Red	cord	l Coi	rrection	Chang	e in Wel	l Use
Latitude	Longitude		S	ection	Township	Rang	ge	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	r		5-	W				
VATER WELL OWNER	Lievation			ATER USE	 :			NEADEST S	OURCE OF	POTENTIAL C	ONTAMIN	ΙΔΤΙΩΙ
			WELL VI	AI LIN OJL	•		آ ر					IAIIO
Name							┚╽	Distance		Direction		
Business			COMPL	ETION			- I	from well:		_ from we	ll:	
Address			Depth	of complet	ed well:	ft.		Source				
radicss			Depth(s) groundv	water encountered:			descriptio	n:			
			(1)	ft.; ((2) ft.;			Source:				
Well location			(3) ft.; (4) dry well					D' /		D: .:	n	
, ,			Static water level in well: ft.				1	from well: from well:				
at owner's address			- 1		w land surface			Source description:				
CONSTRUCTION				mm/dd/yy sured abo	ve land surface		- }			e of contami	nation	
Borehole interval:	Borehole dia	meter:	on (mm/dd/yy	y):		. l		100 feet.			
fromto ft.		in.	Estima	ted vield:	gpm		ן ן	PERMIT &	ID NUMBER	RS (AS REQU	RED)	
fromtoft.		in.				hours		DWR App	olication No.	.:		
Casing height above land sur			Water level was:ft. afterhours pumping gpm				KDHE / EPA Project Code:					
			Pump i		Yes No	8i		Site Name:				
If casing height is less that has a variance been appro		s No			100 -11		4	KDHE UI	C Class V F	orm Complet	ed: Yes	No
*variance not required fo	or monitoring		Water well disinfected? Yes No				County Permit: Yes No Permit ID:					
or environmental remed	liation wells		Date disinfected (mm/dd/yy):				Lease Name & Well #:					
Casing type:			Aquifo	r, if known			1			# of dewater		
Blank casing interval:		ft.	_									
Blank casing diameter:				OGIC LOG								
Casing joints:			FROM	ТО	LITHOLOGY II	NTERVALS						
Weight:lbs.												
Wall thickness or gauge r Blank casing interval:												
Blank casing diameter:		1t.										
Casing joints:												
Weight: lbs.												
Wall thickness or gauge r												
Grout interval: ft. to												
Grout material:												
Grout interval: ft. to	ft.		COMME	:NTS	1							
Grout material:												
Samoon / monformation montonial												
Screen / perforation material: Screen / perforation opening			CONTR	ACTORIS (OR LANDOWNERS	CEDTIEICATI	ON					
Screen / perforation intervals:								. 1		41	411	
Fromft. to					was constructed					the stated w		
					nse and was com	•			•			to
Slot size unit _ From ft. to				•	nowledge and be				-			
Slot size unit _					ess name of							,
Gravel pack intervals:			Kansa	s Water V	Vell Contractor's	License No		ur	nder the au	thority of th	e designa	ated
-	Graval siza		person	n as define	ed in K.A.R. 28-3	0-2(j) and sig	gned	and certifi	ied by the e	electronic sią	gnature o	f the
Gravel pack not used: From ft. to		in	-		on at its submitta				•	·		
	f t				on at its submitte	11.						
					VATER WELL OW		one f	or your rec	ords. Fee of s	55.00 for each	constructe	ed wel

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record			
Doc ID	1638270			
Well Owner	Mark Chronister			
Contractor	Flint Hills Drilling #914			

Grout

From	То	Grout Material
0	20	Bentonite
43	50	Bentonite
80	83	Bentonite

Form	WWC5.2 - Water Well Record			
Doc ID	1638270			
Well Owner	Mark Chronister			
Contractor	Flint Hills Drilling #914			

Lithology

From	То	Lithology Intervals
0	22	clay
22	61	shale,unweathered,tan
61	63	limestone,highly weathered
63	70	shale,unweathered,tan
70	101	shale,unweathered,gray
101	112	gypsum,unweathered
112	116	limestone,unweathered
116	130	shale,unweathered,gray

Form	WWC5.2 - Water Well Record			
Doc ID	1638270			
Well Owner	Mark Chronister			
Contractor	Flint Hills Drilling #914			

Screen and Gravel

From	То		Gravel Pack Used			Gravel Size
58	70		Yes	20	43	
			Yes	50	80	
			Yes	83	130	