WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

VATER WELL R	ECORD (W	NC-5)				KOLAR [OOC ID	WELL ID		
OCATION OF WATER V	VELL				(Original Reco	rd Correction	Change in	Well Use	
atitude	Longitude		Section	1	Township	Range	E W Fraction	1/4 1/	/4 1/4	
Datum	Elevation		County	7			VV			
ATER WELL OWNER			WELL WATER				NEAREST SOURCE OF F	POTENTIAL CONT	AMINATIO	
ame							Source:			
			COMPLETION							
usiness							Distance from well:	from well:		
ddress					vell: r encountered:	ft.	Source description:			
Vell location			(1) ft (3) ft				Source: Distance	Direction		
			Static water l	aval in w	rell: ft		from well:	from well:		
at owner's address			measured	below la	and surface		Source description:			
NSTRUCTION			on (mm/c measured on (mm/c	above la	and surface		No potential sourc	e of contamination	on	
orehole interval:	Borehole dia						PERMIT & ID NUMBER	S (AS REQUIRED)	
omto ft.		in.	Estimated yie							
romto ft.	·	in.	Water level w	as:	ft. after		DWR Application No.			
asing height above land	d surface:	in.				gpm	KDHE / EPA Project Code:			
If casing height is les			Pump installe	ed? Y	es No		Site Name:			
has a variance been		No	717				KDHE UIC Class V Form Completed: Yes N			
*variance not require or environmental re			Water well disinfected? Yes No Date disinfected (mm/dd/yy):			County Permit: Yes No Permit ID:				
asing type:	emediation wens		Date disinfec	ted (mm	n/dd/yy):		Lease Name & Well #:			
lank casing interval:	ft to	ft	Aquifer, if kn	own:			# of boreholes:	# of dewatering v	wells:	
lank casing diameter:			LITHOLOGIC	IOG						
Casing joints:					LITHOLOGY IN	ITFRVAI S				
Weight:			1110111							
Wall thickness or gai										
ank casing interval:										
ank casing diameter:										
Casing joints: Weight:	lbs/ft.									
Wall thickness or gai										
rout interval:	ft. toft.									
Grout material:										
rout interval:	ft. toft.		COMMENTS							
Grout material:			COMMENTS							
creen / perforation mate	erial:									
creen / perforation ope	nings:		CONTRACTO	R'S OR L	ANDOWNERS	CERTIFICATION				
reen / perforation inter	rvals:		This water v	well was	constructed	reconstru	icted pursuant to	the stated water	well	
Fromft. to							. I certify the			
Slot size u						-	•			
From ft. to				-	_		well record was comple			
Slot size u									,	
ravel pack intervals:			Kansas Wat	er Well	Contractor's I	License No	under the au	thority of the de	signated	
Gravel pack intervals:	. Craval size	.	person as d	efined i	n K.A.R. 28-3	0-2(j) and signe	d and certified by the e	lectronic signatı	are of the	
		in	designated	person a	at its submitta	l:		-		
From ft. to _							e for your records. Fee of \$	5.00 for each come	tructed vice	
Gravel pack not used	: Gravel size _	in	send one copy	to WAI	LK WELLOWN	ALIX and retain on	c for your records. Fee of \$	o.oo ioi eacii cons	a ucted We	

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1641391
Well Owner	JERRY & AGATHA BOY
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals	
0	2	topsoil,brown,soft	
2	10	clay,brown,soft	
10	40	clay,tan,soft	
40	93	clay,sandy,tan,soft	
93	126	sand & gravel,medium to coarse,stiff	
126	195	clay,brown,moist,STICKY	
195	265	clay,blueish,moist	
265	271	sand,fine to medium,moist	
271	287	clay,blueish,moist	
287	440	sand & gravel,fine to coarse,stiff	
440	495	clay,silty,brown,soft,CLAY LEDGES	
495	500	clay,sandy,soft	
500	531	clay,silty,brown,soft,CLAY LEDGES	
531	550	sand,fine,firm	
550	567	clay,silty,brown,firm	
567	591	sandstone,unweathered,F. SAND, SILTY CLAY W/ SHALE	
591	595	clay,silty,brown,soft	
595	630	sandstone,unweathered,sand y,brown,F. SAND, SILTY CLAY W/SHALE	

Form	WWC5.2 - Water Well Record
Doc ID	1641391
Well Owner	JERRY & AGATHA BOY
Contractor	Downey Drilling, Inc. #748

Lithology

From	То	Lithology Intervals
630		clay,silty,reddish,gray,hard,RE D BED, SHALE

Form	WWC5.2 - Water Well Record
Doc ID	1641391
Well Owner	JERRY & AGATHA BOY
Contractor	Downey Drilling, Inc. #748

Screen and Gravel

From	То	Slot Size		Gravel Pack Used			Gravel Size
380	440	.08	inches	Yes	20	500	COARS
440	482	.1	inches	Yes	500	643	FINE
482	522	.08	inches	No			
522	643	.05	inches	No			