## **WATER WELL RECORD** (WWC-5)

Gravel pack not used: Gravel size in

From ft. to ft.

## **KOLAR DOCID** WELL ID **Original Record** Correction Change in Well Use LOCATION OF WATER WELL E W Fraction $\frac{1}{4}$ Latitude Longitude Section Township Range Datum Elevation County WATER WELL OWNER **WELL WATER USE NEAREST SOURCE OF POTENTIAL CONTAMINATION** Source: Name Direction Distance Business COMPLETION from well: from well: Depth of completed well: ft. Source Address description: Depth(s) groundwater encountered: ft.; (2) Source: Well location dry well Distance Direction from well: from well: Static water level in well: ft. at owner's Source address measured below land surface description: on (mm/dd/yy): No potential source of contamination CONSTRUCTION measured above land surface within 100 feet. on (mm/dd/yy): Borehole interval: Borehole diameter: PERMIT & ID NUMBERS (AS REQUIRED) to from in. gpm Estimated yield: DWR Application No.:\_ ft. from to in. Water level was: \_ ft. after hours KDHE / EPA Project Code: pumping \_ gpm Casing height above land surface: in. Site Name: Pump installed? No If casing height is less than 12 in. has a variance been approved?\* KDHE UIC Class V Form Completed: Yes No Yes No Water well disinfected? Yes No \*variance not required for monitoring County Permit: Yes No Permit ID: or environmental remediation wells Date disinfected (mm/dd/yy): Lease Name & Well #: Casing type: # of boreholes: \_\_\_\_ # of dewatering wells: \_ Aquifer, if known: Blank casing interval: ft. to Blank casing diameter: in. LITHOLOGIC LOG Casing joints:\_ FROM LITHOLOGY INTERVALS \_\_lbs/ft. Weight: Wall thickness or gauge no.: \_\_\_ Blank casing interval: ft. to Blank casing diameter: in. Casing joints: Weight: lbs/ft. Wall thickness or gauge no.: ft. to Grout interval: Grout material: ft. to ft. Grout interval: COMMENTS Grout material: Screen / perforation material: Screen / perforation openings: CONTRACTOR'S OR LANDOWNERS CERTIFICATION Screen / perforation intervals: This water well was constructed reconstructed pursuant to the stated water well ft. to ft. contractor's license and was completed on \_\_\_\_ \_. I certify that this record is true to Slot size \_\_\_\_ unit \_\_ the best of my knowledge and belief. This water well record was completed on From ft. to ft. under the business name of \_ Slot size unit Kansas Water Well Contractor's License No. under the authority of the designated Gravel pack intervals: person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the Gravel pack not used: Gravel size \_\_\_\_\_in designated person at its submittal: From ft. to ft.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5.2	WWC5.2				
Contractor	Woofter Pump & '	Woofter Pump & Well, Inc. #881				
From	То	LithologicLog				
0	1.0	Concrete				
1.0	35	Brown sandy silt and clay, fine sell sorted				
35	40	Brown sandy clay.lean fine, well sorted				
40	50	Light brown lean sandy clay fine, well sorted				
50	60	Light brown and tan lean sandy clays, fine well sorted				
60	65	Brown sand, fine, poorly sorted				
65	70	Brown coarse sand, poor, tan and brown clay streaks				
70	80	Brown coarse sand, poor, brown clay streaks				
80	95	Coarse brown sand, poor caliche				
95	100	Brown sandy clay, lean, fine, well sorted				
100	105	Light brown lean silty clay				
105	120	Light brown and tan lean clays				
120	125	Brown sandy clay, lean, fine, well sorted				
125	130	Tan sandy clay, lean, fine, well, caliche				
130	140	Tan and brown lean clays, caliche				
140	145	Tan clay, lean, caliche				
145	150	Brown sand, coarse, poor, caliche				
150	175	Brown sand, coarse, poor, some gravel				
175	185	Brown sand, Fine, Poor				

185	200	Coarse brown sand, poor

