WELL ID

KOLAR DOC ID

(785) 296-3565 | K.S.A. 82a-1212 | v2022c

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER WELL						Original Reco	ord Co	rrection	Chang	je in Wel	l Use
Latitude	Longitude			Section	Township	Range	E		1/4	1/4	1/4
Datum	Elevation			County							
WATER WELL OWNER		l	WELL	WATER USE			NEAREST	SOURCE OF	POTENTIAL C	ONTAMIN	IATION
Name											
			COMP	LETION							
Business				LETION			from well	l:	Directio from we	·II:	
Address		Depth of completed well:ft.				Source					
			]   -	-	water encountered	:	description	on:			
******					(2) ft.;		Source:				
Well location			(3)	ft.; (	(4) dry well		Distance	ı.	Directio from we	n 11.	
at owner's			Static	Static water level in well: ft.				l÷	110111 we	11;	
address			m	measured below land surface				on:			
CONCEDUCTION			on	(mm/dd/y	y):		No no	tantial source	a of contami	ination	
	CONSTRUCTION			measured above land surface			No potential source of contamination within 100 feet.				
	Borehole interval: Borehole diameter:		on	on (mm/dd/yy):			PERMIT & ID NUMBERS (AS REQUIRED)				
fromtoft.		in.	Estim	ated yield: _	gpm						
fromto ft.		in.	Water	level was:	ft. after	hours	1 -	-	:		
Casing height above land surf	face:	in.		pumpinggpm			KDHE / EPA Project Code:				
If casing height is less than 12 in.			Pump	Pump installed? Yes No			Site Name:				
has a variance been approved?* Yes No			T17.	11 11	. 10				orm Complet		
*variance not required for monitoring or environmental remediation wells					ected? Yes N				No Perm		
Casing type:	lation wens		Date	disinfected (	(mm/dd/yy):		I				
Blank casing interval:	ft. to	ft.	Aquif	er, if known	:		# of borel	noles:	# of dewate	ring wells:	
Blank casing diameter:			LITHO	LOGIC LOG	i						
Casing joints:			FROI	м то	LITHOLOGY	NTERVALS					
Weight: lbs/											
Wall thickness or gauge n											
Blank casing interval:											
Blank casing diameter:											
Casing joints:											
Weight: lbs/	ft.										
Wall thickness or gauge n	10.:										
Court interval 6 to											
Grout interval: ft. to_											
Grout material: ft. to											
			COMM	IENTS							
Grout material:											
Screen / perforation material:											
Screen / perforation material:			CONT	RACTOR'S	OR LANDOWNER	S CERTIFICATION	N				
Screen / perforation openings								numouset t-	the stated -	vatar 11	
From ft. to					was constructe			•	the stated v		
					ense and was con	=		-			
Slot size unit _ From ft. to					knowledge and b						
					ness name of						
Slot size unit _			Kans	as Water V	Vell Contractor's	License No	u	nder the au	thority of th	ne designa	ated
Gravel pack intervals:	Cmarcel et		perso	on as defin	ed in K.A.R. 28-	30-2(j) and sign	ed and certi	fied by the e	electronic si	gnature o	f the
Gravel pack not used:		in	^		on at its submitt	,					
From ft. to	_				VATER WELL OW	<u> </u>	ne for your red	ords. Fee of 9	5 00 for each	constructe	d well
Gravel pack not used:		in	Jena O	copy to v		EPARTMENT OF	•			constituent	a men
From ft. to	_ tt.			Bureau	of Water, Geology					2-1367	

Form	WWC5.2						
Contractor	Woofter Pump & Well, Inc. #881						
From	То	LithologicLog					
0	1.0	Concrete					
1.0	35	Brown sandy silt and clay, fine, well sorted					
35	40	Brown sandy clay, lean, fine, well					
40	50	Light brown lean sandy clay, fine, well					
50	60	Light brown and tan lean sandy clays, fine, well					
60	65	Brown sand, fine, poorly sorted					
65	70	Brown coarse sand, poor, tan and brown clay streaks					
70	80	Brown sand, coarse, poor brown clay streaks					
80	95	Brown sand, coarse, poor caliches					
95	100	Brown sandy clay, lean, fine, well					
100	105	Light brown lean silty clay					
100	120	Light brown and tan lean clays					
120	125	Brown sandy clay, lean, fine, well					
125	130	Tan sandy clay, lean, line, well, caliche					
130	140	Tan and brown lean clays, caliche					
140	145	Tan clay, lean, caliche					
145	150	Brown sand, coarse, poor caliche					
150	169	Brown sand, coarse poor, some gravel					

