WATER WELL RECORD (WWC-5)

WATER WELL RE	CORD (WWC-5	5)			KOLAR D	OC ID	WELL ID_		
LOCATION OF WATER WI	ELL			Or	iginal Recor	d Correction	Chang	ge in We	II Use
Latitude	Longitude	Section	on	Township	Range	E W Fraction	1/4	1/4	1/4
Datum	Elevation	Coun	ty		-	**			
WATER WELL OWNER		WELL WATE	1			NEAREST SOURCE OF F	POTENTIAL	CONTAMII	NATIO
Name						Source:			
Business		COMPLETIC	N			Distance from well:			
		Depth of co	mpletec	ł well:	ft		_ from we	ell:	
Address				ater encountered:		Source description:			
) ft.;		Source:			
Well location		1 1		dry well		l		n	
		Static water	level in	well:ft.		Distance from well:	_ from we	ell:	
at owner's address			measured below land surface			Source description:			
CONSTRUCTION		on (mm				No potential source	e of contam	ination	
Borehole interval:	Borehole diameter:	measure on (mm		e land surface :		within 100 feet.	e or contain	ination	
from to ft.						PERMIT & ID NUMBERS (AS REQUIRED)			
fromtoft.		Estimated y		gpm ft. after	h	DWR Application No.			
	in.	- water level	was:	pumping		1			
Casing height above land		Pump insta	lled?		gp ¹¹¹	KDHE / EPA Project Code: Site Name:			
If casing height is less has a variance been ap		T ump msta		ies no		KDHE UIC Class V Fo			No
*variance not required	Water well	Water well disinfected? Yes No			County Permit: Yes No Permit ID:				
or environmental ren	nediation wells	Date disinfe	Date disinfected (mm/dd/yy):			Lease Name & Well #:			
Casing type:		Aquifer, if k	nown			# of boreholes:			
Blank casing interval:									
Blank casing diameter:		LITHOLOGIC		LITUOLOGY INT	-DVALC				
Weight:	lbs/ft	FROM	то	LITHOLOGY INTI	EKVALS				
Wall thickness or gaug									
Blank casing interval:									
Blank casing diameter:									
Casing joints:									
	lbs/ft.								
Wall thickness or gaug									
Grout interval: ft.	· · · · · · · · · · · · · · · · · · ·	\dashv \mid							
Grout material: ft.									
Grout material:		COMMENTS	í						
Glout material									
Screen / perforation mater	ial·								
Screen / perforation open		CONTRACT	OR'S OF	R LANDOWNERS CE	RTIFICATION				
Screen / perforation interv		-		as constructed	reconstru	cted pursuant to	the stated v	water wel	1
Fromft. to						•			
Slot size uni				•		I certify the			
From ft. to			•			vell record was comple			
Slot size uni									
Gravel pack intervals:	-	Kansas W	iter We	ell Contractor's Lic	ense No	under the au	thority of th	ne design	ated
-	Gravel size in	person as	defined	l in K.A.R. 28-30-2	2(j) and signed	d and certified by the e	lectronic si	gnature o	of the
From ft. to		designated	l persor	n at its submittal:_					
	π. Gravel size in					for your records. Fee of \$	5.00 for each	construct	ed wel
			,			EALTH AND ENVIRONM			
From ft. to	11.	В	ureau of	f Water, Geology Sec	tion, 1000 SW J	ackson St., Suite 420, Top	eka KS 6661	2-1367	

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2	WWC5.2				
Contractor	Woofter Pum	Woofter Pump & Well, Inc. #881				
From	То	LithologicLog				
0	1.0	Asphalt				
1.0	5	Black brown sandy clay, lean, fine well sorted				
5	20	Brown sandy clay, lean, fine well sorted				
20	25	Light brown lean silty clay with dark gray streaks				
25	35	Brown sand coarse poorly sorted				
35	40	Brown sand coarse poorly sorted with some lean clay				
40	45	Tan sandy clay lean coarse poorly sorted				
45	55	Tan lean clay, trace fine sands				
55	70	Tan lean sandy clay, fine, well sorted				
70	75	Tan lean sandy Clay, fine well sorted				
75	80	Brown sand, fine, poorly sorted				
80	100	Brown sand, coarse, poorly sorted, caliche, brown clay streaks				
100	105	Brown sandy clay, coarse, poorly sorted, caliche				
105	115	Tan and brown sandy clay, fine, poorly sorted				
115	120	Coarse sand with tan lean clay, poorly sorted caliche				
120	130	Tan sandy clay, lean, fine, well sorted, caliche				
130	135	Tan sandy clay, coarse, poorly sorted, caliche				
135	140	Coarse brown sand, poorly sorted, caliche				
140	175	Coarse brown sand, poorly sorted				

175	190	Brown gravel, poorly sorted
190	199	Tan lean sandy clay, caliche, coarse, poor

