| For KCC         | Use:   |  |  |  |
|-----------------|--------|--|--|--|
| Effective Date: |        |  |  |  |
| District #      |        |  |  |  |
| SGA?            | Yes No |  |  |  |

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| Expected Spud Date:   | Spot Description:   |
|---|---|
| month day year  | ,SecTwpS. R EV  |
| PPERATOR: License#  | (O/O/O/O) feet from N / S Line of Section   |
| lame:   | feet from E / W Line of Section   |
| Address 1:  | Is SECTION: Regular Irregular?  |
| ddress 2:   | (Note: Locate well on the Section Plat on reverse side)   |
| City:   | County:   |
| Contact Person:   | Lease Name: Well #:   |
| hone:   | Field Name:   |
| ONTRACTOR: License#   | Is this a Prorated / Spaced Field?  |
| ame:  | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):   |
| Oil Enh Rec Infield Mud Rotary  | Ground Surface Elevation:feet MS  |
| Gas Storage Pool Ext. Air Rotary  | Water well within one-quarter mile:   |
| Disposal Wildcat Cable  | Public water supply well within one mile:   |
| Seismic ;# of Holes Other   | Depth to bottom of fresh water:   |
| Other:  | Depth to bottom of usable water:  |
| If OWWO: old well information as follows:   | Surface Pipe by Alternate:  |
|   | Length of Conductor Pipe (if any):  |
| Operator:   | Projected Total Depth:  |
| Well Name: Original Total Depth:  |   |
| Original Completion Pate.   | Water Source for Drilling Operations:   |
| Pirectional, Deviated or Horizontal wellbore?   | Well Farm Pond Other:   |
| Yes, true vertical depth:   |   |
| Bottom Hole Location:   | ( <b>Note:</b> Apply for Permit with DWR )  |
|   |   |
| KCC DKT #:  |   |
| KCC DKT #:  |   |
|   | Will Cores be taken?  |
| AF  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT   |
| AF<br>The undersigned hereby affirms that the drilling, completion and eventual p   | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT   |
| AF<br>The undersigned hereby affirms that the drilling, completion and eventual p   | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT   |
| AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig;   |
| AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> se  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig;  thy circulating cement to the top; in all cases surface pipe shall be set  |
| AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the seco       | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  |
| The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districts agreement agree       | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  |
| The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will set well is dry hole, an agreement between the operator and the district office will be notified before well is either plug  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  |
| The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will search of the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate       | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and the set of the |
| The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order #  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; iged from below any usable water to surface within 120 DAYS of spud date.  |
| The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order #  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| AF The undersigned hereby affirms that the drilling, completion and eventual press agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a composition of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of t       | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and the set of the |
| AF The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the        | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and the set of the |
| The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriated.   | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  It drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and the set of the |
| The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spunding to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spundiate or the well shall be appropriated before the well shall be appropri       | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification  |
| The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sequence of the approved notice of intent to drill <i>shall be</i> posted on each and the sequence of the sequence of the appropriate district office will be notified below <i>shall be sequent</i> .  5. The appropriate district office will be notified before well is either plug of the sequence of th | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  If drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |
| he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of t       | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  If drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be sequented. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15  | If Yes, proposed zone:    FIDAVIT   |
| The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be computed to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required   | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  If drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15   | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  If drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  If 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  |
| The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to the process of the spud and the second of the second        | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  The drilling rig;  The by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation.  Strict office on plug length and placement is necessary prior to plugging; led from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  |
| The undersigned hereby affirms that the drilling, completion and eventual processing to the appropriate district office <i>prior</i> to spudding of well;  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud to a proposition of the spud date or the well shall be computed to a proposition of the spud date or the well shall be completed within 30 days of the spud date or the well shall be considered.  In the well shall be sequenced to the well shall be completed within 30 days of the spud date or the well shall be considered.  For KCC Use ONLY  API # 15  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  And drilling rig;  And by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation.  Strict office on plug length and placement is necessary prior to plugging; led from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);   |

Signature of Operator or Agent:

Side Two

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



#### 1815 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                        |                                      | License Number:  |  |
|---|------------------------|--------------------------------------|--|--|
| Operator Address:   |                        |                                      |  |  |
| Contact Person:   |                        |                                      | Phone Number:  |  |
| Lease Name & Well No.:  |                        |                                      | Pit Location (QQQQ):   |  |
| Type of Pit:  | Pit is:                |                                      |  |  |
| Emergency Pit Burn Pit Proposed   |                        | Existing                             | SecTwp R East West   |  |
| Settling Pit Drilling Pit   | If Existing, date cor  | nstructed:                           | Feet from North / South Line of Section  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)   | Pit capacity:          | (111)                                | Feet from East / West Line of Section  |  |
|   | -                      | (bbls)                               | County   |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes I             | No                                   | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)      |  |
| Is the bottom below ground level?  Artificial Liner?  Yes No  |                        | lo                                   | How is the pit lined if a plastic liner is not used?                           |  |
| Pit dimensions (all but working pits):  | Length (fee            | et)                                  | Width (feet) N/A: Steel Pits   |  |
| Depth fro   | om ground level to dee | pest point:                          | (feet) No Pit  |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure. | ilei                   |                                      | dures for periodic maintenance and determining cluding any special monitoring. |  |
| Distance to nearest water well within one-mile of pit:  |                        | Depth to shallor<br>Source of inforr | west fresh water feet.   |  |
| feet Depth of water wellfeet  |                        | measured                             | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:   |                        | Drilling, Worko                      | ver and Haul-Off Pits ONLY:  |  |
| Producing Formation:  |                        | Type of materia                      | l utilized in drilling/workover:   |  |
| Number of producing wells on lease:   |                        | Number of work                       | ring pits to be utilized:  |  |
| Barrels of fluid produced daily:  |                        | Abandonment p                        | procedure:   |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No                                | pilled fluids to       | Drill pits must b                    | e closed within 365 days of spud date.   |  |
|   | -                      |                                      |  |  |
| Submitted Electronically  |                        |                                      |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                        |                                      |  |  |
| Date Received: Permit Numl  | ber:                   | Permi                                |  |  |

## Kansas Corporation Commission Oil & Gas Conservation Division


Form KSONA-1
July 2021
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca  | athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |  |  |
|---|---|--|--|--|
| OPERATOR: License #   | Well Location:  |  |  |  |
| Name:   | SecTwpS. R 🔲 East 🗌 West  |  |  |  |
| Address 1:  | County:   |  |  |  |
| Address 2:  | Lease Name: Well #:   |  |  |  |
| City: State: Zip:+  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:   |  |  |  |
| Contact Person:   |   |  |  |  |
| Phone: ( ) Fax: ( )   |   |  |  |  |
| Email Address:  |   |  |  |  |
| Surface Owner Information:  |   |  |  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additiona   |  |  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |  |  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.  |  |  |  |
| City: State: Zip:+  |   |  |  |  |
| provided the following to the surface owner(s) of the land upon Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing              | batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (see Chapter 55 of the Kansas Statutes Annotated), I have on which the subject well is or will be located: 1) a copy of the in connection with this form; 2) if the form being filed is a Form |  |  |  |
| the KCC will be required to send this information to the surface  | acknowledge that, because I have not provided this information, owner(s). To mitigate the additional cost of the KCC performing   |  |  |  |
| and that I am being charged a \$30.00 handling fee, payable to the  | ess of the surface owner by filling out the top section of this form he KCC, which is enclosed with this form.  |  |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 |   |  |  |  |
| Submitted Electronically  |   |  |  |  |



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

May 27, 2022

William Mieger Somerset Energy Enterprises, LLC 1245 CALYPSO COURT ASHLAND, OR 97520-1594

Re: Drilling Pit Application Kern 31 SE/4 Sec.18-16S-24E Miami County, Kansas

## Dear William Mieger:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 902-6450 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.