July 2017 Form must be Typed

TEMPORARY ABANDONMENT WELL APPLICATION

Form must be signed All blanks must be complete

Phone 620.902.6450

Phone 785.261.6250

OPERATOR: License#					API No. 15-															
Name:					Spot Descr	intion:														
Address 1:						•		R												
Address 2:							feet from N	I / S Line of Section												
City:		feet from E / W Line of Section																		
					GPS Location: Lat:															
Contact Person: Phone:() Contact Person Email: Field Contact Person:						Datum: NAD27 NAD83 WGS84 County: Elevation: GL KB Lease Name: Well #: Well #: Well Type: (check one) Oil Gas OG WSW Other:														
											Field Contact Person Phone					SWD Permit #: ENHR Permit #:				
											icia contact i ciscii i none	()					orage Permit #:			
					Spud Date:		Date Shut-In:													
	Conductor	Surfa	ace	Pro	oduction	Intermediate	Liner	Tubing												
Size																				
Setting Depth																				
Amount of Cement																				
Top of Cement																				
Bottom of Cement																				
Casing Squeeze(s): (top) Do you have a valid Oil & Ga Depth and Type:	As Lease? Yes I Hole at	No Tools in Ho th of: DV Too Back Depth: on Top Formatic to to to	on Base Feet Feet	Ca W / _ Inch Perfo Perfo	sing Leaks: sack: Set at: Plug Back Meth ration Interval	Yes No Depth s of cement Port (Fee od: Completion to Fee to Fee	n of casing leak(s): w / Collar: w / et n Information eet or Open Hole Interva	sack of cement al to Feet al to Feet												
			Submitte	ed Ele	ctronicall	У														
Do NOT Write in This Date Tested: Results: Space - KCC USE ONLY						Date Plugged:	Date Repaired: Date	te Put Back in Service:												
Review Completed by:				_ Comn	nents:															
TA Approved: Yes	Denied Da	te:																		
		Mail	to the Appr	opriate	KCC Conserv	ation Office:														
Share State State State State State State States Salary States	KCC D	istrict Office #1 -	210 E. Front	view, Sui	te A, Dodge Ci	ty, KS 67801		Phone 620.682.7933												
	KCC D	istrict Office #2	- 3450 N. Ro	ck Road,	Building 600,	Suite 601, Wichita, KS	67226	Phone 316.337.7400												

KCC District Office #3 - 137 E. 21st St., Chanute, KS 66720

KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651

Kansas Corporation Commission OIL & Gas Conservation Division

CASING MECHANICAL INTEGRITY TEST

Disposal: Enhanced	Recovery: K	CC District No.:	4	API No.: 15-009-24	158-00-00	Permit No.: D2	.6528.0
Operator License No.:	6039 Name: L	L. D. Drilling, I		SW_NW_NE Se			East West
Address 1: 7 SW 26TH	AVE			4240	Feet from	North / South	
Address 2:				2429			Line of Section
City: GREAT BEND	State: K	KS Zip: 6753	30 _ 6525	Lease: SEYFERT	Feet IIOIII		
Contact Person: Susan		Zip:620		County: Barton		vveir	No.: 2
Contact Person:	J0111041013	Phone: (County: Darton			
Well Construction Details:	New well	Existing well w	vith changes to const	ruction 🔽 Existing we	II with no change:	s to construcion	
Maximum Authorized Inject		0		3000	bbl/d		
		Surface	Intermediate	Production	Liner		Tubing
		8.625	NA	5.5	NA	Sizo:	2.375
		288		3452		Size:	3425
Set at:		225		100		Set at:	DUO LINED
Sacks of Cement:		0	-	2990		Туре:	בייות בייות
Cement Top:		225		3452			
Cement Bottom:		225		0702		2405	
Packer Type: R-4					Set at:	3425	
DV Tool Port Co			withsacks	s of cement TD (and pl	lug back):	3600 (3425)	feet depth
Zone of Injection Format	ARBUCKLE	Ε	Top Feet: 34	152 Bottom Feel	3600	Perf, or Open Hole	Open
			a appular apaga?	Yes No			
Is there a Chemical Sealar			Below Production				
If Dual Completion - Inject GPS Location: Datum:	ction is: Above I	Production NAD83 W	Below Production	DATA .35946 Long: - (098.61693 on: 5-YEAR TI	Date Acquired: 04/1 EST	9/2022
If Dual Completion - Inject GPS Location: Datum: MIT Type: Tubing and Pac	ction is: Above I NAD27 NAD27 NCker (or Initial Press	Production NAD83 WGssure) Test	Below Production FIELD (GS84 Lat: 38.	DATA			9/2022
GPS Location: Datum: MIT Type: Tubing and Pac	NAD27 NAD27 Ncker (or Initial Press	Production NAD83 W WGssure) Test	Below Production FIELD [GS84 Lat: 38.	DATA .35946 Long: - (9/2022
If Dual Completion - Inject GPS Location: Datum: MIT Type: Tubing and Pact Time in Minute(s):	ction is: Above I NAD27 NAD27 NCker (or Initial Press	Production NAD83 WGssure) Test	Below Production FIELD (GS84 Lat: 38.	DATA .35946 Long: - (9/2022
If Dual Completion - Inject GPS Location: Datum: MIT Type: Tubing and Pac	NAD27 NAD27 Ncker (or Initial Press	Production NAD83 W WGssure) Test	Below Production FIELD [GS84 Lat: 38.	DATA .35946 Long: - (9/2022
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1	NAD27 NAD27 Ncker (or Initial Press	Production NAD83 W WGssure) Test	Below Production FIELD [GS84 Lat: 38.	DATA .35946 Long:(MIT Reas			
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing	NAD27 Nabove In NAD27 Nabove In NAD27 Nabove In Nabove I	Production WG NAD83 W WG ssure) Test 15 300 bing Annulus	Below Production FIELD I GS84 Lat: 38. 30 300 System Pressure dur	DATA .35946 Long:(on: 5-YEAR TI	to load annulus:	1
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022	NAD27 Nabove In NAD27 Nabove In NAD27 Nabove In Nabove I	Production WG NAD83 WWG ssure) Test 15 300 bing Annulus Using: AW India	Below Production FIELD I 38. 30 300 System Pressure dur lustries, LLC	DATA .35946 Long:(on: 5-YEAR TI	to load annulus:	
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing	NAD27 Nabove In NAD27 Nabove In NAD27 Nabove In Nabove I	Production WG NAD83 W WG ssure) Test 15 300 bing Annulus	Below Production FIELD I GS84 Lat: 38. 30 300 System Pressure dur	DATA .35946 Long:(on: 5-YEAR TI	to load annulus:	1
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022	NAD27 NAD27 NCKer (or Initial Press	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and	Below Production FIELD I 38. 30 300 System Pressure dur lustries, LLC	DATA .35946 Long:(on: 5-YEAR TI	to load annulus:	1
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022 The zone tested for this wel	NAD27 NAD27 NCKer (or Initial Press 0 300 or Casing - Tub	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and	Below Production FIELD I 38. 30 300 System Pressure dur Justries, LLC 3425 feet,	DATA .35946 Long:(on: 5-YEAR TI	to load annulus:	1
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022 The zone tested for this well The test results were verifie	NAD27 NAD27 Nocker (or Initial Press O 300 I is between C d by operator's representation	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and resentative:	Below Production FIELD I 38. 30 300 System Pressure dur Justries, LLC 3425 feet,	DATA .35946 Long:(MIT Reas	on: 5-YEAR TI	to load annulus:	1
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022 The zone tested for this well The test results were verifie	NAD27 NAD27 NCKer (or Initial Press 0 300 or Casing - Tub	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and resentative:	Below Production FIELD I 38. 30 300 System Pressure dur Justries, LLC 3425 feet,	DATA .35946 Long:C MIT Reas	on: 5-YEAR TI	to load annulus:	1 nany's Equipment
GPS Location: Datum: MIT Type: Tubing and Pace Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022 The zone tested for this well The test results were verifiented. Name: Mike Kasselman	NAD27 Nocker (or Initial Press O 300 I is between 0 d by operator's representations State Agent: B Remarks:	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and resentative: Bruce Rodie	Below Production FIELD I 38. 30 300 System Pressure dur Justries, LLC 3425 feet,	DATA .35946 Long:(MIT Reas	on: 5-YEAR TI	to load annulus: Comp	1 nany's Equipment
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022 The zone tested for this wel The test results were verifier Name: Mike Kasselman KCC Office Use Only	NAD27 Nocker (or Initial Press 0 300 or Casing - Tub It is between Cod by operator's representation	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and resentative: Bruce Rodie	Below Production FIELD I 38. 30 300 System Pressure dur Justries, LLC 3425 feet,	DATA .35946 Long:(MIT Reas	on: 5-YEAR TI	to load annulus: Comp	1 nany's Equipment
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022 The zone tested for this wel The test results were verified Name: Mike Kasselman KCC Office Use Only The results were:	NAD27 Nocker (or Initial Press O 300 I is between 0 d by operator's representations State Agent: B Remarks:	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and resentative: Bruce Rodie	Below Production FIELD I 38. 30 300 System Pressure dur Justries, LLC 3425 feet,	DATA .35946 Long:(MIT Reas	on: 5-YEAR TI	to load annulus: Comp	1 nany's Equipment
GPS Location: Datum: MIT Type: Tubing and Pace Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022 The zone tested for this well The test results were verified Name: Mike Kasselman KCC Office Use Only The results were: Satisfactory Not Satisfactory	NAD27 Nocker (or Initial Press O 300 I is between 0 d by operator's representations State Agent: B Remarks:	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and resentative: Bruce Rodie	Below Production FIELD I 38. 30 300 System Pressure dur Justries, LLC 3425 feet,	DATA .35946 Long:(MIT Reas	on: 5-YEAR TI	to load annulus: Comp	1 nany's Equipment
GPS Location: Datum: MIT Type: Tubing and Pac Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022 The zone tested for this wel The test results were verified Name: Mike Kasselman KCC Office Use Only The results were: Satisfactory	NAD27 Nocker (or Initial Press O 300 I is between 0 d by operator's representations State Agent: B Remarks:	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and resentative: Bruce Rodie	Below Production FIELD I 38. 30 300 System Pressure dur Justries, LLC 3425 feet,	DATA .35946 Long:(MIT Reas	on: 5-YEAR TI	to load annulus: Comp	1 nany's Equipment
GPS Location: Datum: MIT Type: Tubing and Pace Time in Minute(s): Pressures: Set up 1 Set up 2 Set up 3 Tested: Casing Test Date: 04/19/2022 The zone tested for this well The test results were verified Name: Mike Kasselman KCC Office Use Only The results were: Satisfactory Not Satisfactory	NAD27 Nocker (or Initial Press O 300 I is between 0 d by operator's representations State Agent: B Remarks:	Production NAD83 WG ssure) Test 15 300 bing Annulus Using: AW Indi 0 feet and resentative: Bruce Rodie	Below Production FIELD I 38. 30 300 System Pressure dur Justries, LLC 3425 feet,	DATA .35946 Long:(MIT Reas	on: 5-YEAR TI	to load annulus: Comp	1 nany's Equipment

Conservation Division District Office No. 4 2301 E. 13th Street Hays, KS 67601-2651



Phone: 785-261-6250 Fax: 785-625-0564 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Susan K. Duffy, Commissioner Andrew J. French, Commissioner

June 06, 2022

Rashell Patten L. D. Drilling, Inc. 7 SW 26 Ave GREAT BEND, KS 67530-6525

Re: Temporary Abandonment API 15-009-24158-00-00 SEYFERT 2 NE/4 Sec.35-19S-12W Barton County, Kansas

Dear Rashell Patten:

"Your temporary abandonment (TA) application for the well listed above has been approved. In accordance with K.A.R. 82-3-111 the TA status of this well will expire 06/06/2023.

- * If you return this well to service or plug it, please notify the District Office.
- * If you sell this well you are required to file a Transfer of Operator form, T-1.
- * If the well will remain temporarily abandoned, you must submit a new TA application, CP-111, before 06/06/2023.

You may contact me at the number above if you have questions.

Very truly yours,

RICHARD WILLIAMS"