

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
March 2009

Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: _____
 Name: _____
 Address 1: _____
 Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Contact Person: _____
 Phone: (_____) _____
 Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
 Is ACO-1 filed? Yes No If not, is well log attached? Yes No
 Producing Formation(s): List All (If needed attach another sheet)
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____
 Spot Description: _____
 _____ - _____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West
 _____ Feet from North / South Line of Section
 _____ Feet from East / West Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
 County: _____
 Lease Name: _____ Well #: _____
 Date Well Completed: _____
 The plugging proposal was approved on: _____ (Date)
 by: _____ (KCC District Agent's Name)
 Plugging Commenced: _____
 Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____
 Address 1: _____ Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Phone: (_____) _____
 Name of Party Responsible for Plugging Fees: _____
 State of _____ County, _____, ss.
 _____ Employee of Operator or Operator on above-described well,
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically



P. O. Box 466
 Ness City, KS 67560
 Off: 785-798-2300



Invoice

DATE	INVOICE #
5/16/2022	34125

BILL TO
Vincent Oil Corporation 200 W. Douglas, Ste 725 Wichita, KS 67202

- Acidizing
- Cement
- Tool Rental

TERMS	Well No.	Lease	County	Contractor	Well Type	Well Category	Job Purpose	Operator
Net 30	#2	Beesley	Gove	Fritzler	Oil	Plug Workover	PTA	David E

PRICE REF.	DESCRIPTION	QTY	UM	UNIT PRICE	AMOUNT
503	Pick-Up Mileage - 1 Way	60	Miles	2.50	150.00T
576W-P	Pump Charge - PTA	1	Job	1,100.00	1,100.00T
290	D-Air	3	Gallon(s)	42.00	126.00T
275	Cotton Seed Hulls	5	Sack(s)	35.00	175.00T
279	Bentonite Gel	8	Sack(s)	40.00	320.00T
328-4	60/40 Pozmix (4% Gel)	520	Sacks	12.50	6,500.00T
581W	Service Charge Cement	520	Sacks	2.00	1,040.00T
583W	Drayage	1,259	Ton Miles	1.00	1,259.00T
	Subtotal				10,670.00
	Sales Tax Gove County			8.50%	906.95

We Appreciate Your Business!

Total

\$11,576.95



CHARGE TO: Vincent Oil
 ADDRESS
 CITY, STATE, ZIP CODE

TICKET 34125

PAGE 1 OF

SERVICE LOCATIONS
 1. Hays KS
 2. Ness City KS
 3.
 4.

WELL/PROJECT NO. #2
 CONTRACTOR Fritzel
 WELL TYPE Oil
 WELL CATEGORY Worker
 JOB PURPOSE PTA

LEASE Beesley
 COUNTY/PARISH Gove
 RIG NAME/NO.
 STATE KS
 CITY
 DELIVERED TO location
 VIA
 WELL PERMIT NO.
 WELL LOCATION

INVOICE INSTRUCTIONS

PRICE REFERENCE	SECONDARY REFERENCE/ PART NUMBER	ACCOUNTING		DESCRIPTION	QTY.	U/M	QTY.	U/M	UNIT PRICE	AMOUNT
		LOC	ACCT							
57543		1			60	Mi			2.50	150.00
5768		1		MILEAGE Pickup	1	EA			1100.00	1100.00
290		1		Pump Charge - PTA	3	Gal			42.00	126.00
275		1		D-Air	5	SX			35.00	175.00
279		1		Cotton Seen Halls	8	SX			40.00	320.00
				Bentonite Gel						
328-4		2		60/40 Pozmix 4% Gel	520	SX			12.50	6500.00
581		2		Service Charge Cux	520	SX			2.00	1040.00
583		2		Drayage	1259	TN			1.00	1259.00

REMIT PAYMENT TO:
 SWIFT SERVICES, INC.
 P.O. BOX 466
 NESS CITY, KS 67560
 785-798-2300

LEGAL TERMS: Customer hereby acknowledges and agrees to the terms and conditions on the reverse side hereof which include, but are not limited to, PAYMENT, RELEASE, INDEMNITY, and LIMITED WARRANTY provisions.

MUST BE SIGNED BY CUSTOMER OR CUSTOMER'S AGENT PRIOR TO START OF WORK OR DELIVERY OF GOODS.
 X

DATE SIGNED TIME SIGNED A.M. P.M.

SURVEY
 OUR EQUIPMENT PERFORMED WITHOUT BREAKDOWN?
 WE UNDERSTOOD AND MET YOUR NEEDS?
 OUR SERVICE WAS PERFORMED WITHOUT DELAY?
 WE OPERATED THE EQUIPMENT AND PERFORMED JOB CALCULATIONS SATISFACTORILY?
 ARE YOU SATISFIED WITH OUR SERVICE?
 YES NO CUSTOMER DID NOT WISH TO RESPOND

PAGE TOTAL 10670.00

TOTAL 11576.95

CUSTOMER ACCEPTANCE OF MATERIALS AND SERVICES The customer hereby acknowledges receipt of the materials and services listed on this ticket.

SWIFT OPERATOR DAVID EDGELTON APPROVAL

Thank You!

SWIFT Services, Inc.

JOB LOG

CUSTOMER		WELL NO.		LEASE		JOB TYPE		TICKET NO.	
Vincent Oil		# 2		Beesley		Prt			
CHART NO.	TIME	RATE (BPM)	VOLUME (BBL) (GAL)	PUMPS		PRESSURE (PSI)		DESCRIPTION OF OPERATION AND MATERIALS	
				T	C	TUBING	CASING		
	9:00	5	24			900			1st plug @ (4100')
		5	13			900			Mix 500 # Bentonite Gel
		5	5			900			Mix 50 sx cmt w/ 200 # Hulls
									Disp
									Pull up to 2nd plug
									Reverse out
									Shut down for the day
									5-17-22
									Load TBG - Pressured up
									T.O.D.H w/ TBG
									Run back in to 2450'
									2nd Plug - (2450')
		5	24			800			Mix 90 sx cmt w/ 300 # Hulls
		5	5			800			Disp
									3rd Plug @ (1095')
		5	35						Mix cmt to circ - 125 sx
									Shut valve on backside to circ up 85%
		5	26						Mix 100 sx - not circ
									T.O.D.H. w/ TBG
									Hook to 4 1/2
									Mix cmt to circ out 85%
		2.5	40						- 155 sx
									USED - 520 520 sx cmt
									500 # hulls
									800 # Bentonite Gel