_ WELL ID_

KOLAR DOC ID _

WATER WELL RECORD (WWC-5)

From _____ ft. to _____ ft.

LOCATION OF WATER WELL					(Original Recor	rd Co	rrection	Chang	e in Wel	l Use
Latitude	Longitude			Section	Township	Range	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County	тГ	8-	l W				
WATER WELL OWNER				NATER USI	 =		NEAREST SOURCE OF POTENTIAL CONTAMINATION				
Name]		<u>-</u>			OUNCE OF T			AIIOI
			COMP	FTION			Distance		Direction	1	
Business			COMPLETION				from well:	:	_ from wel	Î:	
Address					ted well:	ft.	Source				
			Depth(s) groundwater encountered:			descriptio					
Well location			(1)ft.; (2)ft.; (3)ft.; (4) dry well				I				
wen location							Distance from well:	:	Direction from wel	1 l:	
at owner's			Static water level in well: ft.				Source				
address	address		measured below land surface on (mm/dd/yy):				descriptio	n:			
CONSTRUCTION					y). we land surface			tential source	e of contami	nation	
Borehole interval:	Borehole interval: Borehole diameter:		on (mm/dd/yy):			within 100 feet.					
fromto ft.				Estimated yield: gpm			PERMIT & ID NUMBERS (AS REQUIRED)				
fromto ft.				Water level was: ft. afterhours			DWR Application No.:				
Casing height above land sur			pumping gpm			KDHE / EPA Project Code:					
			Pump installed? Yes No			01	Site Name:				
If casing height is less than 12 in. has a variance been approved?* Yes No						KDHE UIC Class V Form Completed: Yes No			No		
*variance not required for monitoring			Water well disinfected? Yes No			County Permit: Yes No Permit ID:					
or environmental remed	iation wells		Date d	lisinfected ((mm/dd/yy):		Lease Nar	ne & Well #:			
Casing type:Blank casing interval:	ft to		Aquife	er, if known	1:		# of boreh	oles:	# of dewater	ing wells:	
Blank casing diameter:				LOGIC LOG							
Casing joints:			FROM		LITHOLOGY IN	TERVALS					
Weight:lbs											
Wall thickness or gauge r											
Blank casing interval:	ft. to	ft.									
Blank casing diameter:	in.										
Casing joints:											
Weight:lbs	/ft.										
Wall thickness or gauge r	10.:										
Grout interval: ft. to	ft.										
Grout material:											
Grout interval:ft. to											
Grout material:			СОММ	ENTS							
Screen / perforation material:											
Screen / perforation opening	s:		CONTR	RACTOR'S	OR LANDOWNERS	CERTIFICATION					
Screen / perforation intervals:	:		This v	water well	was constructed	reconstru	icted p	oursuant to	the stated w	ater well	
Fromft. to	ft.		contr	actor's lice	ense and was comp	oleted on		I certify tha	nt this record	d is true t	ю
Slot size unit _					knowledge and bel			•			
From ft. to	ft.			•	ness name of			•			
Slot size unit _					Vell Contractor's L						, ited
Gravel pack intervals:									•	_	
Gravel pack not used:	Gravel size _	in	-		ed in K.A.R. 28-30	-	a and certif	iea by the e	iectronic sig	gnature of	the
From ft. to	_ ft.				son at its submittal			·			
Gravel pack not used:	Gravel size _	in	Send or	ne copy to V	VATER WELL OWN	ER and retain one	e for your rec	ords. Fee of \$	5.00 for each	constructe	d well

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

DOC ID	164060	164060					
Form	WWC5.2	WWC5.2					
Contractor	Woofter Pump & V	Woofter Pump & Well, Inc. #881					
From	То	LithologicLog					
0	2	Topsoil					
2	18	Loess					
18	45	Soft sand stone with clay lenses					
45	63	Fine to some medium sand with sand streaks					
63	74	Clay					
74	118	Fine and medium sand with clay lenses					
118	145	Fine and medium sand and small gravel with clay lenses					
145	160	Yellow Ochre/Black Shale					