\_ WELL ID\_

KOLAR DOC ID \_

## **WATER WELL RECORD** (WWC-5)

OCATION OF WATER WE	LL					Original F	Recor	d Coi	rrection	Chang	e in We	l Use
Latitude	Longitude			Section	Township	Ra	ange	E W	Fraction	1/4	1/4	1/4
Datum	Elevation			County								
WATER WELL OWNER			WELL	NATER USI				NEAREST S	OURCE OF	POTENTIAL C	ONTAMIN	IATION
Name								Source:				
Business			COMP	LETION				Distance		Direction	n	
Dustriess					. 1 . 11			from well:		from we	l:	
Address					ted well:		t.	Source descriptio	n.			
			-	-	water encountered: (2) ft.;							
Well location					(4) dry well							
					·		_	from well:		Direction from we	ll:	
at owner's address			Static water level in well: ft. measured below land surface					Source description:				
CONSTRUCTION				(mm/dd/y	y): ve land surface		-	No pot	ential sour	ce of contami	nation	
Borehole interval:	Borehole dia	meter:		easured abo (mm/dd/y					100 feet.			
fromto ft.		in.					$\overline{}$	PERMIT &	ID NUMBE	RS (AS REQU	RED)	
fromtoft.					gpm ft. after	houre		DWR Apr	olication No	o.:		
			, vaici					1				
Casing height above land s  If casing height is less t		m.	pumping gpm Pump installed? Yes No				KDHE / EPA Project Code: Site Name:					
has a variance been app		s No					_	KDHE UI	C Class V I	Form Complet	ed: Yes	No
*variance not required					ected? Yes No			County Pe	ermit: Ye	s No Perm	it ID:	
or environmental remediation wells			Date of	lisinfected (	(mm/dd/yy):		_	Lease Nan	ne & Well #	:		
Casing type:	ft to		Aquif	er, if known	:			# of boreh	oles:	# of dewater	ring wells:	
Blank casing diameter:				LOGIC LOG								
Casing joints:			FRO		LITHOLOGY I	NTERVALS						
Weight:ll												
Wall thickness or gauge												
Blank casing interval:	ft. to	ft.										
Blank casing diameter:	in.											
Casing joints:												
Weight:ll	bs/ft.											
Wall thickness or gauge	e no.:											
Grout interval: ft.	toft.											
Grout material:												
Grout interval: ft.	toft.		50111									
Grout material:			COMM	ENIS								
Screen / perforation materia												
Screen / perforation opening					OR LANDOWNERS							
Screen / perforation interva					was constructed			_		the stated w		
Fromft. to					ense and was com	•			•			
Slot size unit				•	knowledge and be				•			
From ft. to Slot size unit					ness name of							
Gravel pack intervals:	·		Kans	as Water V	Vell Contractor's	License No		ur	nder the au	ithority of th	e designa	ated
Gravel pack not used:	Gravel size	in	perso	n as defin	ed in K.A.R. 28-3	30-2(j) and	signe	d and certifi	ied by the	electronic sią	gnature o	f the
From ft. to		111	desig	nated pers	son at its submitta	al:			·			
Gravel pack not used:		in	Send or	ne copy to V	VATER WELL OW	NER and reta	ain one	for your reco	ords. Fee of	\$5.00 for each	constructe	ed well
Fromft. to				Bureau	of Water, Geology	Section, 100	0 SW J	EALTH AND ackson St., S A. 82a-1212	uite 420, To		2-1367	

Form	WWC5.2 - Water Well Record			
Doc ID	1639701			
Well Owner	4-D Farms			
Contractor	Hydro Resources Mid Continent, Inc. #145			

## Casing

From	То	Casing Diameter	Casing Joint		Wall Thickness or Gauge Number
0	389	16	Welded	42.09	.250
449	507	16	Welded	42.09	.250
527	547	16	Welded	42.09	.250

Form	WWC5.2 - Water Well Record			
Doc ID	1639701			
Well Owner	4-D Farms			
Contractor	Hydro Resources Mid Continent, Inc. #145			

## Lithology

From	То	Lithology Intervals
0	2	topsoil
2	5	clay,brown
5	13	sand,fine
13	35	sand,fine,clayey
35	119	clay,brown
119	145	clay,reddish,brown
145	155	sand,fine to medium
155	163	clay,brown
163	190	sand,fine
190	341	sand,medium to coarse
341	360	clay,blueish,brown
360	372	sand,fine,clayey
372	382	sand,fine,clayey
382	400	sand,fine,clayey
400	434	sand,fine
434	440	clay,brown
440	449	sand,fine
449	460	clay,brown
460	510	limestone,unweathered
510	527	sandstone,unweathered,yello wish
527	540	shale,unweathered,red,Red bed